

Referencia	Producto	Descripción Resumida	RMRSF
600023	2x L profile A size	Two sideways ""L"" plates for mounting the box on the wall. Smaller box A type (Poseidon :	5.90 €
600025	DIN Rail box set	DIN Rail plastic holder, can be placed to most of our product housings. Installation to devic	9.10 €
600034	I/O Controller 20 pin connector	Two 10 pin green connectors for connecting peripherals to standard I/O Controller. One set	13.70 €
600041	Poseidon S-Hub	Splitter for up to 8 sensors to RS-485 bus (8+1x RJ45)	99.40 €
600063	DB9 LapLink cable 2m	Communication RS-232 cable LapLink (5 wires declared).	6.30 €
600064	DB9 Prolong cable 2m	Extending communication RS-232 cable, 2m long	6.30 €
600120	3 Door Contacts	Simple set of 3 contacts for check when doors are open	21.70 €
600219	2-pin Terminal Block	2-pin terminal I/O plug to IP WatchDog Lite, Damocles MINI and Poseidon 326x devices	1.70 €
600233	Sensor RJ45 MIDDLE cable	Connection RS-485 cable 0.5m. RJ45/4 pins to terminal block (A, B, +, -). (3 pairs)	6.70 €
600234	Sensor RJ45 LAST cable	Connection RS-485 cable 0.5m. Use for last one or single sensor on the bus (2 pairs). RJ45/4	6.70 €
600236	Motion PIR detector	PIR motion detector JS-20 (External product)	36.90 €
600239	Gas Leak Detector	Flammable gas detector GS-133 (External product)	81.40 €
600273	Spider	RS-485 / 1-Wire bus converter, connecting max 4x 1-Wire sensors (RJ11) or Dry contacts to	158.20 €
600280	Poseidon T-Box2	Splitter hub for 1 or 2 sensors (2x RJ11), 3 m connecting cable	14.10 €
600288	Power jack cable 1m	1 meter long cable with power jack and 2 wires on other side	5.40 €
600301	3M Dual Lock fastener	Self-adhesive hook and loop fastener 3M™ Dual Lock™	1.70 €
600304	AirFlow sensor 5101	Digital AirFlow sensor with screw adjustable trigger value, 24V DC power input	266.00 €
600305	24V Wall plug adaptor EU	24V DC power adaptor for AirFlow 600304, EU power connector	36.20 €
600311	Temp-1Wire-Outdoor 3m	Temperature outdoor sensor (-50°C to +125°C) - Multi-purpose watertight (IP67) sensor prc	79.60 €
600329	Temp-1Wire Rack19	Temperature sensor (-10 to +80°C), 1U rack mount housing, 2x RJ11 daisy-chainable 1-Wire	50.60 €
600337	Temp-1Wire-Flat 3m	Temperature sensor for freezers, -30 to +60°C, watertight (IP67) stainless steel 17241 prob	79.60 €
600342	Temp-485 Box2	Temperature probe - RS-485 bus, room box2 wall mountable, RJ45 and terminal I/O screw	79.00 €
600356	Poseidon T-Box RJ11	Splitter hub for 1 to 5 sensors (5x RJ11), 10 cm connecting cable.	25.00 €
600358	HWg-SH1	Electronic Locking SwingHandle from Southco (H3-EM). Connection cable 4m included. Pan	189.90 €
600368	HWg HTemp-485 T3411	Humidity & Temperature probe (-30 to +80°C) with LCD display and RS-485 interface. Outd	375.20 €
600369	HWg HTemp-485 T3419	Humidity & Temperature probe (-30 to +105°C, 1m probe) with LCD display and RS-485 inte	375.20 €
600370	HWg PHTemp-485 T7410	Barometric pressure & Humidity & Temperature probe with LCD display and RS-485 interfa	565.30 €
600371	Door Contact MK4	Security Door contact MK4 with 3m cable.	20.00 €
600386	HWg-PDMS 8	HWg-PDMS SW license up to 8 datapoints. Periodic data capture, Excel reporting.	108.50 €
600387	HWg-PDMS 20	HWg-PDMS SW license up to 20 datapoints. Periodic data capture, Excel reporting.	199.60 €
600410	RFID reader 232-M1	RFID Reader M type with RS-232 output. Two cards included. Compatible with HWg-SH3 an	207.90 €
600415	HWg-WLD plain	HWg-WLD Water Leak Detector plain unit	126.60 €
600417	WLD sensing cable A - 2+2m	WLD cable 2m + 2m connection cable - total length 12m. Can be connected to HWg-WLD or	148.40 €
600418	WLD sensing cable A - 2m	WLD cable 2m (Water Leak Detection) - Can be used to WLD sensing cable extension. No cc	100.90 €
600427	Smoke detector FDR26	FDR26 Optical Smoke Detector - 12V DC, relay output (External product)	77.30 €
600433	RFID card M1	RFID Card type M1. White card with HWg logo & printed order code.	10.00 €
600434	Power strip DC	Split box for the power adaptor connection cable. Usefuf to power sensors with Damocles I	16.30 €
600435	Converto 232-M1 to DB9	Adaptor for using RFID reader 232-M1 with Poseidon 4001. Can't be used together with GS	54.30 €
600439	HWg-STE PoE 5pack	5 pieces pack of HWg-STE PoE. One PoE STE unit RWP price is 230€ / 315\$. PoE web therm	891.00 €
600440	HWg-STE PoE 25pack	25 pieces pack of HWg-STE PoE. One PoE STE unit RWP price is 230€ / 315\$. PoE web therr	4,112.20 €
600442	HWg-STE PoE 5pack noPWR	5 pieces pack of HWg-STE PoE without power adaptors. It's simple temperature monitoring	854.70 €
600443	HWg-STE PoE 25pack noPWR	25 pieces pack of HWg-STE PoE without power adaptors. It's simple temperature monitorin	3,901.90 €
600447	Frame for RFID reader 232-M1	Black montage frame for the reader 600 410 ""RFID reader 232-M1"". Reader is designed a	27.10 €
600448	HWg-WLD PoE plain	HWg-WLD PoE Water Leak Detector plain unit (Power over Ethernet version)	180.80 €
600457	Meter 3f ED 310.DB HWG	3 phase 380V M-Bus energy meter max load 63A. Pulses S0 & M-Bus data output	419.70 €
600458	Meter 1f DHZ 5/63-M-BUS	1 phase 230V M-Bbus energy meter max load 63A. M-Bus data output	258.40 €
600463	Flood detector LD-12	The flood detector powered by 12V. Sensor connected to Dry Contact Input (DI) of any Posi	48.00 €
600464	WLD A connection cable 2m	HWg-WLD connection cable 2m, Terminator included.	27.10 €
600465	WLD sensing cable A - 10m	WLD cable 10m (Water Leak Detection) - Can be used to WLD sensing cable extension. No c	366.30 €
600466	WLD sensing cable A - 50m	WLD cable 50m (Water Leak Detection) - Can be used to WLD sensing cable extension. No c	1,407.90 €
600467	WLD sensing cable A - 2+10m	WLD cable 10m + 2m connection cable - total length 12m. Can be connected to HWg-WLD c	397.80 €
600468	WLD sensing cable A - 2+50m	WLD cable 50m + 2m connection cable - total length 52m. Can be connected to HWg-WLD c	1,437.60 €
600469	3-pin Terminal Block	3-pin terminal block I/O plug for Poseidon 3268, Damocles MINI and other devices	1.70 €
600474	HWg-STE 10pack	10 pieces pack of HWg-STE. One Unit RWP price is 155€ / 212\$. The HWg-STE web thermoi	1,497.30 €
600475	HWg-STE 30pack	30 pieces pack of HWg-STE. One Unit RWP price is 155€ / 212\$. The HWg-STE web thermoi	4,121.90 €
600481	M-Count 2C	Two S0 inputs to M-Bus transducer & datalogger	161.50 €
600487	Humid-1Wire 1m	Relative Humidity sensor (0 to 100% RH) on a 1 meter long cable with a 1-Wire RJ11 connec	70.50 €
600488	Humid-1Wire 3m	Relative Humidity sensor (0 to 100% RH) on a 3 meters long cable with a 1-Wire RJ11 connec	73.30 €
600489	Humid-1Wire 10m	Relative Humidity sensor (0 to 100% RH) on a 10 meters long cable with a 1-Wire RJ11 conr	113.10 €
600490	Mount plate D	Mount support for HWg-Ares	2.60 €
600492	J-clips 10 for WLD cable	10 pieces of J-Clip for WLD cable A to floor or applicable surface to prevent detection cable	13.50 €
600496	WLD A prolong cable 5m	Prolong WLD sensing cable by 5m of non sensitive extension cable. This cable can extend W	31.70 €
600504	HTemp-1Wire Rack19	Temperature & Humidity sensor for 1-Wire, 2 RJ12 connectors. Sensor designed for 19"" ra	79.20 €
600505	HTemp-485 Box2	Temperature & Humidity probe for RS-485 bus (Poseidon 2250), room box2 wall mountabl	122.20 €

600506	HTemp-1Wire Box2	Temperature & Humidity sensor for 1-Wire, 2 RJ12 connectors. Boxed sensor designed for i	99.40 €
600507	HWg-WLD Water detector	HWg-WLD Water Leak Detector starting (2+2)set. Delivered as complete package with 2m c	208.00 €
600513	Sensor WLD Relay 1W-UNI	Water Leak detection Sensor with Relay (NO/NC) or 1-Wire UNI output. Jack and terminal b	135.60 €
600514	HWg-WLD Relay	Water Leak Detection rope sensor 2+2m, Relay (NO/NC) & 1-Wire UNI outputs. EU power a	233.20 €
600515	Sensor Light 1W-UNI 3m	Ligh sensor for 1-Wire, 3 meters long cable, RJ11 connector. Sensor encased in transparent	99.40 €
600516	1-Wire hub Power	Splitter hub for 1 to 8 sensors (8x RJ11) with power booster. Suitable for 1-Wire or 1-Wire l	81.40 €
600517	HWg-Ares 12 plain	Ares12 plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more ac	362.80 €
600519	HWg-PWR 25	M-Bus to IP data collector with Web and SNMP - supports 25 M-Bus meters and up to 100	389.90 €
600520	HTemp-1Wire 3m	Temperature & Humidity sensor (-30 to +80°C, 0 to 100% RH) on a 3 meters long cable with	99.40 €
600521	HWg-WLD PoE Water detector	HWg-WLD PoE Water Leak Detector set 2+2m. Powered over Ethernet, delivered as comple	271.30 €
600524	HWg-Ares 12 Tset	Ares 12 startup package with Universal power adaptor (US, EU, UK), Temperature sensor, C	415.90 €
600525	HWg-PWR 12	M-Bus to IP data collector with Web and SNMP - supports 12 M-Bus meters and up to 100	354.40 €
600526	HWg-PWR 3	M-Bus to IP data collector with Web and SNMP - supports 3 M-Bus meters and up to 100 v	322.20 €
600528	12V Wall plug adaptor INT	International plug power adaptor 12V / 0.5A (EU, UK and USA)	15.00 €
600529	USB Cable mini 2m	USB cable for Ares unit connecting to PC	4.60 €
600530	GSM SMA antenna quadband	GSM antenna quadband with SMA connector for Ares.	23.40 €
600532	PortBox 2	PortBox 2 device: the RS-232/485 to Ethernet converter. Full serial port RS-232, Web interf.	170.30 €
600533	I/O controller 2	The I/O Controller 2 with 20-pin terminal block. The connectors ""20 pin connector"" [600 (257.80 €
600534	Sensor 60V 1W-UNI v2	DC voltage sensor (converter) with a 0 to 60V DC input and a 1-Wire UNI (RJ11) output. Rec	181.20 €
600535	1-Wire UNI USB calibrator	USB cable for 1-Wire UNI sensors calibration. You can edit output scale, calibration points a	40.80 €
600543	5V Wall plug adaptor INT	International plug power adaptor 5V / min 1A (EU, UK and USA)	15.00 €
600544	HWg-PDMS 200	HWg-PDMS SW licence up to 200 datapoints. Periodic data capture, Excel reporting.	361.70 €
600545	HWg-PDMS unlimited	HWg-PDMS license limited up to 500 datapoints or 300 devices. License project based exte	741.50 €
600546	Expander 4xDI 1W-UNI	4 Digital Inputs Expander sensor to RJ11. Connect up to four Dry Contact inputs. 1-Wire UN	89.60 €
600548	PortBox 2 set	Recommended starting set: PortBox 2, EU Power adaptor, DB9 LapLink cable 2m, Manual, (191.20 €
600549	I/O Controller 2 Test board	A test board for easy setup and debugging of your applications for the I/O Controller 2. It's	18.00 €
600550	I/O controller 2 set	Recommended start set for I/O Controller 2, device unit, EU power adaptor, Test board, La	316.40 €
600552	IP Relay HWg-ER02b	DIN compatible IP Relay without the power adapter or other accessories. 2x digital input, 2	271.30 €
600563	HWg-PWR3 1f 230V mobile box	Mobile demonstration solution for HWg-PWR3. Device can be used as temporary 1 phase (1,175.50 €
600564	HWg-SH4	HWg-SH4 plain unit – Ultimate RFID access control system. Connect 2 RFID readers and 2 el	340.40 €
600565	Sensor 4-20mA 1W-UNI	4 to 20mA DC current converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, sources	149.20 €
600566	Sensor 0-20mA 1W-UNI	0 to 20mA DC current sensor – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated	149.30 €
600567	Converter 2xPt100 1W-UNI	Converter for connecting 2x Pt100 or Pt100 temperature probes to 1-Wire UNI bus (RJ11). I	149.30 €
600568	Poseidon2 3266	Poseidon2 3266 plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-W	316.50 €
600569	Poseidon2 3268	Poseidon2 3268 plain unit - 2 internal relay outputs, 2xRJ11 - max 8 sensors (1-Wire UNI), 4 c	349.50 €
600570	Poseidon2 3468	Poseidon2 3468 plain unit. Monitoring for industrial & telco usage. DIN rail housing, 48V DC	388.90 €
600571	Poseidon2 4002	Poseidon2 4002 plain unit. Data center environmental monitoring system. 12 DI, 4 DO (Rel	614.80 €
600572	Damocles2 MINI	Cost efficient I/O, metal housing, 4 Digital inputs, 2 relay outputs. Interfaces: WEB, IPv6, SN	235.10 €
600575	Sensor calibration	Calibration protocol from accredited laboratory for one physical value in 3 calibration point	144.80 €
600576	Cable RJ11-RJ45 2m	Package of 2x cable RJ11 to RJ45 and socket RJ11-RJ11 for 1-wire sensors in structurig cable	40.70 €
600578	Temp-1Wire 3m calibrated	Temperature sensor (-10°C to +80°C),with calibration certificate in 3 points (-5°C; 25°C a 78	195.10 €
600579	Flood detector 1W-UNI 3m	Water leak spot detector with 1W-UNI (RJ11) interface. Compatible with Poseidon2 and Ar	67.80 €
600581	IP Relay HWg-ER02b set	Quick start set for the IP Relay ER02b. Contains a DIN unit, a power adapter and a DVD with	289.30 €
600583	Rack mounting brackets 19"	Profile and accessories for Poseidon2 4xxx montage to 19" cabinet.	36.20 €
600584	Temp-1Wire 1m IP67	Temperature sensor (-10°C to +80°C) on a 1 meter long cable with a 1-Wire RJ11 connecto	37.10 €
600585	Temp-1Wire 3m IP67	Temperature sensor (-10°C to +80°C) on a 3 meters long cable with a 1-Wire RJ11 connect	43.40 €
600586	Temp-1Wire 10m IP67	Temperature sensor (-10°C to +80°C) on a 10 meters long cable with a 1-Wire RJ11 connec	84.20 €
600589	Poseidon2 3468 Tset	Poseidon2 3468 evaluation set with temperature sensor. Contains Poseidon2 3468, power ;	470.20 €
600591	Poseidon2 3266 Tset	Poseidon2 3266 evaluation set with temperature sensor. Contains Poseidon2 3266, power ;	378.80 €
600592	Poseidon2 3266 THset	Poseidon2 3266 evaluation set with temperature-humidity combined sensor. Contains Pose	438.50 €
600593	Poseidon2 3268 Tset	Poseidon2 3268 quick start set with a temperature sensor. Contains the Poseidon2 3268 un	428.60 €
600594	Poseidon2 4002 Tset	Temperature monitoring set for 19" rack. Contains: Poseidon2 4002, power adaptor, Temp-	822.90 €
600598	HWg-Trigger	HWg-Trigger - Alert management software for Windows. (Device WatchDog, central sendin	248.90 €
600599	PowerEgg2	Power detection and control for 110 and 230V AC. Power plugs IEC-320. Galvanically isolate	113.00 €
600602	Sensor 230V AC 1W-UNI	Voltage sensor 0-230V AC – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, D	162.80 €
600603	Mount plate E- 1U	Rack (cabinet) mount plate with accessories, 1U montage for HWg-Ares, Poseidon2 3266/6	18.50 €
600604	Mounting set	Universal set of screws for mechanical mounting HW group devices.	13.60 €
600605	Sensor 4-20mA 1W-UNI set	4 to 20mA DC current sensor – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated	167.30 €
600606	Temp-1W-UNI Pt100 Cable	Pt-100 based temperature sensor with 1-Wire UNI output. Contains a Pt-100 probe (-50 to	171.90 €
600607	1-Wire hub Power set	Wall plug power adaptor 12V and 1-Wire power hub package. Splitter hub for 1 to 8 sensor	105.90 €
600610	HWg-SH4e	HWg-SH4e – HWg-SH4 expander. Part of the SH4 ultimate RFID access control system that i	230.60 €
600612	PortStore5	PortStore5 device: Serial port buffer to Ethernet. Full serial port RS-232, RS-485, Logger, W	284.90 €
600613	PortStore5 Set	PortStore5 starting set: PortStore5 unit (serial buffer), power adaptor, Manual, CD, serial L	316.00 €
600614	Probe Pt100 TG8 2m	Temperature probe Pt100/A on the cable. Temperature range -50 to 200°C. Silicon covered	41.00 €
600615	Probe Pt100 TR125 2m	Temperature probe Pt100/B for low temperatures. Temperature range -190 to +150°C. PTF	207.90 €
600616	Temp-1W-UNI Pt100 Frost	Pt-100 based low temperatures sensor with 1-Wire UNI output. Contains a Pt-100 tempera	348.90 €
600619	Rack Shelf 1U	Profile and accessories for two or more devices installed to one 19" 1U cabinet position. In	45.10 €
600620	12V/1,5A Wall plug adaptor INT	International plug power adaptor 12V / 1.5A (EU, UK and USA)	19.00 €
600621	E-lock BeFo 512	Simple electronic lock for fasting in door	81.40 €
600622	E-lock XPO-211	Simple electronic lock for rack	25.30 €
600623	RFID Reader R3 - RJ45	RFID reader with integrated keyboard. Suitable for HWg-SH4 applications with multiple doc	51.50 €
600626	RFID tag	Simple round RFID key tag. Each comes with a unique ID. IP 68 protection.	2.30 €

600629	HWg-SH4 SOHO set	Small SOHO set of the ultimate RFID access control system. Connect 2 RFID readers and 2 e	392.40 €
600630	HWg-SH4 IT set	Demonstration set of the ultimate RFID access control system. Connects 2 RFID readers and	470.00 €
600631	Temp-485-Pt100 Box2	Box2 is a temperature probe for wall mounting with RS-485 output. High precision external	171.80 €
600632	Temp-485-Pt100 Cable3	Cable3 is a temperature probe with RS-485 output. Converter can be mounted on the wall.	171.80 €
600633	Temp-485-Pt100 Frost2	Frost2 is a temperature probe for low temperatures. Converter with RS-485 output can be	352.60 €
600634	HWg-SH4s	HWg-SH4 single expander. Part of the SH4 ultimate RFID access control system that control	158.20 €
600639	HWg-SMS-GW3 plain	Central GSM SMS Gateway for HW group sensors. IP sensors connected by LAN. GSM mode	271.30 €
600640	IP WatchDog2 Lite Plain	Standalone IP Watchdog Lite in metal housing. Two refresh methods supported - PING in a	158.30 €
600641	IP WatchDog2 Industrial	Industrial IP Watchdog unit, DIN rail housing, 2 relay outputs for 110/230V AC power. Five r	289.30 €
600642	HWg-SMS-GW3	Central GSM SMS Gateway for HW group sensors. IP sensors connected by LAN. GSM mode	348.10 €
600643	IP WatchDog2 Lite	Complete package of IP Watchdog Lite, power source, CD with software and manual.	177.20 €
600644	IP WatchDog2 Industrial set	Industrial IP Watchdog unit with Power adaptor and CD. (DIN housing, 2 relays for 110/230'	321.00 €
600645	Vibration detector SS14	Vibration detector 12V, transistor output.	169.10 €
600648	Damocles2 1208	Industrial I/O, DIN Rail plastic box, 12 Digital inputs, 8 outputs (open collector), up to 8 Virtu	291.00 €
600649	Damocles2 2404	Industrial I/O, DIN Rail plastic box, 24 Digital inputs, 4 relay outputs, up to 8 Virtual Digital C	456.60 €
600650	STE2 PoE	STE2 is a temperature/humidity monitoring device with SNMP support. It can be connected	198.10 €
600652	Mount plate L DIN Rail	DIN Rail mount plate for HWg-Ares, Poseidon2 3266/68 and other products.	18.50 €
600654	30A Current probe 1W-UNI 2	0 to 30A AC split core current sensor to RJ11. Split-core current transducer for phase wire. :	180.80 €
600655	STE2 PoE 30pack	STE2 is a temperature/humidity monitoring device with SNMP support. It can be connected	5,425.00 €
600656	Damocles2 1208 set	Recommended starter pack containing Damocles2 1208, power adaptor and HWg CD with i	320.10 €
600657	Damocles2 2404 set	Recommended starter pack containing Damocles2 2404, power adaptor and HWg CD with i	497.30 €
600658	Damocles2 MINI set	Recommended starter pack containing Damocles2 MINI, power adaptor and HWg CD with i	289.30 €
600662	Relay output 1W-UNI	Expander converting one 1-Wire UNI input to 4 Relay DO. Compatible with Ares 12 plain (6i	106.20 €
600663	UPS 12V and 5V	Backup Power Supply 12V and 5V (simultaneous use possible) with 1,3 Ah capacity, one 1-V	158.20 €
600664	UPS 12V	Backup Power Supply 12V with 1,3 Ah capacity and power outage indication. Sole device w	113.90 €
600665	HWg-Ares 10 plain	2 Digital Inputs, 3 1-Wire UNI Sensor Inputs. Interfaces: Quad-Band, GPRS, HWg PUSH, PDI	248.60 €
600666	Power Detector 110-230V INT	Plug-in voltage detector with international set of wall plugs	47.50 €
600667	Power Detector 110-230V EU	Plug-in voltage detector with EU wall plug	41.60 €
600668	Power Detector 110-230V UK	Plug-in voltage detector with UK wall plug	41.60 €
600669	Power Detector 110-230V US	Plug-in voltage detector with US wall plug	41.60 €
600671	UPS 12V set	Recommended starter pack containing UPS 12V and 12 V power supply.	126.60 €
600673	HWg-Ares 10 Tset	Recommended starter pack containing HWg-Ares 10, universal power adaptor (US, EU, UK).	299.30 €
600674	UPS 12V and 5V set	Recommended starter pack containing UPS 12V + 5V and 12 V power supply.	171.80 €
600677	30A DC Current probe 1W-UNI	0 to 30 A DC Current Probe for the 1-Wire UNI bus.All Poseidon2 and Ares models, Poseido	249.60 €
600678	100A DC Current probe 1W-UNI	0 to 100 A DC Current Probe for the 1-Wire UNI bus.All Poseidon2 and Ares models, Poseid	249.60 €
600679	HTemp-1Wire Outdoor 3m	Temperature & Humidity outdoor sensor (-30 to +85°C, 0 to 100% RH) on a 3 meters long c	144.70 €
600688	GSM modem BGS2T-RS232	GSM modem BGS2T to RS-232 serial port. Antenne and wall plug adaptor INT included.	239.60 €
600689	BE-LR77-V2L-SL router	LTE router BE-LR77-V2L-SL is a compact Ethernet (RJ45) to GSM (LTE) converter. Antenna &	655.50 €
600690	Temp 1Wire Pt1000 3m	Precise industrial temperature sensor, range -50 to +200°C (-58 to 390°F). Works with all H	126.60 €
600693	SD-2xIN	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount c	147.50 €
600694	SD-2xOUT	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount comp	160.00 €
600695	SD-2x1Wire	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. Metal hc	146.10 €
600696	SD-WLD	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and ra	144.70 €
600700	Ares10 LTE E plain	Ares10 LTE plain unit (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
600701	Ares10 LTE E Tset	Ares 10 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	417.70 €
600702	Ares10 LTE AUT plain	Ares10 LTE plain unit (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
600703	Ares10 LTE AUT Tset	Ares 10 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	417.70 €
600704	Ares12 LTE E plain	Ares12 LTE plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no mor	425.00 €
600705	Ares12 LTE E Tset	Ares 12 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	490.10 €
600706	Ares12 LTE AUT plain	Ares12 LTE plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no mor	425.00 €
600707	Ares12 LTE AUT Tset	Ares 12 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	490.10 €
600708	SMS-GW3 LTE E plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	334.50 €
600709	SMS-GW3 LTE AUT plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	334.50 €
600710	SMS-GW3 LTE E	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	406.90 €
600711	SMS-GW3 LTE AUT	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	406.90 €
600712	SMS-GW3 LTE A plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	334.50 €
600713	SMS-GW3 LTE A	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM L'	406.90 €
600714	Ares12 LTE A plain	Ares12 LTE plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no mor	425.00 €
600715	Ares12 LTE A Tset	Ares 12 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	490.10 €
600718	Temp 1Wire Pt1000 Frost 3m	Precise industrial temperature sensor, frost version -200 to +200°C (-58 to 390°F). Works w	198.90 €
600726	Ares10 LTE A plain	Ares10 LTE plain unit (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
600727	Ares10 LTE A Tset	Ares 10 LTE startup package with Universal power adaptor (US, EU, UK), Temperature sensc	417.70 €
600728	SD-2x1Wire Tset	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. DIN rail	180.90 €
600729	SD-WLD set	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and ra	208.80 €
600730	SD-2xIN set	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount c	163.50 €
600731	SD-2xOUT set	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount comp	178.10 €
600732	SD-2x1Wire 50pack	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. DIN rail	8,047.10 €
600733	SD-2xWLD 50pack	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and ra	8,092.30 €
600734	SD-2xIN 50pack	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount c	8,318.30 €
600735	SD-2xOUT 50pack	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount comp	8,770.40 €
600738	SensDesk Pro 100-1Year	1 year license for the SensDesk Pro. Limited to 100 connected devices. Upgrades for more c	1,200.00 €
600739	SensDesk Pro Upgrade 100-1Year	This upgrade unlocks additional 100 devices for the SensDesk Pro. Valid for 1 year.	1,200.00 €

600740	SensDesk DC 100-1Year	1 year license for the SensDesk DC. Limited to 100 connected devices. Upgrades for more d	1,600.00 €
600741	SensDesk DC Upgrade 100-1Year	This upgrade unlocks additional 100 devices for the SensDesk DC. Valid for 1 year.	1,600.00 €
600742	SensDesk Remote Instalation	Installation of SensDesk DC or Pro over telco, skype or other remote access tools. HW grou	1,000.00 €
600743	SensDesk On site Instalation	Installation of SensDesk DC or Pro on customer's premises. HW group engineer will be on si	2,500.00 €
600744	SensDesk Training	Remote SensDesk training for users, customers or distributors. 4 hour training session over	600.00 €