

Partner	Referencia	Descripción Resumida	MSRP
Raisecom	ISCOM2608G-2GE-AC	Manageable L2 access switch, 8*10/100/1000 Mbit/s RJ45 downlink interfaces, 2*1000 Mbit/s Combo RJ45 uplink interfaces, support the console interface, SNMP interface, and out-of-band network management, single 220 VAC power supply	310.00 €
Raisecom	ISCOM2608G-2GE-DC	Manageable L2 access switch, 8*10/100/1000 Mbit/s RJ45 downlink interfaces, 2*1000 Mbit/s Combo RJ45 uplink interfaces, support the console interface, SNMP interface, and out-of-band network management, single -48 VDC power supply	310.00 €
Raisecom	ISCOM2608G-2GE Rack Mounting Kits	ISCOM2608G-2GE switch rack mounting kits for 19" rack, including 2 x 20.08.03.0047.01 angles, 4 x 20.04.00.0007.02 screws, 4 x 20.04.00.0043.02 screws, and 4 x 20.04.10.0006.02 caps.	6.00 €
Raisecom	ISCOM2624G-4GE-AC	Manageable L2 access switch, 24x10/100/1000M RJ45 + 4x1000M Combo, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single AC power supply; Temp range: 0 ~ 50°C	546.00 €
Raisecom	ISCOM2624G-4GE-DC	Manageable L2 access switch, 24x10/100/1000M RJ45 + 4x1000M Combo, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single DC power supply; Temp range: 0 ~ 50°C	546.00 €
Raisecom	ISCOM2624G-4C-AC	Manageable L2 access switch, 24x10/100/1000M RJ45 + 4x10G SFP+, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single AC power supply; Temp range: 0 ~ 50°C	640.00 €
Raisecom	ISCOM2624G-4C-DC	Manageable L2 access switch, 24x10/100/1000M RJ45 + 4x10G SFP+, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single DC power supply; Temp range: 0 ~ 50°C	682.00 €
Raisecom	ISCOM2648G-4GE-AC	Managed L2 switch, 48x10/100/1000BASE-T + 4xCOMBO (100/1000BASE-X or 10/100/1000BASE-T) ports, single AC power supply.	723.00 €
Raisecom	ISCOM2648G-4GE-DC	Managed L2 switch, 48x10/100/1000BASE-T + 4xCOMBO (100/1000BASE-X or 10/100/1000BASE-T) ports, single DC power supply.	723.00 €
Raisecom	ISCOM2648G-4C-AC/S	Managed L2 switch, 48x10/100/1000BASE-T + 4x10Gbit/s SFP+ ports, single AC power supply.	1,058.00 €
Raisecom	ISCOM2648G-4C-DC/S	Managed L2 switch, 48x10/100/1000BASE-T + 4x10Gbit/s SFP+ ports, single DC power supply.	1,058.00 €
Raisecom	ISCOM2648G-4C-AC/D	Managed L2 switch, 48x10/100/1000BASE-T + 4x10Gbit/s SFP+ ports, dual AC power supplies.	1,126.00 €
Raisecom	ISCOM2648G-4C-DC/D	Managed L2 switch, 48x10/100/1000BASE-T + 4x10Gbit/s SFP+ ports, dual DC power supplies.	1,126.00 €
Raisecom	ISCOM2608G-2GE-PWR-AC	8*10/100/1000BASE-T PoE ports (PSE) + 2*SFP(100/1000BASE-X), single AC power supply	699.00 €
Raisecom	ISCOM2608G-2GE-PWR-DC	8*10/100/1000BASE-T PoE ports (PSE) + 2*SFP(100/1000BASE-X), single DC power supply	755.00 €
Raisecom	ISCOM2608G-2GE-PWR-AC	8*10/100/1000BASE-T PoE ports (PSE) + 2*SFP(100/1000BASE-X), fan-less design, single AC power supply	700.00 €
Raisecom	ISCOM2608G-2GE-PWR Rack Mounting Kits	ISCOM2608G-2GE-PWR switch rack mounting kits for 19" rack, including 2 x 20.08.03.0042.01 angles, 4 x 20.04.00.0007.02 screws, 4 x 20.04.00.0043.02 screws, and 4 x 20.04.10.0006.02 caps.	6.00 €
Raisecom	ISCOM2624G-4GE-PWR-AC	24 x 10/100/1000BASE-T PoE ports (PSE) + 4 x COMBO (100/1000BASE-X or 10/100/1000BASE-T), single AC power	1,178.00 €
Raisecom	ISCOM2624G-4GE-PWR-DC	24 x 10/100/1000BASE-T PoE ports (PSE) + 4 x COMBO (100/1000BASE-X or 10/100/1000BASE-T), single DC power	1,264.00 €
Raisecom	ISCOM2624G-4C-PWR-AC	24 x 10/100/1000BASE-T PoE ports (PSE) + 4 x 10GbE SFP+ fiber ports, single AC power	1,273.00 €
Raisecom	ISCOM2624G-4C-PWR-DC	24 x 10/100/1000BASE-T PoE ports (PSE) + 4 x 10GbE SFP+ fiber ports, single DC power	1,360.00 €
Raisecom	ISCOM2624GF-4C-HI-AC	Enhanced L2 access switch, 24x100/1000M SFP ports + 4x10GbE SFP+ ports, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single AC power supply + 1 RPS port; Temp range: 0 ~ 50°C	979.00 €
Raisecom	ISCOM2624GF-4C-HI-DC	Enhanced L2 access switch, 24x100/1000M SFP ports + 4x10GbE SFP+ ports, 1 console interface, 1 SNMP interface, 1 out-of-band interface; single DC power supply + 1 RPS port; Temp range: 0 ~ 50°C	979.00 €
Raisecom	ISCOM2924GF-4C-AC/D	24x100/1000 SFP + 4x1000M/10G SFP+, dual AC power.	1,682.00 €
Raisecom	ISCOM2924GF-4C-DC/D	24x100/1000 SFP + 4x1000M/10G SFP+, dual DC power.	1,682.00 €
Raisecom	ISCOM2924GF-4C-AC_DC	24x100/1000 SFP + 4x1000M/10G SFP+, 1 AC + 1 DC dual power.	1,682.00 €
Raisecom	ISCOM2924GF-4GE-AC/D	24x100/1000 SFP + 4x COMBO (100/1000BASE-X or 10/100/1000BASE-T), dual AC power.	1,364.00 €

Raisecom	ISCOM2924GF-4GE-DC/D	24x100/1000 SFP + 4x COMBO (100/1000BASE-X or 10/100/1000BASE-T), dual DC power.	1,364.00 €
Raisecom	ISCOM2924GF-4GE-AC_DC	24x100/1000 SFP + 4x COMBO (100/1000BASE-X or 10/100/1000BASE-T), 1 AC + 1 DC dual power.	1,364.00 €
Raisecom	ISCOM2924G-4C-AC/D	24x10/100/1000 BASE-T + 4x1000M/10G SFP+, dual AC power.	1,444.00 €
Raisecom	ISCOM2924G-4C-DC/D	24x10/100/1000 BASE-T + 4x1000M/10G SFP+, dual DC power.	1,444.00 €
Raisecom	ISCOM2924G-4C-AC_DC	24x10/100/1000 BASE-T + 4x1000M/10G SFP+, 1 AC + 1 DC dual power.	1,444.00 €
Raisecom	ISCOM2948GF-4C-AC/D	48x100/1000 SFP + 4x1000M/10G SFP+, dual AC power.	2,069.00 €
Raisecom	ISCOM2948GF-4C-DC/D	48x100/1000 SFP + 4x1000M/10G SFP+, dual DC power.	2,069.00 €
Raisecom	ISCOM2948GF-4C-AC_DC	48x100/1000 SFP + 4x1000M/10G SFP+, 1 AC + 1 DC dual power.	2,069.00 €
Raisecom	ISCOM2948G-4C-AC/D	48x10/100/1000 BASE-T + 4x1000M/10G SFP+, dual AC power.	2,182.00 €
Raisecom	ISCOM2948G-4C-DC/D	48x10/100/1000 BASE-T + 4x1000M/10G SFP+, dual DC power.	2,182.00 €
Raisecom	ISCOM2948G-4C-AC_DC	48x10/100/1000 BASE-T + 4x1000M/10G SFP+, 1 AC + 1 DC dual power.	2,182.00 €
Raisecom	RPA1121-S-220S12	Single AC power module for ISCOM2900/ISCOM3000 Series, 120W, -5 ~ 50°C	227.00 €
Raisecom	RPD1121-48S12	Single DC power module for ISCOM2900/ISCOM3000 Series 24-port switches, 75W, -5 ~ 50°C	202.00 €
Raisecom	RPD1122-48S12	Single DC power module for ISCOM2900/ISCOM3000 Series 48-port switches, 125W, -5 ~ 50°C	236.00 €
Raisecom	ISCOM2900 series Rack Mounting Kits	ISCOM2900 series switch rack mounting kits for 19" rack, including 2 x 20.08.03.0068.01 angles, 2 x 20.07.06.0015.02 power hooks, 8 x 20.04.00.0007.02 screws, 1 x 20.52.60.0003.02, 4 x 20.04.00.0043.02 screws, and 4 x 20.04.10.0006.02 caps.	6.00 €
Raisecom	ISCOM3024G-4C-PWR-AC/S	Managed L3 aggregation switch, 24x10/100/1000BaseT with 802.3af/802.3at PoE function, 4x1000M/10GbE SFP+ ports. Dual AC power supplies, it provides max 24 x 30W PoE output, 720 Watts in total.	3,082.00 €
Raisecom	ISCOM3024G-4C-PWR-AC/D	Managed L3 aggregation switch, 24x10/100/1000BaseT with 802.3af/802.3at PoE function, 4x1000M/10GbE SFP+ ports. Dual AC power supplies, it provides max 24 x 30W PoE output, 720 Watts in total.	3,491.00 €
Raisecom	ISCOM3048G-4C-PWR-AC/S	Managed L3 aggregation switch, 48x10/100/1000BaseT with 802.3af/802.3at PoE function, 4x1000M/10GbE SFP+ ports. Single AC power supplies, when supplied by 165-264V AC voltage, it provides max 48 x 15.4W or 24 x 30W PoE output, 740 Watts in total; when supplied by 90-165V AC voltage, it provides max 24 x 15.4W or 12 x 30W PoE output, 370 Watts in total.	4,587.00 €
Raisecom	ISCOM3048G-4C-PWR-AC/D	Managed L3 aggregation switch, 48x10/100/1000BaseT with 802.3af/802.3at PoE function, 4x1000M/10GbE SFP+ ports. Dual AC power supplies, when supplied by 165-264V AC voltage, it provides max 48 x 30W PoE output, 1440 Watts in total; when supplied by 90-165V AC voltage, it provides max 48 x 15.4W or 24 x 30W PoE output, 740 Watts in total.	5,355.00 €
Raisecom	ISCOM S5600-28C-EI-AC/D	L3 aggregation GE switch, 24x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Dual AC power, 0~50°C.	1,763.00 €
Raisecom	ISCOM S5600-28C-EI-AC/S	L3 aggregation GE switch, 24x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Single AC power, 0~50°C.	1,549.00 €
Raisecom	ISCOM S5600-28C-EI-AC_DC	L3 aggregation GE switch, 24x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. AC plus DC power, 0~50°C.	1,775.00 €
Raisecom	ISCOM S5600-28C-EI-DC/D	L3 aggregation GE switch, 24x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Dual DC power, 0~50°C.	1,785.00 €
Raisecom	ISCOM S5600-28C-EI-DC/S	L3 aggregation GE switch, 24x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Single DC power, 0~50°C.	1,560.00 €
Raisecom	ISCOM S5600-28X-EI-AC	Twenty-four 10/100/1000Base-T Ethernet interfaces, four 10GE SFP+ interfaces (compatible with 1000 Mbit/s SFP interfaces), 2 QSFP+ optical interfaces, AC power supply, RPS interface, cost-effective	1,182.00 €
Raisecom	ISCOM S5600-28X-EI-DC	Twenty-four 10/100/1000Base-T Ethernet interfaces, four 10GE SFP+ interfaces (compatible with 1000 Mbit/s SFP interfaces), 2 QSFP+ optical interfaces, DC power supply, RPS interface, cost-effective	1,191.00 €
Raisecom	ISCOM S5600-28C-EI-24F-AC/D	L3 aggregation GE switch, 24x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Dual AC power, 0~50°C.	1,863.00 €
Raisecom	ISCOM S5600-28C-EI-24F-AC/S	L3 aggregation GE switch, 24x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Single AC power, 0~50°C.	1,649.00 €
Raisecom	ISCOM S5600-28C-EI-24F-AC_DC	L3 aggregation GE switch, 24x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. AC plus DC power, 0~50°C.	1,875.00 €
Raisecom	ISCOM S5600-28C-EI-24F-DC/D	L3 aggregation GE switch, 24x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Dual DC power, 0~50°C.	1,885.00 €
Raisecom	ISCOM S5600-28C-EI-24F-DC/S	L3 aggregation GE switch, 24x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Single DC power, 0~50°C.	1,660.00 €
Raisecom	ISCOM S5600-52C-EI-AC/D	L3 aggregation GE switch, 48x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Dual AC power, 0~50°C.	2,069.00 €
Raisecom	ISCOM S5600-52C-EI-AC/S	L3 aggregation GE switch, 48x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Single AC power, 0~50°C.	1,854.00 €

Raisecom	ISCOM S5600-52C-EI-AC_DC	L3 aggregation GE switch, 48x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. AC plus DC power, 0~50°C.	2,080.00 €
Raisecom	ISCOM S5600-52C-EI-DC/D	L3 aggregation GE switch, 48x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Dual DC power, 0~50°C.	2,090.00 €
Raisecom	ISCOM S5600-52C-EI-DC/S	L3 aggregation GE switch, 48x10/100/1000M RJ45 + 4x1000M/10G SFP+, and one expansion slot. Single DC power, 0~50°C.	1,866.00 €
Raisecom	ISCOM S5600-52X-EI-AC	Forty-eight 10/100/1000Base-T electrical interfaces, four 10GE SFP+ interfaces (compatible with 1000 Mbit/s SFP interfaces), 2 QSFP+ optical interfaces, AC power supply, RPS interface, cost-effective	1,560.00 €
Raisecom	ISCOM S5600-52C-EI-48F-AC/D	L3 aggregation GE switch, 48x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Dual AC power, 0~50°C.	2,157.00 €
Raisecom	ISCOM S5600-52C-EI-48F-AC/S	L3 aggregation GE switch, 48x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Single AC power, 0~50°C.	1,943.00 €
Raisecom	ISCOM S5600-52C-EI-48F-AC_DC	L3 aggregation GE switch, 48x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. AC plus DC power, 0~50°C.	2,169.00 €
Raisecom	ISCOM S5600-52C-EI-48F-DC/D	L3 aggregation GE switch, 48x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Dual DC power, 0~50°C.	2,179.00 €
Raisecom	ISCOM S5600-52C-EI-48F-DC/S	L3 aggregation GE switch, 48x100/1000M SFP + 4x1000M/10G SFP+, and one expansion slot. Single DC power, 0~50°C.	1,955.00 €
Raisecom	ESW-SUB-2Q	Expansion card, 2 x 40G QSFP+, apply to S5600-EI	404.00 €
Raisecom	ESW-SUB-8XF	Expansion card, 8 x 10G SFP+, apply to S5600-EI	323.00 €
Raisecom	ESW-SUB-8GF	Expansion card, 8 x 1G SFP, apply to S5600-EI	150.00 €
Raisecom	ESW-SUB-8G	8*GE electrical interface card, apply to S5600-EI	155.00 €
Raisecom	RPA1153-U220S12	Pluggable AC power module, 150w, 220V input, apply to S5600-EI	228.00 €
Raisecom	RPD1153-48S12	Pluggable DC Power Module, 150w, 48V input, apply to S5600-EI	241.00 €
Raisecom	FAN308	Fan module, apply to S5600-EI	95.00 €
Raisecom	ISCOM3048XF-4Q-AC/D	48x1000M/10G SFP+ + 4x40G QSFP+, dual AC power. Air flow design: front-to-back.	10,577.00 €
Raisecom	ISCOM3048XF-4Q-DC/D	48x1000M/10G SFP+ + 4x40G QSFP+, dual DC power. Air flow design: front-to-back.	9,972.00 €
Raisecom	ISCOM3048XF-4Q-AC_DC	48x1000M/10G SFP+ + 4x40G QSFP+, AC plus DC power. Air flow design: front-to-back.	10,275.00 €
Raisecom	FANS332	Fan module, Draw air at the interface side and exhaust air at the power side, apply to ISCOM3048XF-4Q	128.00 €
Raisecom	ISCOM3048XF-6Q-AC/D	L3 aggregation 10GE switch, 48x1000M/10G SFP+ + 6x40G QSFP+, dual AC power. Air flow design: front-to-back. 0~45°C.	10,564.00 €
Raisecom	ISCOM3048XF-6Q-DC/D	L3 aggregation 10GE switch, 48x1000M/10G SFP+ + 6x40G QSFP+, dual DC power. Air flow design: front-to-back. 0~45°C.	10,046.00 €
Raisecom	ISCOM3048XF-6Q-AC_DC	L3 aggregation 10GE switch, 48x1000M/10G SFP+ + 6x40G QSFP+, AC plus DC power. Air flow design: front-to-back. 0~45°C.	10,305.00 €
Raisecom	FANS335	Fan module, Draw air at the interface side and exhaust air at the power side, apply to ISCOM3048XF-6Q	250.00 €
Raisecom	RPA1351-220S12	AC power supply module, Draw air at the interface side and exhaust air at the power side, apply to ISCOM3048XF-4Q	783.00 €
Raisecom	RPA1351-F-220S12	AC power supply module, Draw air at the power side and exhaust air at the interface side, apply to ISCOM3048XF-4Q-F	783.00 €
Raisecom	RPD1301-48S12	DC power supply module, Draw air at the interface side and exhaust air at the power side, 300W, apply to ISCOM3048XF-4Q	432.00 €
Raisecom	RPD1301-F-48S12	DC power supply module, Draw air at the power side and exhaust air at the interface side, 300W, apply to ISCOM3048XF-4Q-F	455.00 €
Raisecom	Gazelle S1000i-2GF-4FE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 2*100/1000M SFP 4*10/100M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	228.00 €
Raisecom	Gazelle S1000i-2GF-8FE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 2*100/1000M SFP 8*10/100M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	250.00 €
Raisecom	Gazelle S1000i-4GX-16FE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 4*100/1000M Combo 16*10/100M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	446.00 €
Raisecom	Gazelle S1000i-2GF-4GE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 2*100/1000M SFP 4*10/100M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	260.00 €
Raisecom	Gazelle S1000i-2GF-8GE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 2*100/1000M SFP 8*10/100M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	278.00 €

Raisecom	Gazelle S1000i-4GF-8GE-LI-AC	L2 cost-effective Din-Rail manageable industrial switch with 4*100/1000M SFP 8*10/100/1000M RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	346.00 €
Raisecom	Gazelle S1000i-2GF-8GE-PWR-LI-DC48	L2 cost-effective PoE Din-Rail manageable industrial switch with 2*100/1000M SFP 8*10/100/1000M RJ45 PoE Daul input DC48: 48VDC(44~57 VDC)	446.00 €
Raisecom	Gazelle S1010i-2GF-2FX-6FE-AC	L2 Din-Rail manageable industrial switch with 2*100Base-FX/1000Base-X SFP ports 2*100Base-FX SFP ports 6*10/100Base-T RJ45 ports -AC: 110/220 VAC/VDC (85~264 VAC, 88~300 VDC)	514.00 €
Raisecom	Gazelle S1010i-2GF-2FX-6FE-DCW48	L2 Din-Rail manageable industrial switch with 2*100Base-FX/1000Base-X SFP ports 2*100Base-FX SFP ports 6*10/100Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	496.00 €
Raisecom	Gazelle S1010i-2GX-8FE-AC	L2 Din-Rail manageable industrial switch with 2*GE Combo (10/100/1000M RJ45 + 100/1000M SFP) ports 8*10/100Base-T RJ45 ports -AC: 110/220 VAC/VDC (85~264 VAC, 88~300 VDC)	523.00 €
Raisecom	Gazelle S1010i-2GX-8FE-DCW48	L2 Din-Rail manageable industrial switch with 2*GE Combo (10/100/1000M RJ45 + 100/1000M SFP) ports 8*10/100Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	560.00 €
Raisecom	Gazelle S1020i-4GF16FE-AC	L2 Din-Rail manageable industrial switch with 4*100Base-FX/1000Base-X SFP ports 16*10/100Base-T RJ45 ports -AC: 110/220 VAC/VDC (85~264 VAC, 88~300 VDC)	773.00 €
Raisecom	Gazelle S1020i-4GF16FE-DCW48	L2 Din-Rail manageable industrial switch with 4*100Base-FX/1000Base-X SFP ports 16*10/100Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	705.00 €
Raisecom	Gazelle S1020i-2GF2GX-16FE-AC	L2 Din-Rail manageable industrial switch with 2*100/1000M SFP ports 2*GE Combo (10/100/1000M RJ45 + 100/1000M SFP) ports 16*10/100Base-T RJ45 ports -AC: 110/220 VAC/VDC (85~264 VAC, 88~300 VDC)	832.00 €
Raisecom	Gazelle S1020i-2GF2GX-16FE-DCW48	L2 Din-Rail manageable industrial switch with 2*100/1000M SFP ports 2*GE Combo (10/100/1000M RJ45 + 100/1000M SFP) ports 16*10/100Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	764.00 €
Raisecom	Gazelle S1112i-4GF-8FE-PWR-AC	L2 DIN-RAIL Manageable POE Industrail Switch with 4*100/1000M SFP 8*10/100M RJ45 PoE Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	1,241.00 €
Raisecom	Gazelle S1112i-4GF-8FE-PWR-DC48	L2 DIN-RAIL Manageable POE Industrail Switch with 4*100Base-FX/1000Base-X SFP ports 8x10/100Base-TX ports (4x802.3at or 8x802.3af POE ports) -DC48: (36V-72V)	1,082.00 €
Raisecom	Gazelle S1010i-GF-2GE-GL-AC Old P/N: Gazelle S1503i-GF-2GE-AC	L2 Din-Rail manageable industrial switch with 1*100/1000M SFP 2*10/100/1000Base-T RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	205.00 €
Raisecom	Gazelle S1010i-GF-2GE-GL-DCW24 Old P/N: Gazelle S1503i-GF-2GE-DCW24	L2 Din-Rail manageable industrial switch with 1*100Base-FX/1000Base-X SFP ports 2*10/100/1000Base-T RJ45 ports -DC12: 12/24VDC (10~36 VDC)	219.00 €
Raisecom	Gazelle S1010i-2GF-4GE-GL-AC Old P/N: Gazelle S1508i-2GF-4GE-AC	L2 Din-Rail manageable industrial switch with 2*100/1000M SFP 4*10/100/1000Base-T RJ45 Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	400.00 €
Raisecom	Gazelle S1010i-2GF-4GE-GL-DCW48 Old P/N: Gazelle S1508i-2GF-4GE-DCW48	L2 Din-Rail manageable industrial switch with 2*100Base-FX/1000Base-X SFP ports 4*10/100/1000Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	446.00 €

Raisecom	Gazelle S1010i-2GF-4GE-PWR-GL-DC48 Old P/N: Gazelle S1508i-2GF-4GE-PWR-DC48	L2 Din-Rail manageable industrial POE switch with 2*100/1000M SFP 4*10/100/1000Base-T RJ45 PoE (POE: max 4 IEEE802.3at ports or IEEE802.3af ports) Dual input DC48: ((44~57VDC)power supply, suggesting 44~57 VDC for IEEE802.3af 51~57 VDC for IEEE802.3at	582.00 €
Raisecom	Gazelle S1020i-2GF-4GE-PWH-GL-DC48	Two 100/1000 Mbit/s auto-negotiation SFP optical interfaces and four 10/100/1000 Mbit/s Ethernet electrical interfaces All electrical interfaces comply with IEEE 802.3bt standard (compatible with IEEE 802.3af and IEEE 802.3at) PoE, with up to 90 W per interface. The entire device provides up to 180 W PoE power. 2 DI interfaces Dual DC power input (44~57 VDC)	378.00 €
Raisecom	Gazelle S1020i-4GF-8GE-PWH-GL-DC48	Four 100/1000 Mbit/s auto-negotiation SFP optical interfaces and eight 10/100/1000 Mbit/s Ethernet electrical interfaces All electrical interfaces comply with IEEE 802.3bt standard (compatible with IEEE 802.3af and IEEE 802.3at) PoE, with up to 90 W per interface. The entire device provides up to 360 W PoE power. 2 DI interfaces Dual DC power input (44~57 VDC)	491.00 €
Raisecom	Gazelle S1020i-4GF-16GE-GS-AC Old P/N: Gazelle S1520i-4GF-16GE-AC	L3 Din-Rail manageable industrial switch with 4*100/1000M SFP 16*10/100/1000Base-T RJ45 2*DI input interface, 1 single-pole, double-throw alarm interface Single AC: 110/220 VAC/VDC (100~240VAC, 170~300VDC)	787.00 €
Raisecom	Gazelle S1020i-4GF-16GE-GS-DCW48 Old P/N: Gazelle S1520i-4GF-16GE-DCW48	L2 Din-Rail manageable industrial switch with 4*100Base-FX/1000Base-X SFP ports 16*10/100/1000Base-T RJ45 ports -DCW48: 24/48VDC (20~72 VDC)	719.00 €
Raisecom	Gazelle S1020i-12GF-16GE-GS-DCW24 Old P/N: Gazelle S1520i-12GF-16GE-DCW24	L2+ Din-Rail manageable industrial switch with 8*100/1000M SFP 4*1000M SFP 16*10/100/1000M RJ45 2*DI input interface, 1 single-pole, double-throw alarm interface -DCW24: Dual input DC, 12/24/48V(9.6~60VDC)	864.00 €
Raisecom	PAM60-220S24	Power device: Transfer the the working voltage of 110/220VAC(100-240VAC) to 24VDC. Maximum power 60W. Apply to Gazelle S1520i-12GF-16GE-DCW24	82.00 €
Raisecom	Gazelle S1020i-4GF-8GE-PWR-GS-DC48 Old P/N: Gazelle S1512i-4GF-8GE-PWR-DC48	L2+ Din-Rail manageable industrial POE switch with 4*1000M SFP 8*10/100/1000M RJ45 PoE (POE: max 8 IEEE802.3at ports or IEEE802.3af ports) Dual input DC48: ((44~57VDC)power supply, suggesting 44~57 VDC for IEEE802.3af 51~57 VDC for IEEE802.3at	719.00 €
Raisecom	PAM120-220S48/RoHS	Din-Rail Industrial Power Supply, 120W, max 4 IEEE802.3at ports or 8 IEEE802.3af ports; Input: 220VAC; Output:52 VDC	264.00 €
Raisecom	PAM240-220S48	Power device: Transfer the the working voltage of 110/220VAC(100-240VAC) to 48VDC(48-56V). Maximum power 240W. Apply to Gazelle S1512i-4GF-8GE-PWR-DC48	378.00 €
Raisecom	Gazelle S1218i-12GE-GS-DC110/S	L2+/L3 EN50155 rack-mounted industrial switch with 4 x 10/100/1000M electrical M12 Ports (supporting bypass function), 8 x 10/100/1000M electrical M12 Ports, and 1 x M12 console port. Single DC 110V (66~154VDC) power supply	1,764.00 €
Raisecom	Gazelle S1218i-12GE-GS-DC110/D	L2+/L3 EN50155 rack-mounted industrial switch with 4 x 10/100/1000M electrical M12 Ports (supporting bypass function), 8 x 10/100/1000M electrical M12 Ports, and 1 x M12 console port. Dual DC 110V (66~154VDC) power supplies	1,960.00 €
Raisecom	Gazelle S1218i-12GE-PWR-GS-DC110	L2+/L3 EN50155 rack-mounted industrial switch with 4 x 10/100/1000M electrical M12 Ports (supporting bypass function), 8 x 10/100/1000M electrical M12 Ports supporting 802.3af/802.3at PoE output (single port max PoE budget 30W, total ports PoE budget 120W), and 1 x M12 console port. Single DC 110V (66~154VDC) power supplies	2,987.00 €
Raisecom	M12 Waterproof Sensor Connector - Cable Connector - 8pin - Straight - Metal Head - M	Can make 100M/1000M M12 waterproof connector to the line, 1 M12 Ethernet port for 1 M12 waterproof connector	50.00 €

Raisecom	CBL-RS232-DB9F/M12-8F-2m/RoHS	M12 to DB9F Console cable, 1 unit for 1 device	46.00 €
Raisecom	POL-DC(2-core)-stripping/M23-1.5mm2-3m/RoHS	M23 corner 2-core 3m power cord, 1 unit for 1 device (For single power supply)	169.00 €
Raisecom	POL-DC(2-core)-stripping/M23-1.5mm2-2m/RoHS	M23 corner 2-core 2m power cord, 1 unit for 1 device (For single power supply)	160.00 €
Raisecom	POL-DC(2-core)-stripping/M23-1.5mm2-10m/RoHS	M23 corner 2-core 10m power cord, 1 unit for 1 device (For single power supply)	219.00 €
Raisecom	POL-AC/DC(5-core)-stripping/M23-1.5mm2-3m/RoHS	M23 corner 5-core 3m power cord, 1 unit for 1 device (For dual power supply)	255.00 €
Raisecom	DIN rail connector	DIN rail connector, 2 units for 1 device	23.00 €
Raisecom	M12 male connector waterproof cap	Console port and alarm port are M12 male connector, which need the male connector waterproof cap; 2 units for 1 device (Waterproof signal connector - M12 male connector waterproof cap)	5.00 €
Raisecom	M12 female connector waterproof cap	100M/1000M electrical ports are M12 female connector, which need the female connector waterproof cap; the maximum 18 units for 1 device (Waterproof signal connector - M12 female connector waterproof cap)	5.00 €
Raisecom	Gazelle S3028i-24FE-LF-DCW48	24*10/100Base-TX electrical ports; DCW48: Dual power supply, DC24/48V power supply.	678.00 €
Raisecom	Gazelle S3028i-2GF-24FE-LF-DCW48	2*100/1000Base-X SFP ports, 24*10/100Base-TX electrical ports; DCW48: Dual power supply, DC24/48V power supply.	682.00 €
Raisecom	Gazelle S3028i-2GF2GX-24FE-LF-HIP/S	2*GE Combo ports, 2*100/1000Base-X SFP ports, 24*10/100Base-TX electrical ports; HIP/S: Single power supply, AC/DC 110V or AC/DC 220V power supply.	828.00 €
Raisecom	Gazelle S3028i-2GF2GX-24FE-LF-DCW48	2*GE Combo ports, 2*100/1000Base-X SFP ports, 24*10/100Base-TX electrical ports; DCW48: Dual power supply, DC24/48V power supply.	760.00 €
Raisecom	Gazelle S3028i-24FE-LF-HIP/D	24*10/100Base-TX electrical ports, 1*Console port, 1* Single pole double throw alarm port; HIP/D: Dual power supply, AC/DC 110V or AC/DC 220V power supply.	1,019.00 €
Raisecom	Gazelle S3028i-24FE-LF-HIP/S	24*10/100Base-TX electrical ports, 1*Console port, 1* Single pole double throw alarm port; HIP/S: Single power supply, AC/DC 110V or AC/DC 220V power supply.	860.00 €
Raisecom	Gazelle S3028i-4GF-24FE-LF-HIP/D	4*100/1000Base-X SFP ports, 24*10/100Base-Tx electrical ports, 1*Console port, 1* Single pole double throw alarm port; HIP/D: Dual power supply, AC/DC 110V or AC/DC 220V power supply.	1,023.00 €
Raisecom	Gazelle S3028i-4GF-24FE-LF-HIP/S	4*100/1000Base-X SFP ports, 24*10/100Base-Tx electrical ports, 1*Console port, 1* Single pole double throw alarm port; HIP/S: Single power supply, AC/DC 110V or AC/DC 220V power supply.	864.00 €
Raisecom	Gazelle S3028i-L-HIP/S	L2 modular rack-mount manageable industrial switch with single AC-DC compatible power supply	973.00 €
Raisecom	Gazelle S3028i-L-HIP/D	L2 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply	1,187.00 €
Raisecom	Gazelle S3028i-L-DC/S	L2 modular rack-mount manageable industrial switch with single DC power supply	987.00 €
Raisecom	Gazelle S3028i-L-DC/D	L2 modular rack-mount manageable industrial switch with dual DC power supply; support 1588v2 PTP	1,210.00 €
Raisecom	Gazelle S3028i-S-HIP/S	L3 modular rack-mount manageable industrial switch with single AC-DC compatible power supply	1,673.00 €
Raisecom	Gazelle S3028i-S-HIP/D	L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply	1,887.00 €
Raisecom	Gazelle S3028i-S-DC/S	L3 modular rack-mount manageable industrial switch with single DC power supply	1,682.00 €
Raisecom	Gazelle S3028i-S-DC/D	L3 modular rack-mount manageable industrial switch with dual DC power supply	1,910.00 €
Raisecom	Gazelle S3028i-SUB-2GF	Uplink Subcard with 2*100/1000Base-X SFP ports	14.00 €
Raisecom	Gazelle S3028i-SUB-2GE	Uplink Subcard with 2*10/100/1000Base-TX electrical ports	69.00 €
Raisecom	Gazelle S3028i-SUB-4FE	Downlink subcard with 4*10/100Base-TX electrical ports	28.00 €
Raisecom	Gazelle S3028i-SUB-4FX	Downlink subcard with 4*100Base-FX SFP ports	46.00 €
Raisecom	Gazelle S3028i-GL-HIP/S	Full-gigabit L2 modular rack-mount manageable industrial switch with single AC-DC compatible power supply	1,655.00 €
Raisecom	Gazelle S3028i-GL-HIP/D	Full-gigabit L2 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply	1,864.00 €
Raisecom	Gazelle S3028i-GL-DC/S	Full-gigabit L2 modular rack-mount manageable industrial switch with single DC power supply	1,691.00 €
Raisecom	Gazelle S3028i-GL-DC/D	Full-gigabit L2 modular rack-mount manageable industrial switch with dual DC power supplies	1,887.00 €
Raisecom	Gazelle S3028i-GS-HIP/S	Full-gigabit L3 modular rack-mount manageable industrial switch with single AC-DC compatible power supply	1,819.00 €
Raisecom	Gazelle S3028i-GS-HIP/D	Full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply	2,037.00 €
Raisecom	Gazelle S3028i-GS-DC/S	Full-gigabit L3 modular rack-mount manageable industrial switch with single DC power supply	1,832.00 €

Raisecom	Gazelle S3028i-GS-DC/D	Full-gigabit L3 modular rack-mount manageable industrial switch with dual DC power supply	2,060.00 €
Raisecom	Gazelle S6028i-SUB-2GF	Uplink Subcard with 2*1000M SFP (Note: cannot support 100M)	32.00 €
Raisecom	Gazelle S6028i-SUB-2GE	Uplink Subcard with 2*10/100/1000Base-TX electrical ports	105.00 €
Raisecom	Gazelle S6028i-SUB-2HF	Uplink subcard with 2x10GbE SFP+ ports	291.00 €
Raisecom	Gazelle S6028i-SUB-4GF	Downlink Subcard with 4*100/1000Base-X SFP ports	114.00 €
Raisecom	Gazelle S6028i-SUB-4GE	Downlink Subcard with 4*10/100/1000Base-TX electrical ports	37.00 €
Raisecom	Gazelle S3028i-4XF-8GE16GF-PWR-GS-AC/D	Full Gigabit L2 modular rack-mount manageable industrial switch with dual AC power supplies, 4 x 10G SFP+ uplink ports, 16 x GbE SFP and 8 x 10/100/1000M RJ45 copper (supporting 802.3at 30W PoE+) downlink ports	14,000.00 €
Raisecom	ISCOM3052G-AC/D	L3 modular 2U rack-mount manageable industrial switch, 4 x 1G/10GE SFP+ uplink ports, 12 x GbE RJ45 + 12 x GbE Combo LAN ports. It provides additional 3 x GbE expansion slots (every slot supporting 8 GbE fiber/copper ports). Dual AC 100~240V/DC 130~300V power inputs.	4,586.00 €
Raisecom	ISCOM3052G-AC/S	L3 modular 2U rack-mount manageable industrial switch, 4 x 1G/10GE SFP+ uplink ports, 12 x GbE RJ45 + 12 x GbE Combo LAN ports. It provides additional 3 x GbE expansion slots (every slot supporting 8 GbE fiber/copper ports). Single AC 100~240V/DC 130~300V power input.	4,222.00 €
Raisecom	SUB-8GE	Downlink subcard with 8*10/100/1000M RJ45	330.00 €
Raisecom	SUB-8GF	Downlink subcard with 8*100/1000M SFP	330.00 €
Raisecom	ISCOM3052G-8GE-AC/D	full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: Subcard with 8* GE ports	4,914.00 €
Raisecom	ISCOM3052G-24GE-AC/S	full-gigabit L3 modular rack-mount manageable industrial switch with single AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: 3*Subcard with 8* GE ports	5,264.00 €
Raisecom	ISCOM3052G-24GE-AC/D	full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: 3*Subcard with 8* GE ports	5,573.00 €
Raisecom	ISCOM3052G-8GE8GF-HIP/D	full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: Subcard with 8* GE ports+ 8*100/1000Base-X SFP ports	5,028.00 €
Raisecom	ISCOM3052G-8GF-AC/S	full-gigabit L3 modular rack-mount manageable industrial switch with single AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: Subcard with 8*100/1000Base-X SFP ports	4,405.00 €
Raisecom	ISCOM3052G-16GF-AC/D	full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: 2 * Subcard with 8* GE ports	4,814.00 €
Raisecom	ISCOM3052G-24GF-AC/D	full-gigabit L3 modular rack-mount manageable industrial switch with dual AC-DC compatible power supply. 4*10GE SFP+ ports (also support GE SFP) 12*GE Combo ports 12*GE ports 3 Slots: 3 * Subcard with 8* GE ports	4,932.00 €
Raisecom	Gazelle R102i-WS-07	4 x 10/100BASE-TX, 1xRS232/485/422 serial port(DB9), built-in 3G/4G module with SMA interface external antenna, 3G/4G system uplink; 9-48VDC power supply	469.00 €

Raisecom	Gazelle R202i-U-2GF4GE-W1-11-07	Be embedded with the 4G module. Support TD-LTE/FDD-LTE/WCDMA/TD-SCDMA/GSM systems. Provide two 10/100/1000 Mbit/s optical interfaces and four 10/100/1000 Mbit/s Ethernet electrical interfaces. Support RS232/RS485. Support IEEE 802.11b/g/n WLAN. Provide a power supply of compact size, supporting 12/24 VDC power input. Rod 3G/4G antennas and rod Wi-Fi antenna	682.00 €
Raisecom	Gazelle R202i DIN-Rail Mounting Kit	Rack mount kit for R202i, including 1*20.08.03.0049.01 DIN rail-clamping kit and 6*20.04.01.0009.02 M3*6-pan head external teeth Screw.	10.00 €
Raisecom	Gazelle R202i-VM-FL-10-xx Gazelle R202i-VM-FL-10-02(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G modules, in support of FDD-LTE 4G uplink; DC 12V/24V power supply	796.00 €
Raisecom	Gazelle R202i-VM-FL-10-xx Gazelle R202i-VM-FL-10-02(B.00): European standard;	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G modules, in support of FDD-LTE 4G uplink; DC 12V/24V power supply	600.00 €
Raisecom	Gazelle R202i-VM-FL-00-xx Gazelle R202i-VM-FL-00-07(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G modules, in support of FDD-LTE 4G uplink; DC 12V/24V power supply	782.00 €
Raisecom	Gazelle R202i-VM-FL-E-11-xx Gazelle R202i-VM-FL-E-11-02(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G module, in support of FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	810.00 €
Raisecom	Gazelle R202i-VM-FL-E-11-xx Gazelle R202i-VM-FL-E-11-02(B.00): European standard;	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G module, in support of FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	573.00 €
Raisecom	Gazelle R202i-VM-FL-E-00-xx Gazelle R202i-VM-FL-E-00-07(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, built-in 4G module, in support of FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	791.00 €
Raisecom	Gazelle R202i-VM-FL/FL-E-11-xx Gazelle R202i-VM-FL/FL-E-11-02(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, 2 built-in 4G module, in support of dual FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	1,264.00 €
Raisecom	Gazelle R202i-VM-FL/FL-E-11-xx Gazelle R202i-VM-FL/FL-E-11-07(B.00): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, 2 built-in 4G module, in support of dual FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	891.00 €
Raisecom	Gazelle R202i-VM-FL/FL-E-00-xx Gazelle R202i-VM-FL/FL-E-00-07(A.01): European standard	provide 1*10/100/1000M and 4*10/100M Ethernet electrical interface, 2 built-in 4G module, in support of dual FDD-LTE 4G uplink; WLAN supports IEEE 802.11b/g/n, DC12V/24V power supply	1,241.00 €
Raisecom	WLAN Conventional Whip Antenna	WiFi Antenna-2.4G-5dBi-rhabbitiform-Black/RoHS	19.00 €
Raisecom	3G/4G Conventional Whip Antenna	3G/4GAntenna-rhabbitiform-Black/RoHS	19.00 €
Raisecom	5m 3G/4G Whip antenna with magnetic mount	Length: 5m, SMA interface, Applied to steel surface adsorption, to realize wireless signal extraction	19.00 €
Raisecom	3m 3G/4G Whip antenna with magnetic mount	Length: 3m, SMA interface, Applied to steel surface adsorption, to realize wireless signal extraction	14.00 €
Raisecom	1m 3G/4G Whip antenna with magnetic mount	Length: 1m, SMA interface, Applied to steel surface adsorption, to realize wireless signal extraction	10.00 €
Raisecom	3m 3G/4G Patch antenna	Length: 3m, SMA interface, Applied to bus and other environment, paste on the smooth surface, to realize wireless signal extraction	19.00 €
Raisecom	3m WLAN Patch antenna	Length: 3m, SMA interface, Applied to bus and other environment, paste on the smooth surface, to realize wireless signal extraction	19.00 €
Raisecom	ISCOM6800-18-A	XPON 10RU chassis with integrated FAN module, 18 slots in total. 14 slots for service line cards. 2 x -48VDC RPD2151-48S48 PSU cards included.	2,591.00 €
Raisecom	ISCOM6800-SMCA	Switching and control card, working in Slot 9/10 in ISCOM6800 chassis or Slot 1/2 in ISCOM6860 chassis. 1 Console interface (RJ45) for local management and 1 SNMP out-of-band management interface (RJ45).	4,000.00 €
Raisecom	ISCOM6800-EP16	EPON line card, providing 16 x EPON ports, working in Slot 1-8 and 11-16. The EPON optics are not included and must be ordered separately.	2,182.00 €
Raisecom	ISCOM6800-GP16	GPON line card, providing 16 x GPON SFP ports, working in Slot 1-8 and 11-16. The GPON optics GSFP-CLxDM-R are not included and must be ordered separately.	4,182.00 €
Raisecom	ISCOM6800-GE16	Gigabit Ethernet line card, providing 16 x 1GbE SFP ports, working in Slot 1-8 and 11-16. The GbE SFP optics are not included and must be ordered separately.	982.00 €
Raisecom	ISCOM6800-XP4A	10GbE uplink line card, providing 4 x 10GbE SFP+ ports, working in Slot 19 & 20. The 10GbE SFP+ optics are not included and must be ordered separately.	1,455.00 €
Raisecom	ISCOM6800-XP2A	10GbE uplink line card, providing 2 x 10GbE SFP+ ports, working in Slot 19 & 20. The 10GbE SFP+ optics are not included and must be ordered separately.	673.00 €
Raisecom	ISCOM6800-XP4L	10GE card, 4* 10GE SFP+ ports, working in slot1-8 and slot 11-16. (without SFP modules)	2,941.00 €

Raisecom	RPA2162-S-220S54	1U, 19" mountable rack rectifier. AC/DC embedded power system supplies -48VDC and max 1600W output by 110/220VAC input power (SISO).	1,300.00 €
Raisecom	RPD2151-48S48	DC -48V power supply card.	219.00 €
Raisecom	WGF-01	Airflow tray and cable array for ISCOM6800-18-A chassis. It adds additional 3RU height to ISCOM6800-18-A chassis.	341.00 €
Raisecom	ISCOM6800-18-FANS382	Intelligent FAN. (only for ISCOM6800), for spare parts ordering only.	546.00 €
Raisecom	ISCOM6860-10	XPON 6RU chassis, 13 slots in total, with 2 SMC slots (1-2), 7 general service slots (3-9), 1 uplink slot (10), 2 power supply slots, and 1 fan slot (fan module not included).	1,182.00 €
Raisecom	ISCOM6860-10-FANS381	ISCOM6860-10 chassis intelligent fan module, supporting automatic speed adjustment	473.00 €
Raisecom	ISCOM6800-SMCA	Switching and control card, working in Slot 9/10 in ISCOM6800 chassis or Slot 1/2 in ISCOM6860 chassis. 1 Console interface (RJ45) for local management and 1 SNMP out-of-band management interface (RJ45).	4,000.00 €
Raisecom	ISCOM6800-EP16	EPON line card, providing 16 x EPON ports, working in Slot 1-8 and 11-16. The EPON optics are not included and must be ordered separately.	2,182.00 €
Raisecom	ISCOM6800-GP16	GPON line card, providing 16 x GPON SFP ports, working in Slot 3-9. The GPON optics GSFP-CLxDM-R are not included and must be ordered separately.	4,182.00 €
Raisecom	ISCOM6800-GE16	Gigabit Ethernet line card, providing 16 x 1GbE SFP ports, working in Slot 3-9. The GbE SFP optics are not included and must be ordered separately.	982.00 €
Raisecom	ISCOM6800-XP4A	10GbE uplink line card, providing 4 x 10GbE SFP+ ports, working in Slot 10. The 10GbE SFP+ optics are not included and must be ordered separately.	1,455.00 €
Raisecom	ISCOM6800-XP2A	10GbE uplink line card, providing 2 x 10GbE SFP+ ports, working in Slot 10. The 10GbE SFP+ optics are not included and must be ordered separately.	673.00 €
Raisecom	ISCOM6800-XP4L	10GE card, 4* 10GE SFP+ ports, working in slot1-8 and slot 11-16. (without SFP modules)	2,941.00 €
Raisecom	RPA2162-S-220S54	1U, 19" mountable rack rectifier. AC/DC embedded power system supplies -48VDC and max 1600W output by 110/220VAC input power (SISO).	1,300.00 €
Raisecom	RPD2151-48S48	DC -48V power supply card.	219.00 €
Raisecom	ISCOM6820-GP-AC	GPON 2RU chassis basic system includes: 16 GPON SFP ports, 2 x GbE/10GbE ports, 1 fan card, 1 AC PSU, (Slot 2&4 are vacant). Configuration includes: ISCOM6820 Chassis + ISCOM6820-MCUA + ISCOM6820-GPSC + RPA1302-220D4805 + ISCOM6820-3-FANS380. The GPON OLT optics are not included and must be ordered separately.	5,091.00 €
Raisecom	ISCOM6820-GP-DC/D	GPON 2RU chassis basic system includes: 16 GPON SFP ports, 2 x GbE/10GbE ports, 1 fan card, 2 DC PSU, (Slot 2&4 are vacant). Configuration includes: ISCOM6820 Chassis + ISCOM6820-MCUA + ISCOM6820-GPSC + RPD1303-48D4805 + ISCOM6820-3-FANS380. The GPON OLT optics are not included and must be ordered separately.	4,728.00 €
Raisecom	ISCOM6820-MCUA	10GE line card, 2x10GbE SFP+ ports, working in Slot 1&2, 1 Console interface (RJ45) for local management and 1 SNMP out-of-band management interface (RJ45). The 10GbE SFP+ optics are not included and must be ordered separately.	408.00 €
Raisecom	ISCOM6820-GPSC	Main control card with 16 x GPON SFP ports, as a basic card of ISCOM6820 system, in Slot 3. The GPON OLT optics are not included and must be ordered separately.	3,456.00 €
Raisecom	ISCOM6800-GP16	GPON line card, providing 16 x GPON SFP ports, working in Slot 4. The GPON optics GSFP-CLxDM-R are not included and must be ordered separately.	4,182.00 €
Raisecom	RPD1303-48D4805	The -48VDC PSU for ISCOM6820 chassis. Max 2 units in one ISCOM6820 chassis.	205.00 €
Raisecom	RPA1302-220D4805	The 110V/220VAC PSU for ISCOM6820 chassis.	400.00 €
Raisecom	PAD500-220S48	1U, 19" mountable rack rectifier chassis. Totally 2 slots for AC/DC pluggable rectifier module RPA1501-S-220S48. Each slot supplies -48VDC and max 500W output by 110/220 VAC power input (SISO). The RPA1501-S-220S48 must be ordered separately. (Only for ISCOM6820)	523.00 €
Raisecom	RPA1501-S-220S48	AC/DC pluggable rectifier module, supplies -48VDC and max 500W output by 110/220 VAC power input (SISO). Must work with PAD500-220S48 together.(Only for ISCOM6820)	473.00 €
Raisecom	ISCOM6820-3-FANS380	Intelligent fan card, supporting automatic speed adjustment	164.00 €

Raisecom	ISCOM5508-GP-AC/D	GPON 1RU chassis basic system includes: 4 x GPON SFP ports + 2 x 10GbE(SFP+) + 2 x GbE(SFP) + 2 x GbE(RJ45) + 2 x AC PSU + 1 Fan (Slot 2&3 are vacant). Configuration includes: 5508-GP Chassis + ISCOM5508-GPSC + 2xRPA1101-SI-220S12-Fn + FANS306. The GPON OLT optics are not included and must be ordered separately.	2,910.00 €
Raisecom	ISCOM5508-GP-DC/D	GPON 1RU chassis basic system includes: 4 x GPON SFP ports + 2 x 10GbE(SFP+) + 2 x GbE(SFP) + 2 x GbE(RJ45) + 2 x DC PSU + 1 Fan (Slot 2&3 are vacant). Configuration includes: 5508-GP Chassis + ISCOM5508-GPSC + 2xRPD1101-48S12 + FANS306. The GPON OLT optics are not included and must be ordered separately.	2,910.00 €
Raisecom	ISCOM5508-GP-AC_DC	GPON 1RU chassis basic system includes: 4 x GPON SFP ports + 2 x 10GbE(SFP+) + 2 x GbE(SFP) + 2 x GbE(RJ45) + 2 x AC PSU + 1 Fan (Slot 2&3 are vacant). Configuration includes: 5508-GP Chassis + ISCOM5508-GPSC + RPA1101-SI-220S12-Fn + RPD1101-48S12 + FANS306. The GPON OLT optics are not included and must be ordered separately.	2,910.00 €
Raisecom	ISCOM5508-GPSC	ISCOM5508-GP MCU card, 2 x 10GbE(SFP+) + 2 x GE(SFP) + 2 x GbE(RJ45), and 4 x GPON SFP ports, 1 Console interface for local management and 1 SNMP out-of-band management interface, in Slot 1. The Ethernet and GPON OLT optics are not included and must be ordered separately.	1,546.00 €
Raisecom	ISCOM5508-WDFA4	4 ports EDFA + WDM board, 1 * CATV Input (1550nm, SC/APC), 4xGPON Input (1310nm, 1490nm, LC/PC), 4 * Triple-wave Output (LC/APC), slot 2 or 3.	4,841.00 €
Raisecom	ISCOM5508-GP4A	GPON line card, 4 x GPON ports, in Slot 3. The GPON OLT optics are not included and must be ordered separately.	1,182.00 €
Raisecom	ISCOM5508-GE4B	GbE line card, 4 x 100/1000M SFP ports, in Slot 2&3. The GbE SFP optics are not included and must be ordered separately.	99.00 €
Raisecom	RPA1101-SI-220S12	Hot-swappable 110/220VAC PSU for ISCOM5508 chassis	187.00 €
Raisecom	RPD1101-48S12	Hot-swappable -48VDC PSU for ISCOM5508 chassis.	191.00 €
Raisecom	FANS306	Hot-swappable intelligent fan for ISCOM5508 chassis.	110.00 €
Raisecom	ISCOM5508Q-GP44W-AC-07	Outdoor GPON OLT Including: 4* GPON Module + 4 EDFA Module + WDM Module + Power Module (2 * CATV Input(1550nm, SC/APC), 2* GE(RJ45), 2* GE(SFP), 2* 10GE(SFP+) as uplink, 4* Triple-wave output(1310nm,1490nm,1550nm, SC/APC), 1 * 220VAC input (Dual AC Module inside), without SFP modules, can not expand)	8,787.00 €
Raisecom	ISCOM5508Q-GP44W-AC60	Outdoor GPON OLT Including: 4* GPON Module + 4 EDFA Module + WDM Module + Power Module (2 * CATV Input(1550nm, SC/APC), 2* GE(RJ45), 2* GE(SFP), 2* 10GE(SFP+) as uplink, 4* Triple-wave output(1310nm,1490nm,1550nm, SC/APC), 1 * 60VAC input (Dual AC Module inside), without SFP modules, can not expand)	8,832.00 €
Raisecom	ISCOM5508Q-GP8-AC	Outdoor GPON OLT Including: 8 * GPON Module + Power Module (8 * GPON ports, 2* GE(RJ45), 2* GE(SFP), 2* 10GE(SFP+) as uplink, Single 110/220VAC input (Dual AC Module inside), without SFP modules)	4,796.00 €
Raisecom	ISCOM HT803G-1GE-02	GPON SFU ONT, SC/APC, 1 x GbE LAN port, plastic-shell, Europe-type external power adapter. Hrvatski Telekom customization.	41.00 €
Raisecom	ISCOM HT803G-1GE-02	GPON SFU ONT, SC/APC, 1 x GbE LAN port, plastic-shell, Europe-type external power adapter. Greece Cosmote customization.	41.00 €
Raisecom	ISCOM HT803G-1GE-07	GPON SFU ONT, SC/PC, 1 x GbE LAN port, plastic-shell, Europe-type external power adapter	41.00 €
Raisecom	ISCOM HT803G-1GC-07	GPON/EPON Auto-adaption uplink(SC/APC), single GE, 1 British CATV, and European external power supply adapter.	87.00 €
Raisecom	ISCOM HT803G-07	GPON SFU ONT, SC/PC, 4 x GbE LAN ports, plastic-shell, Europe-type external power adapter	58.00 €
Raisecom	ISCOM HT803G-W-07	GPON HGU ONT, SC/APC, 4 x GbE LAN ports + 2 FXS + 1 x USB2.0 + 802.11b/g/n (2x2 MIMO) WLAN, Europe-type external power adapter.	130.00 €
Raisecom	ISCOM HT803G-U-E-02	GPON HGU ONT with CATV overlay, SC/APC, 4 x GbE LAN ports + 2 FXS + 1 x USB2.0 + 802.11b/g/n (2x2 MIMO) WLAN + 1 CATV imperial-type F connector, Europe-type external power adapter.	250.00 €
Raisecom	ISCOM HT803G-U-E-07	GPON HGU ONT with CATV overlay, SC/APC, 4 x GbE LAN ports + 2 FXS + 1 x USB2.0 + 802.11b/g/n (2x2 MIMO) WLAN + 1 CATV imperial-type F connector, Europe-type external power adapter.	228.00 €
Raisecom	ISCOM HT803G-N-07	GPON HGU ONT, SC/APC, 1GbE + 3FE + 802.11b/g/n (2x2 MIMO) WLAN, Europe-typo external power adapter.	114.00 €

Raisecom	ISCOM HT803G-V-08	GPON HGU ONT, SC/APC, 1GbE + 1FE + 1FXS, Brazil-type external power adapter.	114.00 €
Raisecom	ISCOM HT803G-VN-07	GPON HGU ONT, SC/APC, 1GbE + 1FE + 1FXS + 802.11b/g/n (2x2 MIMO) WLAN, Europe-type external power adapter.	128.00 €
Raisecom	ISCOM HT803G-WS2-07	GPON uplink(SC/APC), 4 GE, 2 FXS, 1 USB 2.0, Dual band 802.11b/g/n/ac (MIMO 2*2) WLAN, European external power supply adapter	173.00 €
Raisecom	ISCOM HT803G-US2-07	GPON uplink(SC/APC), 4 GE, 2 FXS, 1 USB 2.0, Dual band 802.11b/g/n/ac (MIMO 2*2) WLAN, 1 British CATV, European external power supply adapter.	264.00 €
Raisecom	ISCOM5104G-GP-AC	GPON uplink(SC/PC), Metal shell, 4 * GE, single 220 VAC power.	182.00 €
Raisecom	ISCOM5104Q-GP-AC	GPON uplink(SC/PC),Cast aluminum shell, 4 * GE, single 220 VAC power.	246.00 €
Raisecom	ISCOM5104-GP-PSE-AC	GPON uplink(SC/PC), Metal shell, 4 * GE with POE, single 220 VAC power.	446.00 €
Raisecom	ISCOM HT801-GSFP	GPON SFP Module (GPON ONU MAC, SC/PC, without clock), ITU-T 984 CLASS B+, industrial.	91.00 €
Raisecom	ISCOM6820-EP-AC	EPON OLT SYSTEM Including: ISCOM6820 Chassis *1 + ISCOM6820-MCUA *1 + ISCOM6820-EPSC *1+ RPA1302-220D4805 *1 + ISCOM6820-3-FANS380 *1 (16* EPON SFP ports, 2* 10GE(SFP+), 1* fan, 1* AC input, without SFP modules) Opitonal: slot 2&4 are vacant, ISCOM6820 MCUA workable in slot 2 and EP16/GE16 workable in slot 4, 32 EPON in Max	5,219.00 €
Raisecom	ISCOM6820-EP-DC/D	EPON OLT SYSTEM Including: ISCOM6820 Chassis *1 + ISCOM6820-MCUA *1 + ISCOM6820-EPSC *1 + RPD1303-48D4805 *2 + ISCOM6820-3-FANS380 *1 (16* EPON SFP ports, 2* 10GE(SFP+), 1* fan, 2* DC input by two separated power cards , without SFP modules) Opitonal: slot 2&4 are vacant, ISCOM6820 MCUA workable in slot 2 and EP16/GE16 workable in slot 4, 32 EPON in Max	5,423.00 €
Raisecom	ISCOM6820-MCUA	MCU&Uplink card, slot 1&2. Providing 2*10G SFP+ ports (support 1000M/s in slot 1 only), 1 Console (RJ45) for local management and 1 SNMP (RJ45) for out-of-band management. (without SFP modules)	408.00 €
Raisecom	ISCOM6820-EPSC	Basic service card, 16*EPON SFP ports, integrated with main controller, Slot 3 only. For spare parts ordering. (without SFP modules)	3,219.00 €
Raisecom	ISCOM6800-EP16	EPON line card, providing 16 x EPON ports, working in Slot 1-8 and 11-16. The EPON optics are not included and must be ordered separately.	2,182.00 €
Raisecom	ISCOM6800-GE16	GE card, providing 16* GE SFP ports, Slot 4 only. (without SFP modules)	982.00 €
Raisecom	RPA1302-220D4805	110V/220V AC power module, for spare parts ordering.	519.00 €
Raisecom	RPD1303-48D4805	DC -48V Power module(One Module, one input), for spare parts ordering.	205.00 €
Raisecom	PAD500-220S48	1U, 19" mountable rack rectifier chassis. Totally 2 solts for AC/DC pluggable rectifier module RPA1501-S-220S48. Each slot supplies -48VDC and max 500W output by 110/220 VAC power input (SISO). The RPA1501-S-220S48 must be ordered seperately. (Only for ISCOM6820)	523.00 €
Raisecom	RPA1501-S-220S48	AC/DC pluggable rectifier module, supplies -48VDC and max 500W output by 110/220 VAC power input (SISO). Must work with PAD500-220S48 together.(Only for ISCOM6820)	473.00 €
Raisecom	ISCOM6820-3-FANS380	Intelligent fan (only for ISCOM6820), for spare parts ordering.	317.00 €
Raisecom	ISCOM5508-AC/D	EPON 1RU OLT Basic system includes: 4xEPON SFP ports + 2xGbE(RJ45) + 4xGbE(SFP) + 2xAC PSU + 1xFan. (Slot 2&3 are vacant). Configuration includes: 5508B Chassis + ISCOM5508-EPSC + 2xRPA1101-SI-220S12 + FANS306. The EPON OLT optics are not included and must be ordered separately.	2,200.00 €
Raisecom	ISCOM5508-DC/D	EPON 1RU OLT Basic system includes: 4xEPON SFP ports + 2xGbE(RJ45) + 4xGbE(SFP) + 2xDC PSU + 1xFan. (Slot 2&3 are vacant). Configuration includes: 5508B Chassis + ISCOM5508-EPSC + 2xRPD1101-SI-48S12 + FANS306. The EPON OLT optics are not included and must be ordered separately.	2,173.00 €

Raisecom	ISCOM5508-AC_DC	EPON 1RU OLT Basic system includes: 4xEPON SFP ports + 2xGbE(RJ45) + 4xGbE(SFP) + 1xAC PSU + 1xDC PSU + 1xFan. (Slot 2&3 are vacant). Configuration includes: 5508B Chassis + ISCOM5508-EPSC + RPA1101-SI-220S12 + RPD1101-48S12 + FANS306. The EPON OLT optics are not included and must be ordered separately.	2,187.00 €
Raisecom	ISCOM5508-EPSC	ISCOM5508 MCU, including 2xGbE(RJ45), 4xGbE(SFP), 1 Console interface(RJ45) for local management and 1 SNMP out-of-band management interface(RJ45), working in Slot 1. The EPON OLT optics are not included and must be ordered separately.	1,196.00 €
Raisecom	ISCOM5508-EP4B	EPON line card for ISCOM5508 chassis, providing 4 x EPON SFP ports, supporting hot swapping in Slot 2&3. The EPON OLT optics are not included and must be ordered separately.	582.00 €
Raisecom	ISCOM5508-GE4B	GbE line card for ISCOM5508 chassis, providing 4 x 1GbE SFP ports, supporting hot swapping in Slot 2&3. The GbE SFP optics are not included and must be ordered separately.	99.00 €
Raisecom	FANS306	Hot-swappable intelligent fan for ISCOM5508 chassis	110.00 €
Raisecom	RPA1101-SI-220S12	Optional parts for ISCOM5508. 110V/220V AC PSU. Voltage range: 100V ~ 240V (50Hz/60Hz).	187.00 €
Raisecom	RPD1101-48S12	Optional parts for ISCOM5508. -48V DC PSU. Voltage range: -36V ~ -72V.	182.00 €
Raisecom	ISCOM HT803-1GE-07	EPON SFU ONU, 1 x GbE port, Europe-type external power adapter	50.00 €
Raisecom	ISCOM HT803-07	EPON SFU ONU, 1 x GbE + 3 x FE ports, Europe-type external power adapter	69.00 €
Raisecom	ISCOM HT803-W-07	EPON HGU ONU, 1 x GE + 3 x FE, 2 FXS, 1 x USB2.0 , 802.11b/g/n (2x2 MIMO) WLAN, Europe-type external power supply adapter	91.00 €
Raisecom	ISCOM HT803-U-E-07	EPON HGU ONU with CATV overlay, 1 x GE + 3 x FE + 2FXS + 1 x USB2.0 + 802.11b/g/n (2x2 MIMO) WLAN + 1 CATV imperial-type F connector, and Europe-type external power supply adapter	164.00 €
Raisecom	ISCOM HT803-N-07	EPON HGU ONU, 1 x GE + 3 x FE + 802.11b/g/n (2x2 MIMO) WLAN, Europe-type external power adapter	114.00 €
Raisecom	ISCOM5104G-AC	EPON uplink(SC/PC), metal shell, 4 * GE ONU, 220 VAC power	169.00 €
Raisecom	GSFP-PX20DM-R	EPON OLT SFP module, PX20+ standard	73.00 €
Raisecom	GSFP-PX2PDM-R	EPON OLT SFP module, PX20++ standard	110.00 €
Raisecom	GSFP-CLBDM-R	GPON OLT optical module (SFP), CLASS B+ standard	73.00 €
Raisecom	GSFP-CLCDM-R	GPON OLT optical module (SFP), CLASS C+ standard	82.00 €
Raisecom	GSFP-CLDDM-R	GPON OLT optical module (SFP), CLASS C++ standard	91.00 €
Raisecom	GSFP-CLBDM-RI	GPON OLT SFP module (industrial), CLASS B+ standard	120.00 €
Raisecom	GSFP-CLCDM-RI	GPON OLT SFP module (industrial), CLASS C+ standard	128.00 €
Raisecom	RC5827A-4-AC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1*1550nm analog Cable Television (CATV) signal optical interface, 4*PON network data signal interface, 4*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV interface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual AC power supply.	5,250.00 €
Raisecom	RC5827A-4-DC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1*1550nm analog Cable Television (CATV) signal optical interface, 4*PON network data signal interface, 4*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV interface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual DC power supply.	5,250.00 €
Raisecom	RC5830A-8-AC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1*1550nm analog Cable Television (CATV) signal optical interface, 8*PON network data signal interface, 8*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV interface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual AC power supply.	8,569.00 €
Raisecom	RC5830A-8-DC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1*1550nm analog Cable Television (CATV) signal optical interface, 8*PON network data signal interface, 8*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV interface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual DC power supply.	8,569.00 €

Raisecom	RC5833A-16-AC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1 or 2 1550nm analog Cable Television (CATV) signal optical interface, 16*PON network data signal interface, 16*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV F117ainterface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual AC power supply.	10,932.00 €
Raisecom	RC5833A-16-DC/D	Standard 1U stand-alone product, integrated by splitter, optical amplifier, 1270, 1310/1490, 1571/1550 wavelength multiplexer. 1 or 2 1550nm analog Cable Television (CATV) signal optical interface, 16*PON network data signal interface, 16*COM (CATV+PON) multiplexing signal optical interface. Output power 19dBm. CATV F117ainterface: SC/APC; PON interface: LC/PC; COM interface: LC/APC Dual DC power supply.	10,932.00 €
Raisecom	RC5830A-PWR-D	Pluggable power supply module for RC5830A-8, -48V DC power supply. Support dual power supplies redundant backup.	400.00 €
Raisecom	RC5830A-FAN	Pluggable Fan module for RC5830A-8.	69.00 €
Raisecom	UART-TEST	Console cable and PCB for ONT/ONU diagnosis, including 30.26.99.0010.00 PCB and 20.62.81.0004.01 DATA-2150-4P/2150-4P-300mm/RoHS jumper cable.	10.00 €
Raisecom	POS-1/2-O-SP-1.5m	1:2 Box-type Splitter with Pig-tails (100x80x10mm) , Single Mode, 1.5m Length pig tail, SC/PC plug.	28.00 €
Raisecom	POS-1/2-L-SA	1:2 Box Splitter with Connector (120x80x18mm) , Single Mode, SC/APC connector.	96.00 €
Raisecom	POS-1/4-O-FA-1.5m	1:4 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, FC/APC plug.	32.00 €
Raisecom	POS-1/4-O-FP-1.5m	1:4 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	32.00 €
Raisecom	POS-1/4-O-SA-1.5m	1:4 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, SC/APC plug.	32.00 €
Raisecom	POS-1/4-O-SP-1.5m	1:4 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	32.00 €
Raisecom	POS-1/4-L-LP	1:4 Box Splitter with Connector (120x80x18mm) , PLC, Single Mode, LC/PC connector.	50.00 €
Raisecom	POS-1/4-L-SP	1:4 Box Splitter with Connector (120x80x18mm) , PLC, Single Mode, SC/PC connector.	50.00 €
Raisecom	POS-1/8-O-SP-1.5m	1:8 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	46.00 €
Raisecom	POS-1/8-O-FP-1.5m	1:8 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	46.00 €
Raisecom	POS-1/8-T-LA	19" 1U Rack Type (482.6x300x44mm) 1:8 Splitter, PLC, Single Mode, LC/APC connector.	228.00 €
Raisecom	POS-1/8-T-FP	19" 1U Rack Type (482.6x300x44mm) 1:8 Splitter, PLC, Single Mode, FC/PC connector.	228.00 €
Raisecom	POS-1/8-T-SA	19" 1U Rack Type (482.6x300x44mm) 1:8 Splitter, PLC, Single Mode, SC/APC connector.	228.00 €
Raisecom	POS-1/8-T-SP	19" 1U Rack Type (482.6x300x44mm) 1:8 Splitter, PLC, Single Mode, SC/PC connector.	228.00 €
Raisecom	POS-1/16-L-FP-1.5m	1:16 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	78.00 €
Raisecom	POS-1/16-L-SA-1.5m	1:16 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/APC plug.	78.00 €
Raisecom	POS-1/16-L-SP-1.5m	1:16 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	78.00 €
Raisecom	POS-1/16-T-FP	19" 1U Rack Type (482.6x300x44mm) 1:16 Splitter, PLC, Single Mode, FC/PC connector.	260.00 €
Raisecom	POS-1/16-T-SP	19" 1U Rack Type (482.6x300x44mm) 1:16 Splitter, PLC, Single Mode, SC/PC connector.	260.00 €
Raisecom	POS-1/32-L-FP-1.5m	1:32 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	137.00 €
Raisecom	POS-1/32-L-SP-1.5m	1:32 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	137.00 €
Raisecom	POS-1/32-T-SP	19" 1U Rack Type (482.6x300x44mm) 1:32 Splitter, PLC, Single Mode, SC/PC connector.	323.00 €
Raisecom	POS-1/64-T-LA	19" 1U Rack Type (482.6x300x44mm) 1:64 Splitter, PLC, Single Mode, LC/APC connector.	655.00 €
Raisecom	POS-1/64-T-LP	19" 1U Rack Type (482.6x300x44mm) 1:64 Splitter, PLC, Single Mode, LC/PC connector.	655.00 €

Raisecom	POS-1/64-T-SP	19" 1U Rack Type (482.6x300x44mm) 1:64 Splitter, PLC, Single Mode, SC/PC connector.	655.00 €
Raisecom	POS-1/64-S-SA-1.5m	1:64 Box Splitter with Pig-tails (140x114x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/APC plug.	287.00 €
Raisecom	POS-1/64-S-SP-1.5m	1:64 Box Splitter with Pig-tails (140x114x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	287.00 €
Raisecom	POS-2/4-B-SP	2:4 modular Splitter in 3U chassis , PLC, Single Mode, SC/PC connector.	60.00 €
Raisecom	POS-2/8-O-FP-1.5m	2:8 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	60.00 €
Raisecom	POS-2/8-O-SP-1.5m	2:8 Box Splitter with Pig-tails (100x80x10mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	60.00 €
Raisecom	POS-2/16-L-FP-1.5m	2:16 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, FC/PC plug.	87.00 €
Raisecom	POS-2/16-L-SP-1.5m	2:16 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	87.00 €
Raisecom	POS-2/32-T-SP	19" 1U Rack Type (482.6x300x44mm) 2:32 Splitter, PLC, Single Mode, SC/PC connector.	400.00 €
Raisecom	POS-2/32-L-SP-1.5m	2:32 Box Splitter with Pig-tails (120x80x18mm) , PLC, Single Mode, 1.5m Length pig tail, SC/PC plug.	160.00 €
Raisecom	CSFP-Gb/S/XX-D-R (XX = 27, 29, 31, 33, 35, 37, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	SFP-1.25Gbps-1XX1nm (XX=27, 29, 31, 33, 35, 37, 47, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	58.20 €
Raisecom	CSFP-Gb/S/XX-D-R (XX = 39, 41, 43, 45)	SFP-1.25Gbps-1XX1nm (XX=39, 41, 43 & 45)-40km-DDM-RoHS	58.20 €
Raisecom	CSFP-Gb/L/XX-D-R (XX = 47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	SFP-1.25Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	69.20 €
Raisecom	CSFP-48/S/XX-D-R (XX = 47, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	SFP-2.5Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	69.20 €
Raisecom	CSFP-48/L/xx-D-R(XX=47,49,51,53,55,57,59,61)-80km-DDM-RoHS	SFP-2.5Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	102.00 €
Raisecom	CXFP-192/L/XX (XX = 47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	XFP-10Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	945.60 €
Raisecom	RSP-10C10-27	CWDM SFP+-1271nm-10G-10Km-DDMI-RoHS	120.00 €
Raisecom	RSP-10C10-29	CWDM SFP+-1291nm-10G-10Km-DDMI-RoHS	120.00 €
Raisecom	RSP-10C10-31	CWDM SFP+-1311nm-10G-10Km-DDMI-RoHS	120.00 €
Raisecom	RSP-10C10-33	CWDM SFP+-1331nm-10G-10Km-DDMI-RoHS	120.00 €
Raisecom	RSP-10C10-35	CWDM SFP+-1351nm-10G-10Km-DDMI-RoHS	145.60 €
Raisecom	RSP-10C10-37	CWDM SFP+-1371nm-10G-10Km-DDMI-RoHS	145.60 €
Raisecom	RSP-10C10-39	CWDM SFP+-1391nm-10G-10Km-DDMI-RoHS	163.80 €
Raisecom	RSP-10C10-41	CWDM SFP+-1411nm-10G-10Km-DDMI-RoHS	163.80 €
Raisecom	RSP-10C10-43	CWDM SFP+-1431nm-10G-10Km-DDMI-RoHS	163.80 €
Raisecom	RSP-10C10-45	CWDM SFP+-1451nm-10G-10Km-DDMI-RoHS	163.80 €
Raisecom	RSP-10C10-47	CWDM SFP+-1471nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-49	CWDM SFP+-1491nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-51	CWDM SFP+-1511nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-53	CWDM SFP+-1531nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-55	CWDM SFP+-1551nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-57	CWDM SFP+-1571nm-10G-10Km-DDMI-RoHS	174.60 €
Raisecom	RSP-10C10-59	CWDM SFP+-1591nm-10G-10Km-DDMI-RoHS	182.00 €
Raisecom	RSP-10C10-61	CWDM SFP+-1611nm-10G-10Km-DDMI-RoHS	182.00 €
Raisecom	RSP-10C20-XX (XX = 27, 29, 31, 33)	SFP+-10Gbps-1XX1nm (XX=27, 29, 31 & 33)-20km-DDM-RoHS	127.40 €
Raisecom	RSP-10C20-XX (XX = 35, 37)	SFP+-10Gbps-1XX1nm (XX=35 & 37)-20km-DDM-RoHS	163.80 €
Raisecom	RSP-10C20-XX-I (XX = 27, 29, 31, 33, 35 & 37)	SFP+-10Gbps-1XX1nm (XX=27, 29, 31, 33, 35 & 37)-20km-DDM-RoHS	363.80 €
Raisecom	RSP-10C40-XX (XX = 47, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	SFP+-10Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-40km-DDM-RoHS	563.80 €
Raisecom	RSP-DOC80-XX (XX = 47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	SFP+-10Gbps-1XX1nm (XX=47, 49, 51, 53, 55, 57, 59 & 61)-80km-DDM-RoHS	847.40 €
Raisecom	DSFP-48/S/XX-D-R (XX = 21~41)	SFP-2.5Gbps-CXX (XX=21,22...41) ITU-T channel-40km-DDM-RoHS	567.40 €
Raisecom	DSFP-48/L/XX-D-R (XX = 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49 & 51)	SFP-2.5Gbps-CXX (XX=21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49 & 51) ITU-T channel-80km-DDM-RoHS	483.80 €
Raisecom	DSFP-48/L/XX-D-R (XX = 22, 24, 26, 28, 30, 32, 34, 36, 38)	SFP-2.5Gbps-CXX (XX=22, 24, 26, 28, 30 & 38) ITU-T channel-80km-DDM-RoHS	483.80 €
Raisecom	DSFP+-192/S/XX (XX = 21~60)	SFP+-10Gbps-CXX (XX=21,22...60) ITU-T channel-40km-DDM-RoHS	509.20 €
Raisecom	DSFP+-192/L/XX (XX = 21~60)	SFP+-10Gbps-CXX (XX=21,22...60) ITU-T channel-80km-DDM-RoHS	1,145.60 €
Raisecom	DXFP-192/S/XX (XX = 21~60)	XFP-10Gbps-CXX (XX=21,22...60) ITU-T channel-40km-DDM-RoHS	531.00 €
Raisecom	DXFP-192/L/XX (XX = 21~60)	XFP-10Gbps-CXX (XX=21,22...60) ITU-T channel-80km-DDM-RoHS	796.40 €
Raisecom	USFP-03/M-D-R	SFP-155Mbps-1310nm-2km-Multi Mode-DDM-RoHS	29.20 €
Raisecom	USFP-03/S1-D-R	SFP-155Mbps-1310nm-15km-DDM-RoHS	29.20 €
Raisecom	USFP-03/S2-D-R	SFP-155Mbps-1310nm-40km-DDM-RoHS	36.40 €
Raisecom	USFP-03/S3-D-R	SFP-155Mbps-1550nm-80km-DDM-RoHS	54.60 €
Raisecom	USFP-03/SS13-D-R	SFP-155Mbps-1310nmT/1550nmR-15km-BiDi-DDM-RoHS	29.20 €
Raisecom	USFP-03/SS15-D-R	SFP-155Mbps-1550nmT/1310nmR-15km-BiDi-DDM-RoHS	29.20 €
Raisecom	USFP-03/SS23-D-R	SFP-155Mbps-1310nmT/1550nmR-40km-BiDi-DDM-RoHS	36.40 €
Raisecom	USFP-03/SS25-D-R	SFP-155Mbps-1550nmT/1310nmR-40km-BiDi-DDM-RoHS	54.60 €
Raisecom	USFP-03/SS34-D-R	SFP-155Mbps-1490nmT/1550nmR-80km-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-03/SS35-D-R	SFP-155Mbps-1550nmT/1490nmR-80km-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-03/M-I	SFP-155Mbps-1310nm-2km-Industrial-Multimode-DDM-RoHS	36.40 €
Raisecom	USFP-03/S1-I	SFP-155Mbps-1310nm-15km-Industrial-DDM-RoHS	36.40 €
Raisecom	USFP-03/S2-I	SFP-155Mbps-1310nm-40km-Industrial-DDM-RoHS	36.40 €
Raisecom	USFP-03/S3-I	SFP-155Mbps-1550nm-80km-Industrial-DDM-RoHS	91.00 €

Raisecom	USFP-03/SS13-I	SFP-155Mbps-1310nmT/1550nmR-15km-Industrial-BiDi-DDM-RoHS	36.40 €
Raisecom	USFP-03/SS15-I	SFP-155Mbps-1550nmT/1310nmR-15km-Industrial-BiDi-DDM-RoHS	47.40 €
Raisecom	USFP-03/SS23-I	SFP-155Mbps-1310nmT/1550nmR-40km-Industrial-BiDi-DDM-RoHS	47.40 €
Raisecom	USFP-03/SS25-I	SFP-155Mbps-1550nmT/1310nmR-40km-Industrial-BiDi-DDM-RoHS	120.00 €
Raisecom	USFP-03/SS34-I	SFP-155Mbps-1490nmT/1550nmR-80km-Industrial-BiDi-DDM-RoHS	109.20 €
Raisecom	USFP-03/SS35-I	SFP-155Mbps-1550nmT/1490nmR-80km-Industrial-BiDi-DDM-RoHS	109.20 €
Raisecom	USFP-Gb/M-D-R	SFP-1.25Gbps-850nm-550m-Multi Mode-DDM-RoHS	29.20 €
Raisecom	USFP-Gb/S1-D-R	SFP-1.25Gbps-1310nm-15km-DDM-RoHS	36.40 €
Raisecom	USFP-Gb/S2-D-R	SFP-1.25Gbps-1550nm-40km-DDM-RoHS	54.60 €
Raisecom	USFP-Gb/S3-D-R	SFP-1.25Gbps-1550nm-80km-DDM-RoHS	120.00 €
Raisecom	USFP-Gb/LH1-D-R	SFP-1.25Gbps-1310nm-40km-DDM-RoHS	54.60 €
Raisecom	USFP-Gb/ZX-D-R	SFP-1.25Gbps-1550nm-80km-DDM-RoHS	91.00 €
Raisecom	USFP-Gb/EX-D-R	SFP-1.25Gbps-1550nm-120km-DDM-RoHS	109.20 €
Raisecom	USFP-Gb/SS13-D-R	SFP-1.25Gbps-1310nmT/1550nmR-15km-BiDi-DDM-RoHS	29.20 €
Raisecom	USFP-Gb/SS15-D-R	SFP-1.25Gbps-1550nmT/1310nmR-15km-BiDi-DDM-RoHS	47.40 €
Raisecom	USFP-Gb/SS13-4	SFP-1.25Gbps-1310nmT/1490nmR-15km-BiDi-DDM-RoHS	36.40 €
Raisecom	USFP-Gb/SS14-3	SFP-1.25Gbps-1490nmT/1310nmR-15km-BiDi-DDM-RoHS	65.60 €
Raisecom	USFP-Gb/SS24-D-R	SFP-1.25Gbps-1490nmT/1550nmR-40km-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-Gb/SS25-D-R	SFP-1.25Gbps-1550nmT/1490nmR-40km-BiDi-DDM-RoHS	65.60 €
Raisecom	USFP-Gb/SS235-D-R	SFP-1.25Gbps-1310nmT/1550nmR-40km-BiDi-DDM-RoHS	54.60 €
Raisecom	USFP-Gb/SS253-D-R	SFP-1.25Gbps-1550nmT/1310nmR-40km-BiDi-DDM-RoHS	65.60 €
Raisecom	USFP-Gb/SS234-D-R	SFP-1.25Gbps-1310nmT/1490nmR-40km-BiDi-DDM-RoHS	57.60 €
Raisecom	USFP-Gb/SS243-D-R	SFP-1.25Gbps-1490nmT/1310nmR-40km-BiDi-DDM-RoHS	60.80 €
Raisecom	USFP-Gb/SS34-D-R	SFP-1.25Gbps-1490nmT/1550nmR-80km-BiDi-DDM-RoHS	182.00 €
Raisecom	USFP-Gb/SS35-D-R	SFP-1.25Gbps-1550nmT/1490nmR-80km-BiDi-DDM-RoHS	182.00 €
Raisecom	USFP-Gb/M-I	SFP-1.25Gbps-850nm-550m-Industrial-Multimode-DDM-RoHS	36.40 €
Raisecom	USFP-Gb/S1-I	SFP-1.25Gbps-1310nm-15km-Industrial-DDM-RoHS	36.40 €
Raisecom	USFP-Gb/S2-I	SFP-1.25Gbps-1550nm-40km-Industrial-DDM-RoHS	65.60 €
Raisecom	USFP-Gb/S3-I	SFP-1.25Gbps-1550nm-80km-Industrial-DDM-RoHS	91.00 €
Raisecom	USFP-Gb/EX-I	SFP-1.25Gbps-1550nm-120km-Industrial-DDM-RoHS	174.60 €
Raisecom	USFP-Gb/SS13-I	SFP-1.25Gbps-1310nmT/1550nmR-15km-Industrial-BiDi-DDM-RoHS	36.40 €
Raisecom	USFP-Gb/SS15-I	SFP-1.25Gbps-1550nmT/1310nmR-15km-Industrial-BiDi-DDM-RoHS	65.60 €
Raisecom	USFP-Gb/SS24-I	SFP-1.25Gbps-1490nmT/1550nmR-40km-Industrial-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-Gb/SS25-I	SFP-1.25Gbps-1550nmT/1490nmR-40km-Industrial-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-Gb/SS34-I	SFP-1.25Gbps-1490nmT/1550nmR-80km-Industrial-BiDi-DDM-RoHS	182.00 €
Raisecom	USFP-Gb/SS35-I	SFP-1.25Gbps-1550nmT/1490nmR-80km-Industrial-BiDi-DDM-RoHS	192.80 €
Raisecom	USFP-FE/AN-R	10/100BASE-T Auto Negotiation-100m-RoHS	54.60 €
Raisecom	USFP-GE-R	1000Base-100m-with Los Indicator-RoHS	54.60 €
Raisecom	USFP-GE/AN-R	10/100/1000Base Auto Negotiation-100m-with Los Indicator-RoHS	54.60 €
Raisecom	USFP-GE-I	1000Base-100m-with Los Indicator-Industrial-RoHS	83.80 €
Raisecom	USFP-GE/AN-I	10/100/1000Base Auto Negotiation-100m-with Los Indicator-Industrial-RoHS	72.80 €
Raisecom	USFP-48/M-D-R	2.5Gbps-850nm-300m-Multi Mode-DDM-RoHS	36.40 €
Raisecom	USFP-48/S1-D-R	2.5Gbps-1310nm-15km-DDM-RoHS	72.80 €
Raisecom	USFP-48/S2-D-R	2.5Gbps-1550nm-40km-DDM-RoHS	72.80 €
Raisecom	USFP-48/S3-D-R	2.5Gbps-1550nm-80km-DDM-RoHS	138.20 €
Raisecom	USFP-48/SS13-D-R	2.5Gbps-1310nmT/1550nmR-15km-BiDi-DDM-RoHS	72.80 €
Raisecom	USFP-48/SS15-D-R	2.5Gbps-1550nmT/1310nmR-15km-BiDi-DDM-RoHS	83.80 €
Raisecom	USFP-48/SS24-D-R	2.5Gbps-1490nmT/1550nmR-40km-BiDi-DDM-RoHS	91.00 €
Raisecom	USFP-48/SS25-D-R	2.5Gbps-1550nmT/1490nmR-40km-BiDi-DDM-RoHS	83.80 €
Raisecom	USFP-48/SS34-D-R	2.5Gbps-1490nmT/1550nmR-80km-BiDi-DDM-RoHS	236.40 €
Raisecom	USFP-48/SS35-D-R	2.5Gbps-1550nmT/1490nmR-80km-BiDi-DDM-RoHS	236.40 €
Raisecom	USFP+-192/M	10Gbps-850nm-300m-DDMRoHS	54.60 €
Raisecom	USFP+-192/S1	10Gbps-1310nm-10km-DDMRoHS	91.00 €
Raisecom	USFP+-192/S2	10Gbps-1550nm-40km-DDMRoHS	429.20 €
Raisecom	USFP+-192/S3	10Gbps-1550nm-80km-DDMRoHS	945.60 €
Raisecom	USFP+-192/SS12	SFP+-10Gbps-1330nmT/1270nmR-5km-BiDi-DDM-RoHS	127.40 €
Raisecom	USFP+-192/SS13	SFP+-10Gbps-1270nmT/1330nmR-15km-BiDi-DDM-RoHS	127.40 €
Raisecom	USFP+-192/SS22	SFP+-10Gbps-1330nmT/1270nmR-40km-BiDi-DDM-RoHS	236.40 €
Raisecom	USFP+-192/SS23	SFP+-10Gbps-1270nmT/1330nmR-40km-BiDi-DDM-RoHS	236.40 €
Raisecom	USFP+-192/S0-I	SFP+-10Gbps-1310nm-2km-Industrial-DDM-RoHS	109.20 €
Raisecom	USFP+-192/S1-I	SFP+-10Gbps-1310nm-10km-Industrial-DDM-RoHS	138.20 €
Raisecom	USFP+-192/S2-I	SFP+-10Gbps-1550nm-40km-Industrial-DDM-RoHS	829.20 €
Raisecom	USFP+-192/SS12-I	SFP+-10Gbps-1330nmT/1270nmR-5km-Industrial-BiDi-DDM-RoHS	163.80 €
Raisecom	USFP+-192/SS13-I	SFP+-10Gbps-1270nmT/1330nmR-15km-Industrial-BiDi-DDM-RoHS	163.80 €
Raisecom	USFP+-192/SS22-I	SFP+-10Gbps-1330nmT/1270nmR-40km-Industrial-BiDi-DDM-RoHS	345.60 €
Raisecom	USFP+-192/SS23-I	SFP+-10Gbps-1270nmT/1330nmR-40km-Industrial-BiDi-DDM-RoHS	345.60 €
Raisecom	UXFP-192/M	XFP-10Gbps-850nm-Multi Mode-DDM-RoHS	127.40 €
Raisecom	UXFP-192/S1	XFP-10Gbps-1310nm-10km-DDM-RoHS	145.60 €
Raisecom	UXFP-192/S2	XFP-10Gbps-1550nm-40km-DDM-RoHS	465.60 €
Raisecom	UXFP-192/S3	XFP-10Gbps-1550nm-80km-DDM-RoHS	1,065.60 €
Raisecom	UXFP-192/SS12	XFP-10Gbps-1270nm-10km-DDM-RoHS	192.80 €

Raisecom	UXFP-192/SS13	XFP-10Gbps-1330nm-10km-DDM-RoHS	192.80 €
Raisecom	UXFP-192/SS22	XFP-10Gbps-1270nm-40km-DDM-RoHS	291.00 €
Raisecom	UXFP-192/SS23	XFP-10Gbps-1330nm-40km-DDM-RoHS	291.00 €
Raisecom	UQSP-40G/M3	QSFP-40Gbps-850nm-MPO-300m-DDM-RoHS	429.20 €
Raisecom	UQSP-40G/S1	QSFP-40Gbps-4λ(1271nm,1291nm,1310nm,1330nm)-10Km-DDM-RoHS	2,174.60 €
Raisecom	UQSP-40G/S2	QSFP-40Gbps-4λ(1271nm,1291nm,1310nm,1330nm)-40Km-DDM-RoHS	13,072.80 €
Raisecom	ESP-1/1-C	DAC integration cable-10GE SFP+-1m	29.20 €
Raisecom	ESP-1/2-C	DAC integration cable-10GE SFP+-3m	32.80 €
Raisecom	ESP-1/3-C	DAC integration cable-10GE SFP+-5m	47.40 €
Raisecom	EQP-4/1-C	DAC integration cable-40GE QSFP-1m	54.60 €
Raisecom	EQP-4/2-C	DAC integration cable-40GE QSFP-3m	69.20 €
Raisecom	EQP-4/3-C	DAC integration cable-40GE QSFP-5m	116.40 €
Raisecom	EQP4-4/1-C	DAC integration cable-40GE QSFP-4*10GE SFP+-1m	80.00 €
Raisecom	EQP4-4/2-C	DAC integration cable-40GE QSFP-4*10GE SFP+-3m	94.60 €
Raisecom	EQP4-4/3-C	DAC integration cable-40GE QSFP-4*10GE SFP+-5m	142.00 €
Raisecom	TSFP-03/DS15-3	Compact SFP-155Mbps-1550nmT/1310nmR-15km-Dual BiDi-DDM-RoHS	174.60 €
Raisecom	TSFP-03/DS25-3	Compact SFP-155Mbps-1550nmT/1310nmR-40km-Dual BiDi-DDM-RoHS	272.80 €
Raisecom	TSFP-Gb/DS14-3	Compact SFP-1.25Gbps-1490nmT/1310nmR-15km-Dual BiDi-DDM-RoHS	236.40 €
Raisecom	NView NNM V5	Raisecom NMS/EMS platform for management of all Raisecom devices with Performance Monitoring modules. SLA Web Portal module designed for some of RAX700 and iTN200 series is also included.	3,637.00 €
Raisecom	UL1276-432CA	EXPRESSCLUSTER X 3.0 for Windows 8 and more CPU/1 node. Nview Hot Backup (HA, Disaster Recovery) Solution. NView NNM hot backup solution based on NEC software with license fee included already. Support real-time system/configuration/data synchronization, automatic detection and recovery from system/hardware/environment failures between servers at the same or different locations. Support up to 8 CPUs per server. NOTE: Server hardware price is excluded.	9,091.00 €
Raisecom	UL1276-413CA	EXPRESSCLUSTER X Replicator 3.1 for Windows / 1 node. Nview Data Replicator Solution. Nview NNM data replication solution based on NEC software with license fee included already. NOTE: Server hardware price is excluded.	2,773.00 €