

Familia	COD.	Referencia	Descripción Resumida	MSRP
Poseidon	600568	Poseidon2 3266	Poseidon2 3266 plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.	316.50 €
Poseidon	600691	Poseidon2 3266 PoE	Poseidon2 3266 PoE plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.	361.70 €
Poseidon	600592	Poseidon2 3266 THset	Poseidon2 3266 evaluation set with temperature-humidity combined sensor. Contains Poseidon2 3266, power adaptor, temperature/humidity indoor sensor 3m, door contact & manual.	438.50 €
Poseidon	600591	Poseidon2 3266 Tset	Poseidon2 3266 evaluation set with temperature sensor. Contains Poseidon2 3266, power adaptor, temperature sensor 3m, Door contact & manual.	378.80 €
Poseidon	600569	Poseidon2 3268	Poseidon 3268 plain unit - 2 internal relay outputs, 2xRJ11 - max 8 sensors (1-Wire UNI), 4 dry contact inputs, WEB, XML, SNMP, Email	349.50 €
Poseidon	600692	Poseidon2 3268 PoE	Poseidon 3268 PoE plain unit - 2 internal relay outputs, 2xRJ11 - max 8 sensors (1-Wire UNI), 4 dry contact inputs, WEB, XML, SNMP, Email	388.80 €
Poseidon	600593	Poseidon2 3268 Tset	Poseidon2 3268 quick start set with a temperature sensor. Contains the Poseidon2 3268 unit, a power adapter, a temperature probe (3m cable), door contact and a manual.	428.60 €
Poseidon	600570	Poseidon2 3468	Poseidon2 3468 plain unit. Monitoring for industrial & telco usage. DIN rail housing, 48V DC power supported, 4x DI , 2x DO 230V/16A, 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.	388.90 €
Poseidon	600589	Poseidon2 3468 Tset	Poseidon2 3468 evaluation set with temperature sensor. Contains Poseidon2 3468, power adaptor, temperature sensor 3m & manual.	470.20 €
Poseidon	600571	Poseidon2 4002	Poseidon2 4002 plain unit. Data center environmental monitoring system. 12 DI, 4 DO (Relay), 6x RJ11 for up to 16 sensor-probes (1-Wire / 1-Wire UNI). Power adaptor or and 19" montage set NOT included.	614.80 €
Poseidon	600594	Poseidon2 4002 Tset	Temperature monitoring set for 19" rack. Contains: Poseidon2 4002, power adaptor, Temp-1Wire Rack19, Temp-1Wire 3m IP67, door contact, Windows software HWG-PDMS 8 licence, Rack mounting brackets 19" and Screwdriver WITTRON.	822.90 €
STE	600753	STE2 R2 PoE	STE2 is a temperature/humidity monitoring device with SNMP support. It can be connected over Ethernet or WiFi. It can send alarm e-mails (TLS) or report to an online portal SensDesk (HWg Push). Supports HTTPS, PoE and includes a temperature sensor.	247.66 €
STE	600754	STE2 R2 PoE 30pack	STE2 is a temperature/humidity monitoring device with SNMP support. It can be connected over Ethernet or WiFi. It can send alarm e-mails (TLS) or report to an online portal SensDesk (HWg Push). Supports HTTPS, PoE and includes a temperature sensor.	6,076.00 €
STE	600474	HWg-STE 10pack	10 pieces pack of HWg-STE. One Unit RWP price is 155€ / 212\$. The HWg-STE web thermometer package, includes a single temperature sensor, EU power adapter.	1,497.30 €
STE	600399	HWg-STE	HWg-STE. One Unit RWP price is 155€ / 212\$. The HWg-STE web thermometer package, includes a single temperature sensor, EU power adapter.	149.73 €
STE	600475	HWg-STE 30pack	30 pieces pack of HWg-STE. One Unit RWP price is 155€ / 212\$. The HWg-STE web thermometer package, includes a single temperature sensor, EU power adapter.	4,121.90 €
STE	600574	HWg-STE plus	HWg-STE plus is ethernet thermometer with two Digital Inputs. You can connect up to two external temperature or humidity sensors and two Dry Contacts. Temperature sensor and power adaptor included in the package. Can be connected to online sensor portal Se	139.20 €
STE	600609	HWg-STE plus PoE	HWg-STE plus PoE is an Ethernet thermometer/hygrometer with two digital inputs for dry contacts. Powered over Ethernet (IEEE 802.3af) or from included external power adaptor. The package includes a temperature probe and a power adaptor. Can be connected t	158.30 €
SD devices	600695	SD-2x1Wire	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	189.93 €
SD devices	600728	SD-2x1Wire Tset	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Retail package (1-wire temperature sensor + power adaptor).	235.17 €
SD devices	600732	SD-2x1Wire 50pack	SensDesk monitoring unit with 2 1-wire ports (up to 4 sensors), WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,047.10 €
SD devices	600693	SD-2xIN	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Plain unit.	191.75 €
SD devices	600730	SD-2xIN set	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	212.55 €
SD devices	600734	SD-2xIN 50pack	SensDesk monitoring unit with 2 digital inputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,318.30 €
SD devices	600694	SD-2xOUT	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Plain unit.	208.00 €
SD devices	600731	SD-2xOUT set	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	231.53 €

SD devices	600735	SD-2xOUT 50pack	SensDesk monitoring unit with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,770.40 €
SD devices	600696	SD-WLD	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Plain unit.	188.11 €
SD devices	600729	SD-WLD set	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Retail package (2+2m detection cable + power adaptor).	271.44 €
SD devices	600733	SD-WLD 50pack	SensDesk monitoring unit for water leak detection cable, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,092.30 €
NB devices	600724	NB-2x1Wire	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	203.58 €
NB devices	600766	NB-2x1Wire TSET	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). DIN rail and rack mount compatible (with accessories). Retail package (1-wire temperature sensor + power adaptor).	266.89 €
NB devices	600767	NB-2x1Wire 50pack	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,589.60 €
NB devices	600722	NB-2xIN	NarrowBand IoT monitoring unit for SensDesk with 2 digital inputs. DIN rail and rack mount compatible (with accessories). Plain unit.	221.65 €
NB devices	600770	NB-2xIN SET	NarrowBand IoT monitoring unit for SensDesk SensDesk monitoring unit with 2 digital inputs. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	239.72 €
NB devices	600771	NB-2xIN 50pack	NarrowBand IoT monitoring unit for SensDesk with 2 digital inputs. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	8,860.80 €
NB devices	600725	NB-WLD	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. DIN rail and rack mount compatible (with accessories). Plain unit.	226.20 €
NB devices	600768	NB-WLD SET	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. DIN rail and rack mount compatible (with accessories). Retail package (2+2m detection cable + power adaptor).	393.51 €
NB devices	600769	NB-WLD 50pack	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	9,222.50 €
NB devices	600723	NB-2xOUT	NarrowBand IoT monitoring unit for SensDesk with 2 outputs. DIN rail and rack mount compatible (with accessories). Plain unit.	230.62 €
NB devices	600772	NB-2xOUT SET	NarrowBand IoT monitoring unit for SensDesk with 2 outputs. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	248.82 €
NB devices	600773	NB-2xOUT 50pack	NarrowBand IoT monitoring unit for SensDesk with 2 outputs, WiFi, Eth and PoE. DIN rail and rack mount compatible (with accessories). Package of 50 plain units.	9,493.80 €
NB devices	600774	NB-2x1Wire subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). Includes a SIM with 3 years of prepaid service subscription. Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	313.56 €
NB devices	600778	NB-2x1Wire TSET subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Retail package (1-wire temperature sensor + power adaptato	381.16 €
NB devices	600782	NB-2x1Wire 50pack subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 1-wire ports (up to 4 sensors). Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Package of 50 plain units with SIM cards.	8,589.60 €
NB devices	600776	NB-2xIN subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 digital inputs. Includes a SIM with 3 years of prepaid service subscription. Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	339.17 €
NB devices	600780	NB-2xIN SET subscribed	NarrowBand IoT monitoring unit for SensDesk SensDesk monitoring unit with 2 digital inputs. Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	239.72 €
NB devices	600784	NB-2xIN 50pack subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 digital inputs. Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Package of 50 plain units with SIM cards.	8,860.80 €
NB devices	600775	NB-WLD subscribed	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. Includes a SIM with 3 years of prepaid service subscription. Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	329.68 €
NB devices	600779	NB-WLD SET subscribed	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Retail package (2+2m detection cable + power adaptor).	495.95 €
NB devices	600783	NB-WLD 50pack subscribed	NarrowBand IoT monitoring unit for SensDesk for water leak detection cable. Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Package of 50 plain units with SIM cards.	9,222.50 €
NB devices	600777	NB-2xOUT subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 outputs. Includes a SIM with 3 years of prepaid service subscription. Metal housing, DIN rail and rack mount compatible (with accessories). Plain unit.	332.28 €
NB devices	600781	NB-2xOUT SET subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 outputs. DIN rail and rack mount compatible (with accessories). Retail package including a power adaptor.	203.58 €
NB devices	600785	NB-2xOUT 50pack subscribed	NarrowBand IoT monitoring unit for SensDesk with 2 outputs. Includes a SIM with 3 years of prepaid service subscription. DIN rail and rack mount compatible (with accessories). Package of 50 plain units with SIM cards.	9,493.80 €

PWR	600526	HWg-PWR 3	M-Bus to IP data collector with Web and SNMP - supports 3 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog	322.20 €
PWR	600525	HWg-PWR 12	M-Bus to IP data collector with Web and SNMP - supports 12 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog	354.40 €
PWR	600519	HWg-PWR 25	M-Bus to IP data collector with Web and SNMP - supports 25 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog	389.90 €
PWR	600563	HWg-PWR3 1f 230V mobile box	Mobile demonstration solution for HWg-PWR3. Device can be used as temporary 1 phase (230V) meter. One power meter included. Ready for exhibitions.	1,175.50 €
WLD	600717	WLD2 PoE	Water Leak Detector plain unit. 4 detection cable inputs / zones, PoE Support. Ethernet and WiFi connectivity	188.10 €
WLD	600787	WLD2 PoE SET	4 detection cable inputs / zones, PoE Support. Ethernet and WiFi connectivity. Full package with 2m detection cable + 2m connection cable, power adaptor.	343.60 €
WLD	600415	HWg-WLD plain	HWg-WLD Water Leak Detector plain unit	126.60 €
WLD	600507	HWg-WLD Water detector	HWg-WLD Water Leak Detector starting (2+2)set. Delivered as complete package with 2m detection cable + 2m connection cable, EU power adaptor and ethernet unit (Web & SNMP interface).	208.00 €
WLD	600448	HWg-WLD PoE plain	HWg-WLD PoE Water Leak Detector plain unit (Power over Ethernet version)	180.80 €
WLD	600521	HWg-WLD PoE Water detector	HWg-WLD PoE Water Leak Detector set 2+2m. Powered over Ethernet, delivered as complete package with EU power adaptor, 2m detection + 2m connection cable included. Ethernet unit with Web & SNMP interface.	271.30 €
Ares	600665	HWg-Ares 10 plain	2 Digital Inputs, 3 1-Wire UNI Sensor Inputs. Interfaces: Quad-Band, GPRS, HWg PUSH, PDMS, TCP, XML, Pulse Counter. Email, Ring and SMS Alarming. Sole device w/o accessories.	248.60 €
Ares	600673	HWg-Ares 10 Tset	Recommended starter pack containing HWg-Ares 10, universal power adaptor (US, EU, UK), temperature sensor, QuadBand GSM antenna 3m, USB cable for configuration.	299.30 €
Ares	600517	HWg-Ares 12 plain	Ares12 plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.	362.80 €
Ares	600524	HWg-Ares 12 Tset	Ares 12 startup package with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, HWg-Ares 12 plain unit, montage plate, USB cable for configuration.	415.90 €
Ares	600726	Ares10 LTE A plain	Ares 10 LTE plain unit-best suitable for USA (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
Ares	600727	Ares10 LTE A Tset	Ares 10 LTE startup package (best suitable for USA) with Universal power adaptor (US, EU, UK). Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration	417.70 €
Ares	600702	Ares10 LTE AUT plain	Ares10 LTE plain unit- best suitable for Australia (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
Ares	600703	Ares10 LTE AUT Tset	Ares 10 LTE startup package (best suitable for Australia) with Universal power adaptor (US, EU, UK),Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration	417.70 €
Ares	600700	Ares10 LTE E plain	Ares10 LTE plain unit- best suitable for EU (2x DI, 3x Sensor 1-Wire UNI). Just the unit, no more accessories.	352.60 €
Ares	600701	Ares10 LTE E Tset	Ares 10 LTE startup package (best suitable for EU) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration	417.70 €
Ares	600714	Ares12 LTE A plain	Ares12 LTE plain unit - best suitable for USA (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.	425.00 €
Ares	600715	Ares12 LTE A Tset	Ares 12 LTE startup package (best suitable for USA) with Universal power adaptor (US, EU,UK). Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration	490.10 €
Ares	600706	Ares12 LTE AUT plain	Ares12 LTE plain unit - best suitable for Australia (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.	425.00 €
Ares	600707	Ares12 LTE AUT Tset	Ares 12 LTE startup package (best suitable for Australia) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration	490.10 €
Ares	600704	Ares12 LTE E plain	Ares12 LTE plain unit - best suitable for EU (2x DI, 14x Sensor 1-Wire UNI, Internal battery).Just the unit, no more accessories.	425.00 €
Ares	600705	Ares12 LTE E Tset	Ares 12 LTE startup package (best suitable for EU) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration	490.10 €
Ares	600662	Relay output 1W-UNI	Expander converting one 1-Wire UNI input to 4 Relay DO. Compatible with Ares 12 plain (600517) and Ares 12 Tset (600524).	106.20 €
Ares	600752	Relay output 1W-UNI ind	Expander converting one 1-Wire UNI input to 4 Relay outputs. Compatible with Ares 12	180.80 €
Access	600564	HWg-SH4	HWg-SH4 plain unit – Ultimate RFID access control system. Connect 2 RFID readers and 2 electronic locks. Can work as a standalone unit or together with SH4e or SH4s to control more doors with lower implementation costs	340.40 €
Access	600610	HWg-SH4e	HWg-SH4e – HWg-SH4 expander. Part of the SH4 ultimate RFID access control system that controls 2 electronic locks. Only works as an expander used together with a master HWg-SH4 unit.	258.27 €
Access	600634	HWg-SH4s	HWg-SH4 single expander. Part of the SH4 ultimate RFID access control system that controls 1 electromagnetic lock. Only works as an expander used together with a master HWg-SH4 unit.	158.20 €
Access	600630	HWg-SH4 IT set	Demonstration set of the ultimate RFID access control system. Connects 2 RFID readers and 2 electronic locks. Can work as a standalone unit or together with SH4e or SH4s to control more doors with low implementation costs.	470.00 €

Access	600629	HWg-SH4 SOHO set	Small SOHO set of the ultimate RFID access control system. Connect 2 RFID readers and 2 electronic locks. Includes: RFID reader with keypad, electromagnetic lock, door contact, connections cables, RFID tags, HWg-DCD software, power adaptor.	510.12 €
Access	600358	HWg-SH1	Electronic Locking SwingHandle from Southco (H3-EM). Connection cable 4m included. Panel cutout 25 x 150 mm).	212.69 €
Access	600621	E-lock BeFo 512	Simple electronic lock for fasting in door	91.17 €
Access	600622	E-lock XPO-211	Simple electronic lock for rack	25.30 €
Access	600410	RFID reader 232-M1	RFID Reader M type with RS-232 output. Two cards included. Compatible with HWg-SH3 and Poseidon 4001 (require 600435 adaptor). Frame montage or flush fixed montage cutout 42x77.5 mm.	232.85 €
Access	600623	RFID Reader R3 - RJ45	RFID reader with integrated keyboard. Suitable for HWg-SH4 applications with multiple door. IP 67 protection	51.50 €
Access	600435	Convertor 232-M1 to DB9	Adaptor for using RFID reader 232-M1 with Poseidon 4001. Can't be used together with GSM modem.	60.82 €
Access	600447	Frame for RFID reader 232-M1	Black montage frame for the reader 600 410 ""RFID reader 232-M1"". Reader is designed as flush fixed, with this frame can be installed to any plate. Require just 3 round holes (one 10 mm for RJ45 connector).	30.35 €
Access	600433	RFID card M1	RFID Card type M1. White card with HWg logo & printed order code.	11.20 €
Access	600626	RFID tag	Simple round RFID key tag. Each comes with a unique ID. IP 68 protection.	2.30 €
Damocles	600572	Damocles2 MINI	Cost efficient I/O, metal housing, 4 Digital inputs, 2 relay outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories.	235.10 €
Damocles	600658	Damocles2 MINI set	Recommended starter pack containing Damocles2 MINI, power adaptor.	289.30 €
Damocles	600648	Damocles2 1208	Industrial I/O, DIN Rail plastic box, 12 Digital inputs, 8 outputs (open collector), up to 8 Virtual Digital Outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories.	291.00 €
Damocles	600656	Damocles2 1208 set	Recommended starter pack containing Damocles2 1208, power adaptor.	320.10 €
Damocles	600649	Damocles2 2404	Industrial I/O, DIN Rail plastic box, 24 Digital inputs, 4 relay outputs, up to 8 Virtual Digital Outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories.	456.60 €
Damocles	600657	Damocles2 2404 set	Recommended starter pack containing Damocles2 2404, power adaptor.	497.30 €
IP WatchDog	600643	IP WatchDog2 Lite	Complete package of IP Watchdog Lite, power source.	177.20 €
IP WatchDog	600640	IP WatchDog2 Lite Plain	Standalone IP Watchdog Lite in metal housing. Two refresh methods supported - PING in and PING out.	158.30 €
IP WatchDog	600641	IP WatchDog2 Industrial	Industrial IP Watchdog unit, DIN rail housing, 2 relay outputs for 110/230V AC power. Five refresh methods supported - PING in / PING out., HTML page in/out and Serial port string input.	289.30 €
IP WatchDog	600644	IP WatchDog2 Industrial set	Industrial IP Watchdog unit with Power adaptor (DIN housing, 2 relays for 110/230V, 5 watchdog methods: PING Tx/Rx, WEB Tx/Rx, Serial port input).	321.00 €
IP WatchDog	600219	2-pin Terminal Block	2-pin terminal I/O plug to IP WatchDog Lite, Damocles MINI and Poseidon 326x devices	1.70 €
IO Controller	600533	I/O controller 2	The I/O Controller 2 with 20-pin terminal block. The connectors ""20 pin connector"" [600 034] included.	257.80 €
IO Controller	600550	I/O controller 2 set	Recommended start set for I/O Controller 2, device unit, EU power adaptor, Test board, LapLink Cable.	316.40 €
IO Controller	600549	I/O Controller 2 Test board	A test board for easy setup and debugging of your applications for the I/O Controller 2. It's connected to 20 pin connector in the delivery.	18.00 €
IO Controller	600034	I/O Controller 20 pin connector	Two 10 pin green connectors for connecting peripherals to standard I/O Controller. One set already delivered with the I/O Controller unit	13.70 €
IO Controller	600532	PortBox 2	PortBox 2 device: the RS-232/485 to Ethernet converter. Full serial port RS-232, Web interface, TCP/IP, Windows Virtual Serial Port for free. Plain unit only.	170.30 €
IO Controller	600548	PortBox 2 set	Recommended starting set: PortBox 2, EU Power adaptor, DB9 LapLink cable 2m, Manual.	191.20 €
IO Controller	600552	IP Relay HWg-ER02b	DIN compatible IP Relay without the power adapter or other accessories. 2x digital input, 2x digital relay output (230V/16A AC) and a full serial port (RS-232/485) over the Ethernet	271.30 €
IO Controller	600581	IP Relay HWg-ER02b set	Quick start set for the IP Relay ER02b. Contains a DIN unit, a power adapter.	289.30 €
PortStore	600612	PortStore5	PortStore5 device: Serial port buffer to Ethernet. Full serial port RS-232, RS-485, Logger, Web interface, Windows Virtual Serial Port for free. Plain unit only, no accessories.	284.90 €
PortStore	600613	PortStore5 Set	PortStore5 starting set: PortStore5 unit (serial buffer), power adaptor, Manual, serial LapLink cable.	316.00 €
Temperature sensors	600690	Temp 1Wire Pt1000 3m	Precise industrial temperature sensor, range -50 to +200°C (-58 to 390°F). Works with all HW group 1-wire devices.	126.60 €
Temperature sensors	600718	Temp 1Wire Pt1000 Frost 3m	Precise industrial temperature sensor, frost version -200 to +200°C (-58 to 390°F). Works with all HW group 1-wire devices.	198.90 €
Temperature sensors	600584	Temp-1Wire 1m IP67	Temperature sensor (-10°C to +80°C) on a 1 meter long cable with a 1-Wire RJ11 connector. IP67 watertight version. probe encased in stainless steel cover (17241).	37.10 €
Temperature sensors	600585	Temp-1Wire 3m IP67	Temperature sensor (-10°C to +80°C) on a 3 meters long cable with a 1-Wire RJ11 connector. IP67 watertight version. probe encased in stainless steel cover (17241).	43.40 €
Temperature sensors	600586	Temp-1Wire 10m IP67	Temperature sensor (-10°C to +80°C) on a 10 meters long cable with a 1-Wire RJ11 connector. IP67 watertight version. probe encased in stainless steel cover (17241).	84.20 €
Temperature sensors	600578	Temp-1Wire 3m calibrated	Temperature sensor (-10°C to +80°C),with calibration certificate in 3 points (-5°C; 25°C a 78°C). Sensor on 3 meters long cable with 1-Wire connector RJ11, probe encased in white covering with yellow mark.	195.10 €

Temperature sensors	600329	Temp-1Wire Rack19	Temperature sensor (-10 to +80°C), 1U rack mount housing, 2x RJ11 daisy-chainable 1-Wire, 3m cable included. Sensor designed for 19" rack cabinets.	50.60 €
Temperature sensors	600337	Temp-1Wire-Flat 3m	Temperature sensor for freezers, -30 to +60°C, watertight (IP67) stainless steel 17241 probe, flat cable 3m	79.60 €
Temperature sensors	600311	Temp-1Wire-Outdoor 3m	Temperature outdoor sensor (-50°C to +125°C) - Multi-purpose watertight (IP67) sensor probe, stainless steel 17241 with PVC cable 3m, 1-Wire connector RJ11.	79.60 €
Temperature sensors	600606	Temp-1W-UNI Pt100 Cable	Pt-100 based temperature sensor with 1-Wire UNI output. Contains a Pt-100 probe (-50 to 200°C, Pt100/A, 2m silicon cable) and a 1-Wire UNI converter (Converter 2xPt100 1W-UNI). Second Pt-100 or Pt-1000 temperature probe can be connected.	171.90 €
Temperature sensors	600616	Temp-1W-UNI Pt100 Frost	Pt-100 based low temperatures sensor with 1-Wire UNI output. Contains a Pt-100 temperature probe (-190 to +150°C, PTFE covered cable 2m, Pt100/B) and a 1-Wire UNI converter (Converter 2xPt100 1W-UNI). Second Pt-100 or Pt-1000 temperature probe can be connected	348.90 €
Temperature sensors	600567	Converter 2xPt100 1W-UNI	Converter for connecting 2x Pt100 or Pt100 temperature probes to 1-Wire UNI bus (RJ11). External temperature probe is not included in the package.	149.30 €
Temperature sensors	600614	Probe Pt100 TG8 2m	Temperature probe Pt100/A on the cable. Temperature range -50 to 200°C. Silicon covered cable 2m, 4-wires, IP67 probe in in stainless steel tube 50mm.	41.00 €
Temperature sensors	600615	Probe Pt100 TR125 2m	Temperature probe Pt100/B for low temperatures. Temperature range -190 to +150°C. PTFE covered cable 2m, 4-wires, IP67 probe in in stainless steel tube 50mm.	207.90 €
Temperature sensors	600342	Temp-485 Box2	Temperature probe - RS-485 bus, room box2 wall mountable, RJ45 and terminal I/O screw block inside the box.	79.00 €
Temperature sensors	600631	Temp-485-Pt100 Box2	Box2 is a temperature probe for wall mounting with RS-485 output. High precision external Pt100/A temperature probe. Temperature range is -30 to +70°C (-22 to 160°F), IP65 shielding protection. Can be used with Poseidon2 4002.	171.80 €
Temperature sensors	600632	Temp-485-Pt100 Cable3	Cable3 is a temperature probe with RS-485 output. Converter can be mounted on the wall. High precision external Pt100/A temperature probe placed on 2 meters silicon cable with IP67 protection. Probe temperature range is -50 to +200°C (-58 to 390°F). Can	171.80 €
Temperature sensors	600633	Temp-485-Pt100 Frost2	Frost2 is a temperature probe for low temperatures. Converter with RS-485 output can be mounted on the wall. External Pt100 temperature probe placed on 2 meters PTFE cable. Probe temperature range is -190°C to +150°C (-310 to 300°F). Can be used with Pos	352.60 €
Temp & Humidity sens.	600520	HTemp-1Wire 3m	Temperature & Humidity sensor (-30 to +80°C, 0 to 100% RH) on a 3 meters long cable with a 1-Wire RJ11 connector. Indoor usage, probe encased in yellow plastic.	99.40 €
Temp & Humidity sens.	600506	HTemp-1Wire Box2	Temperature & Humidity sensor for 1-Wire, 2 RJ12 connectors. Boxed sensor designed for internal use	99.40 €
Temp & Humidity sens.	600504	HTemp-1Wire Rack19	Temperature & Humidity sensor for 1-Wire, 2 RJ12 connectors. Sensor designed for 19" rack cabinets	79.20 €
Temp & Humidity sens.	600679	HTemp-1Wire Outdoor 3m	Temperature & Humidity outdoor sensor (-30 to +85°C, 0 to 100% RH) on a 3 meters long cable with a 1-Wire RJ11 connector. Outdoor usage, probe encased in a metal tube.	144.70 €
Temp & Humidity sens.	600505	HTemp-485 Box2	Temperature & Humidity probe for RS-485 bus (Poseidon 2250), room box2 wall mountable, RJ45 and terminal I/O screw block inside the box.	122.20 €
Temp & Humidity sens.	600368	HWg HTemp-485 T3411	Humidity & Temperature probe (-30 to +80°C) with LCD display and RS-485 interface. Outdoor usage with IP40 for probe limitation. Compatible with Poseidon 2250.	375.20 €
Temp & Humidity sens.	600369	HWg HTemp-485 T3419	Humidity & Temperature probe (-30 to +105°C, 1m probe) with LCD display and RS-485 interface. Outdoor usage with IP40 for probe limitation. Compatible with Poseidon 2250.	375.20 €
Temp & Humidity sens.	600370	HWg PHTemp-485 T7410	Barometric pressure & Humidity & Temperature probe with LCD display and RS-485 interface. Compatible with Poseidon 2250.	565.30 €
Humidity sensors	600487	Humid-1Wire 1m	Relative Humidity sensor (0 to 100% RH) on a 1 meter long cable with a 1-Wire RJ11 connector. Indoor usage, probe encased in white plastic.	70.50 €
Humidity sensors	600488	Humid-1Wire 3m	Relative Humidity sensor (0 to 100% RH) on a 3 meters long cable with a 1-Wire RJ11 connector. Indoor usage, probe encased in white plastic.	73.30 €
Humidity sensors	600489	Humid-1Wire 10m	Relative Humidity sensor (0 to 100% RH) on a 10 meters long cable with a 1-Wire RJ11 connector. Indoor usage, probe encased in white plastic.	113.10 €
Flood sensors	600579	Flood detector 1W-UNI 3m	Water leak spot detector with 1W-UNI (RJ11) interface. Compatible with Poseidon2 and Ares products.	67.80 €
Flood sensors	600463	Flood detector LD-12	The flood detector powered by 12V. Sensor connected to Dry Contact Input (DI) of any Poseidon, Damocles or I/O Controller	48.00 €
Flood sensors	600514	HWg-WLD Relay	Water Leak Detection rope sensor 2+2m, Relay (NO/NC) & 1-Wire UNI outputs. EU power adaptor, 2+2m detection cable and 2x J-Clip included. WLD sensing cable type A can be extended to 100+85m (Extension cable + Water Leak Detection cable).	233.20 €
Flood sensors	600513	Sensor WLD Relay 1W-UNI	Water Leak detection Sensor with Relay (NO/NC) or 1-Wire UNI output. Jack and terminal block power input. Plain unit, require external WLD sensing cable A for Water Leak Detection and power adaptor.	135.60 €
Flood sensors	600417	WLD sensing cable A - 2+2m	WLD cable 2m + 2m connection cable - total length 12m. Can be connected to HWg-WLD or HWg-WLD Relay device.	148.40 €
Flood sensors	600467	WLD sensing cable A - 2+10m	WLD cable 10m + 2m connection cable - total length 12m. Can be connected to HWg-WLD or HWg-WLD Relay device.	397.80 €
Flood sensors	600468	WLD sensing cable A - 2+50m	WLD cable 50m + 2m connection cable - total length 52m. Can be connected to HWg-WLD or HWg-WLD Relay device.	1,437.60 €
Flood sensors	600418	WLD sensing cable A - 2m	WLD cable 2m (Water Leak Detection) - Can be used to WLD sensing cable extension. No connection cable included	100.90 €
Flood sensors	600465	WLD sensing cable A - 10m	WLD cable 10m (Water Leak Detection) - Can be used to WLD sensing cable extension. No connection cable included	366.30 €

Flood sensors	600466	WLD sensing cable A - 50m	WLD cable 50m (Water Leak Detection) - Can be used to WLD sensing cable extension. No connection cable included	1,407.90 €
Flood sensors	600496	WLD A prolong cable 5m	Prolong WLD sensing cable by 5m of non sensitive extension cable. This cable can extend WLD cable anywhere, just plug to the connectors. Max length is up to 85m of sensing cable + 100m of extension cable (2wires AWG24).	31.70 €
Flood sensors	600464	WLD A connection cable 2m	HWg-WLD connection cable 2m, Terminator included.	27.10 €
Door sensors	600120	3 Door Contacts	Simple set of 3 contacts for check when doors are open	21.70 €
Door sensors	600371	Door Contact MK4	Security Door contact MK4 with 3m cable.	20.00 €
Power sensors	600599	PowerEgg2	Power detection and control for 110 and 230V AC. Power plugs IEC-320. Galvanically isolated relay output (DO) for power detection, dry contact input (DI) to control power output.	113.00 €
Power sensors	600667	Power Detector 110-230V EU	Plug-in voltage detector with EU wall plug	41.60 €
Power sensors	600666	Power Detector 110-230V INT	Plug-in voltage detector with international set of wall plugs	47.50 €
Power sensors	600668	Power Detector 110-230V UK	Plug-in voltage detector with UK wall plug	41.60 €
Power sensors	600669	Power Detector 110-230V US	Plug-in voltage detector with US wall plug	41.60 €
Power sensors	600481	M-Count 2C	Two 50 inputs to M-Bus transducer & datalogger	226.10 €
Power sensors	600761	Meter 1f PRO1-Mb 45A M-Bus	1 phase 230V M-Bbus energy meter max load 45A. M-Bus data output	107.33 €
Power sensors	600762	Meter 1f PRO2-Mb 100A M-Bus	1 phase 230V M-Bbus energy meter max load 100A. M-Bus data output	157.25 €
Power sensors	600763	Meter 3f PRO380-Mb 100A M-Bus	3 phase 230V M-Bbus energy meter max load 100A. M-Bus data output	236.03 €
Power sensors	600764	Meter 3f PRO380-Mb x/5A M-Bus	indirect 3 phase 230V M-Bbus energy meter max load 5A. M-Bus data output.	243.05 €
Power sensors	600457	Meter 3f ED 310.DB HWG	3 phase 380V M-Bus energy meter max load 63A. Pulses 50 & M-Bus data output	587.58 €
Motion sensors	600236	Motion PIR detector	PIR motion detector JS-20 (External product)	36.90 €
Voltage & Curr. sens.	600678	100A DC Current probe 1W-UNI	0 to 100 A DC Current Probe for the 1-Wire UNI bus.All Poseidon2 and Ares models, Poseidon 4002 and 2250.	249.60 €
Voltage & Curr. sens.	600677	30A DC Current probe 1W-UNI	0 to 30 A DC Current Probe for the 1-Wire UNI bus.All Poseidon2 and Ares models, Poseidon 4002 and 2250.	249.60 €
Voltage & Curr. sens.	600654	30A Current probe 1W-UNI 2	0 to 30A AC split core current sensor to RJ11. Split-core current transducer for phase wire. 1-Wire UNI (RJ11), Ares and Poseidon2 compatible.	180.80 €
Voltage & Curr. sens.	600565	Sensor 4-20mA 1W-UNI	4 to 20mA DC current converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, sources current to power an external "sink" probe. The 1-Wire UNI (RJ11) output can be connected to Ares, Poseidon2 and other units.	149.20 €
Voltage & Curr. sens.	600605	Sensor 4-20mA 1W-UNI set	4 to 20mA DC current sensor – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, sources current to power an external "sink" probe. The 1-Wire UNI (RJ11) output can be connected to Ares, Poseidon2 and other units.Wall plug power adaptor 12V i	167.30 €
Voltage & Curr. sens.	600566	Sensor 0-20mA 1W-UNI	0 to 20mA DC current sensor – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, measures externally sourced current. Compatible with Ares, Poseidon2 and more.	149.30 €
Voltage & Curr. sens.	600602	Sensor 230V AC 1W-UNI	Voltage sensor 0-230V AC – converter for the 1-Wire UNI (RJ11) bus. Electrically isolated, DIN rail montage. The 1-Wire UNI (RJ11) output can be connected to Ares, Poseidon2 and other units.	162.80 €
Voltage & Curr. sens.	600534	Sensor 60V 1W-UNI v2	DC voltage sensor (converter) with a 0 to 60V DC input and a 1-Wire UNI (RJ11) output. Recommended for -48V DC power supply measurement, electrically isolated. Can be connected to Ares and Poseidon2 units.	181.20 €
Smoke sensors	600427	Smoke detector FDR26	FDR26 Optical Smoke Detector - 12V DC, relay output (External product)	77.30 €
Vibration sensors	600645	Vibration detector SS14	Vibration detector 12V, transistor output.	169.10 €
Lighting sensors	600515	Sensor Light 1W-UNI 3m	Ligh sensor for 1-Wire, 3 meters long cable, RJ11 connector. Sensor encased in transparent spaghetti insulation.	99.40 €
Air Flow sensors	600304	AirFlow sensor 5101	Digital AirFlow sensor with screw adjustable trigger value, 24V DC power input	266.00 €
Gas sensors	600239	Gas Leak Detector	Flammable gas detector GS-133 (External product)	81.40 €
Accessories of sensors	600546	Expander 4xDI 1W-UNI	4 Digital Inputs Expander sensor to RJ11. Connect up to four Dry Contact inputs. 1-Wire UNI (RJ11), Ares and Poseidon2 compatible.	89.60 €
Accessories of sensors	600751	Expander 4xDI 1W-UNI ind	Expander converting one 1-Wire UNI input to 4 Digital Inputs. Compatible with Ares 12.	153.70 €
Accessories of sensors	600356	Poseidon T-Box RJ11	Splitter hub for 1 to 5 sensors (5x RJ11), 10 cm connecting cable.	25.00 €
Accessories of sensors	600280	Poseidon T-Box2	Splitter hub for 1 or 2 sensors (2x RJ11), 3 m connecting cable	14.10 €
Accessories of sensors	600516	1-Wire hub Power	Splitter hub for 1 to 8 sensors (8x RJ11) with power booster. Suitable for 1-Wire or 1-Wire UNI bus. External 12V DC power supply can be used, but not included in this item.	81.40 €
Accessories of sensors	600607	1-Wire hub Power set	Wall plug power adaptor 12V and 1-Wire power hub package. Splitter hub for 1 to 8 sensors (8x RJ11) with power booster. Suitable for 1-Wire or 1-Wire UNI bus.	105.90 €
Accessories of sensors	600575	Sensor calibration	Calibration protocol from accredited laboratory for one physical value in 3 calibration points. (In case you don't specify the calibration points laboratory use these standard points for temperature -10°C; +25°C; +60 °C; and these for humidity 30% 50% 75	170.86 €
Accessories of sensors	600535	1-Wire UNI USB calibrator	USB cable for 1-Wire UNI sensors calibration. You can edit output scale, calibration points and units.	40.80 €
Accessories of sensors	600041	Poseidon S-Hub	Splitter for up to 8 sensors to RS-485 bus (8+1x RJ45)	99.40 €
Accessories of sensors	600273	Spider	RS-485 / 1-Wire bus converter, connecting max 4x 1-Wire sensors (RJ11) or Dry contacts to RS-485 (Poseidon 2250)	158.20 €
Accessories of sensors	600234	Sensor RJ45 LAST cable	Connection RS-485 cable 0.5m. Use for last one or single sensor on the bus (2 pairs). RJ45/4 pins to terminal block (A, B, +, -).	6.70 €
Accessories of sensors	600233	Sensor RJ45 MIDDLE cable	Connection RS-485 cable 0.5m. RJ45/4 pins to terminal block (A, B, +, -). (3 pairs)	6.70 €
Accessories of sensors	600576	Cable RJ11-RJ45 2m	Package of 2x cable RJ11 to RJ45 and socket RJ11-RJ11 for 1-wire sensors in structurig cable sytem.	40.70 €
Accessories of sensors	600492	J-clips 10 for WLD cable	10 pieces of J-Clip for WLD cable A to floor or applicable surface to prevent detection cable from shifting after installation. J-clips are durable plastic clips with an easy to install, self-adhesive backing.	13.50 €

Accessories	600712	SMS-GW3 LTE A plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne.	334.50 €
Accessories	600713	SMS-GW3 LTE A	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included.	406.90 €
Accessories	600709	SMS-GW3 LTE AUT plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne.	334.50 €
Accessories	600711	SMS-GW3 LTE AUT	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included.	406.90 €
Accessories	600708	SMS-GW3 LTE E plain	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne.	334.50 €
Accessories	600710	SMS-GW3 LTE E	Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included.	406.90 €
Accessories	600664	UPS 12V	Backup Power Supply 12V with 1,3 Ah capacity and power outage indication. Sole device w/o accessories.	113.90 €
Accessories	600671	UPS 12V set	Recommended starter pack containing UPS 12V and 12 V power supply.	126.60 €
Accessories	600663	UPS 12V and 5V	Backup Power Supply 12V and 5V (simultaneous use possible) with 1,3 Ah capacity, one 1-Wire UNI output and power outage indication. Sole device w/o accessories.	158.20 €
Accessories	600674	UPS 12V and 5V set	Recommended starter pack containing UPS 12V + 5V and 12 V power supply.	171.80 €
Accessories	600620	12V/1,5A Wall plug adaptor INT	International plug power adaptor 12V / 1.5A (EU, UK and USA)	19.00 €
Accessories	600528	12V Wall plug adaptor INT	International plug power adaptor 12V / 0.5A (EU, UK and USA)	15.00 €
Accessories	600543	5V Wall plug adaptor INT	International plug power adaptor 5V / min 1A (EU, UK and USA)	15.00 €
Accessories	600305	24V Wall plug adaptor EU	24V DC power adaptor for AirFlow 600304, EU power connector	36.20 €
Accessories	600689	BE-LR77-V2L-SL router	LTE router BE-LR77-V2L-SL is a compact Ethernet (RJ45) to GSM (LTE) converter. Antenna & power supply included, SIM card not included.	655.50 €
Accessories	600688	GSM modem BGS2T-RS232	GSM modem BGS2T to RS-232 serial port. Antenne and wall plug adaptor INT included.	239.60 €
Accessories	600642	HWg-SMS-GW3	Central GSM SMS Gateway for HW group sensors. IP sensors connected by LAN. GSM modem included, external antenne and power adaptor included.	348.10 €
Accessories	600639	HWg-SMS-GW3 plain	Central GSM SMS Gateway for HW group sensors. IP sensors connected by LAN. GSM modem included, require external SMA antenne.	271.30 €
Accessories	600063	DB9 LapLink cable 2m	Communication RS-232 cable LapLink (5 wires declared).	6.30 €
Accessories	600530	GSM SMA antena quadband	GSM antenna quadband with SMA connector for Ares.	23.40 €
Accessories	600064	DB9 Prolong cable 2m	Extending communication RS-232 cable, 2m long	6.30 €
Accessories	600583	Rack mounting brackets 19"	Profile and accessories for Poseidon2 4xxx montage to 19" cabinet.	36.20 €
Accessories	600619	Rack Shelf 1U	Profile and accessories for two or more devices installed to one 19" 1U cabinet position. Install 2x Poseidon2 4xxx or/and HWg-SMS-GW2 to 19" cabinet. You can also install combination of Poseidon2, Porbox2, I/O controller2, PortStore5 and HWg-WLD product	45.10 €
Accessories	600490	Mount plate D	Mount support for HWg-Ares	2.60 €
Accessories	600603	Mount plate E- 1U	Rack (cabinet) mount plate with accessories, 1U montage for HWg-Ares, Poseidon2 3266/68 and other products.	18.50 €
Accessories	600652	Mount plate L DIN Rail	DIN Rail mount plate for HWg-Ares, Poseidon2 3266/68 and other products.	18.50 €
Accessories	600604	Mounting set	Universal set of screws for mechanical mounting HW group devices.	13.60 €
Accessories	600025	DIN Rail box set	DIN Rail plastic holder, can be placed to most of our product housings. Installation to device have to be consulted!	9.10 €
Accessories	600301	3M Dual Lock fastener	Self-adhesive hook and loop fastener 3M™ Dual Lock™	1.70 €
Accessories	600023	2x L profile A size	Two sideways "L" plates for mounting the box on the wall. Smaller box A type (Poseidon 1250, 2251, IP Watchdog industrial).	5.90 €
Accessories	600288	Power jack cable 1m	1 meter long cable with power jack and 2 wires on other side	5.40 €
Accessories	600434	Power strip DC	Split box for the power adaptor connection cable. Usefut to power sensors with Damocles MINI, Poseidon 326x and others	16.30 €
Accessories	600529	USB Cable mini 2m	USB cable for Ares unit connecting to PC	4.60 €
Accessories	600469	3-pin Terminal Block	3-pin terminal block I/O plug for Poseicon 3268, Damocles MINI and other devices	1.70 €
Software	600740	SensDesk DC 100-1Year	1 year license for the SensDesk DC. Limited to 100 connected devices. Upgrades for more devices available. The license includes support and updates to new SensDesk versions.	1,600.00 €
Software	600741	SensDesk DC Upgrade 100-1Year	This upgrade unlocks additional 100 devices for the SensDesk DC. Valid for 1 year.	1,600.00 €
Software	600738	SensDesk Pro 100-1Year	1 year license for the SensDesk Pro. Limited to 100 connected devices. Upgrades for more devices available. The license includes support and updates to new SensDesk versions.	1,200.00 €
Software	600739	SensDesk Pro Upgrade 100-1Year	This upgrade unlocks additional 100 devices for the SensDesk Pro. Valid for 1 year.	1,200.00 €
Software	600742	SensDesk Remote Instalation	Installation of SensDesk DC or Pro over telco, skype or other remote access tools. HW group engineer will be supervising the installation and providing basic SD administrator training.	Consultar
Software	600743	SensDesk On site Instalation	Installation of SensDesk DC or Pro on customer's premises. HW group engineer will be on site leading the installation and providing basic SD administrator training.	Consultar
Software	600744	SensDesk Training	Remote SensDesk training for users, customers or distributors. 4 hour training session over telco, Skype or HW group office.	Consultar
Software	600386	HWg-PDMS 8	HWg-PDMS SW license up to 8 datapoints. Periodic data capture, Excel reporting.	108.50 €
Software	600387	HWg-PDMS 20	HWg-PDMS SW license up to 20 datapoints. Periodic data capture, Excel reporting.	199.60 €
Software	600544	HWg-PDMS 200	HWg-PDMS SW licence up to 200 datapoints. Periodic data capture, Excel reporting.	361.70 €

Software	600545	HWg-PDMS unlimited	HWg-PDMS license limited up to 500 datapoints or 300 devices. License project based extension possible. Periodic data capture, Excel reporting.	741.50 €
Software	600598	HWg-Trigger	HWg-Trigger - Alert management software for Windows. (Device WatchDog, central sending of SMS, Window Pop-Up, remote relay control, PC shutdown, ...)	248.90 €