

| Familia    | COD.   | Referencia               | Descripción Resumida  | MSRP       |
|------------|--------|--------------------------|---|------------|
| STE        | 600399 | HWg-STE                  | HWg-STE. One Unit RWP. The HWg-STE web thermometer package, includes a single temperature sensor, EU power adapter.   | 172.20 €   |
| Poseidon   | 600568 | Poseidon2 3266           | Poseidon2 3266 plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.  | 363.90 €   |
| Poseidon   | 600568 | Poseidon2 3266           | Poseidon2 3266 plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.  | 363.90 €   |
| Poseidon   | 600691 | Poseidon2 3266 PoE       | Poseidon2 3266 PoE plain unit. Remote sensors monitoring. 4x DI , 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.  | 415.90 €   |
| Poseidon   | 600592 | Poseidon2 3266 THset     | Poseidon2 3266 evaluation set with temperature-humidity combined sensor. Contains Poseidon2 3266, power adaptor, temperature/humidity indoor sensor 3m, door contact & manual.  | 504.30 €   |
| Poseidon   | 600591 | Poseidon2 3266 Tset      | Poseidon2 3266 evaluation set with temperature sensor. Contains Poseidon2 3266, power adaptor, temperature sensor 3m, Door contact & manual.  | 435.70 €   |
| Poseidon   | 600569 | Poseidon2 3268           | Poseidon2 3268 plain unit - 2 internal relay outputs, 2xRJ11 - max 8 sensors (1-Wire UNI), 4 dry contact inputs, WEB, XML, SNMP, Email  | 401.90 €   |
| Poseidon   | 600692 | Poseidon2 3268 PoE       | Poseidon2 3268 PoE plain unit - 2 internal relay outputs, 2xRJ11 - max 8 sensors (1-Wire UNI), 4 dry contact inputs, WEB, XML, SNMP, Email  | 447.10 €   |
| Poseidon   | 600593 | Poseidon2 3268 Tset      | Poseidon2 3268 quick start set with a temperature sensor. Contains the Poseidon2 3268 unit, a power adapter, a temperature probe (3m cable), door contact and a manual.   | 492.90 €   |
| Poseidon   | 600570 | Poseidon2 3468           | Poseidon2 3468 plain unit. Monitoring for industrial & telco usage. DIN rail housing, 48V DC power supported, 4x DI , 2x DO 230V/16A, 2xRJ11 – max 8 sensors (1-Wire UNI). WEB, XML, SNMP, Modbus/TCP.  | 447.10 €   |
| Poseidon   | 600589 | Poseidon2 3468 Tset      | Poseidon2 3468 evaluation set with temperature sensor. Contains Poseidon2 3468, power adaptor, temperature sensor 3m & manual.  | 540.70 €   |
| Poseidon   | 600571 | Poseidon2 4002           | Poseidon2 4002 plain unit. Data center environmental monitoring system. 12 DI, 4 DO (Relay), 6x RJ11 for up to 16 sensor-probes (1-Wire / 1-Wire UNI). Power adaptor or and 19" montage set NOT included.   | 707.10 €   |
| Poseidon   | 600594 | Poseidon2 4002 Tset      | Temperature monitoring set for 19" rack. Contains: Poseidon2 4002, power adaptor, Temp-1Wire Rack19, Temp-1Wire 3m IP67, door contact, Windows software HWg-PDMS 8 licence, Rack mounting brackets 19" and Screwdriver WITTRON.                                 | 946.20 €   |
| STE        | 600753 | STE2 R2 PoE              | STE2 rev2 LAN & WiFi remote monitoring unit. Retail package (Temperature sensor 3m + power adaptor included). 2x RJ11 1W-UNI port (max 5 sensor values) and 2x DI (Digital Inputs). Supports PoE, HTTPS, TLS SMTP. Web portals HWg-cloud.com (for free) + SensD | 261.84 €   |
| STE        | 600754 | STE2 R2 PoE 30pack       | 30 pieces pack of STE2 rev2 LAN & WiFi remote monitoring unit. 2x RJ11 1W-UNI port (max 5 sensor values) and 2x DI (Digital Inputs). Temperature sensor (3m) and power adaptor included. Supports HTTPS & PoE. Web portals HWg-cloud.com (for free) + SensDesk  | 6,863.43 € |
| STE        | 600474 | HWg-STE 10pack           | 10 pieces pack of HWg-STE. One Unit RWP price is 158€. Retail package (Temperature sensor 3m + EU power adapter included). SNMP, SMTP (not TLS supported), Web portals HWg-cloud.com (for free) + SensDesk technology supported.                                | 1,722.00 € |
| STE        | 600475 | HWg-STE 30pack           | 30 pieces pack of HWg-STE. One Unit RWP price is 158€. Retail package (Temperature sensor 3m + EU power adapter included). SNMP, SMTP (not TLS supported), Web portals HWg-cloud.com (for free) + SensDesk technology supported.                                | 4,740.30 € |
| STE        | 600799 | STE2 R2 PoE noPWR 30pack | 30 pieces of STE2 rev2 (LAN & WiFi) monitoring units. Plastic bag only (No paper box, No power adaptor (PoE), Temperature sensor (3m) included)   | 5,522.58 € |
| SD devices | 600695 | SD-2x1Wire               | IoT SD monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), WiFi, Eth and PoE. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 215.04 €   |
| SD devices | 600728 | SD-2x1Wire Tset          | IoT SD monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), WiFi, Eth and PoE. Retail package (Temperature sensor + power adaptor included). Web portal HWg-cloud.com (for free) + SensDesk technology supported.                                       | 266.37 €   |
| SD devices | 600732 | SD-2x1Wire 50pack        | IoT SD monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), WiFi, Eth and PoE. Package of 50 plain units. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 9,254.10 € |

|            |        |                              |   |             |
|------------|--------|------------------------------|---|-------------|
| SD devices | 600693 | SD-2xIN                      | IoT SD monitoring unit - 2x DI (Digital Input), WiFi, Eth and PoE. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 220.48 €    |
| SD devices | 600730 | SD-2xIN set                  | IoT SD monitoring unit - 2x DI (Digital Input), WiFi, Eth and PoE. Retail package (power adaptor included). Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 244.40 €    |
| SD devices | 600734 | SD-2xIN 50pack               | IoT SD monitoring unit - 2x DI (Digital Input), WiFi, Eth and PoE. Package of 50 plain units. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 9,566.10 €  |
| SD devices | 600694 | SD-2xOUT                     | IoT SD monitoring unit - 2x DO (Digital Output), WiFi, Eth and PoE. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 237.36 €    |
| SD devices | 600731 | SD-2xOUT set                 | IoT SD monitoring unit - 2x DO (Digital Output), WiFi, Eth and PoE. Retail package including a power adaptor. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 262.27 €    |
| SD devices | 600735 | SD-2xOUT 50pack              | IoT SD monitoring unit - 2x DO (Digital Output), WiFi, Eth and PoE. Package of 50 plain units. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 10,086.00 € |
| SD devices | 600696 | SD-WLD                       | IoT SD monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, WiFi, Eth and PoE. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 216.32 €    |
| SD devices | 600729 | SD-WLD set                   | IoT SD monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, WiFi, Eth and PoE. Retail package (2+2m WLD sensing cable + power adaptor). Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 312.13 €    |
| SD devices | 600733 | SD-WLD 50pack                | IoT SD monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, WiFi, Eth and PoE. Package of 50 plain units. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 9,306.10 €  |
| NB devices | 600774 | NB-2x1Wire subscribed        | NB-IoT monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), SIM with 3 years prepaid service, CR123A battery included. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 355.07 €    |
| NB devices | 600778 | NB-2x1Wire TSET subscribed   | NB-IoT monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), SIM with 3 years prepaid service, CR123A battery included. Retail package (Temperature sensor + power adaptor included). Web portal HWg-cloud.com (for free) + SensDesk technology supported.             | 431.62 €    |
| NB devices | 600782 | NB-2x1Wire 50pack subscribed | NB-IoT monitoring unit - 2x RJ11 1W-UNI port (max 4 sensor values), SIM with 3 years prepaid service, CR123A battery included. Package of 50 plain units + SIM cards. Web portal HWg-cloud.com (for free) + SensDesk technology supported.                                    | 13,775.90 € |
| NB devices | 600776 | NB-2xIN subscribed           | NB-IoT monitoring unit - 2x DI (Digital Input), SIM with 3 years prepaid service, CR123A battery included. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 363.52 €    |
| NB devices | 600780 | NB-2xIN SET subscribed       | NB-IoT monitoring unit - 2x DI (Digital Input), SIM with 3 years prepaid service, CR123A battery included. Retail package (power adaptor included). Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 388.99 €    |
| NB devices | 600784 | NB-2xIN 50pack subscribed    | NB-IoT monitoring unit - 2x DI (Digital Input), SIM with 3 years prepaid service, CR123A battery included. Package of 50 plain units + SIM cards. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 14,332.00 € |
| NB devices | 600777 | NB-2xOUT subscribed          | NB-IoT monitoring unit - 2x DO (Digital Output), SIM with 3 years prepaid service, CR123A battery included. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 381.31 €    |
| NB devices | 600781 | NB-2xOUT SET subscribed      | NB-IoT monitoring unit - 2x DO (Digital Output), SIM with 3 years prepaid service, CR123A battery included. Retail package (power adaptor included). Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 407.30 €    |
| NB devices | 600785 | NB-2xOUT 50pack subscribed   | NB-IoT monitoring unit - 2x DO (Digital Output), SIM with 3 years prepaid service, CR123A battery included. Package of 50 plain units + SIM cards. Web portal HWg-cloud.com (for free) + SensDesk technology supported.   | 15,047.90 € |
| NB devices | 600775 | NB-WLD subscribed            | NB-IoT monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, SIM with 3 years prepaid service, CR123A battery included. Plain unit. Web portal HWg-cloud.com (for free) + SensDesk technology supported.  | 379.21 €    |
| NB devices | 600779 | NB-WLD SET subscribed        | NB-IoT monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, SIM with 3 years prepaid service, CR123A battery included. Retail package (2+2m WLD sensing cable + power adaptor). Web portal HWg-cloud.com (for free) + SensDesk technology supported. | 561.66 €    |
| NB devices | 600783 | NB-WLD 50pack subscribed     | NB-IoT monitoring unit - 1x WLD (Water Leak Detection) zone input for sensing cable, SIM with 3 years prepaid service, CR123A battery included. Package of 50 plain units + SIM cards. Web portal HWg-cloud.com (for free) + SensDesk technology supported.                   | 14,648.30 € |

|            |        |                             |   |            |
|------------|--------|-----------------------------|---|------------|
| NB devices | 600796 | NB-IoT starting package     | NB-IoT starting package for testing 3rd party NB-IoT simcards. Contains with NB-2x1Wire (special preconfigured for your 3rd party NB-IoT simcard) & NB-calibrator dongle. No SIM included, Power adaptor & temperature sensor included.                         | 522.62 €   |
| PWR        | 600526 | HWg-PWR 3                   | M-Bus to IP data collector with Web and SNMP - supports 3 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog  | 370.60 €   |
| PWR        | 600525 | HWg-PWR 12                  | M-Bus to IP data collector with Web and SNMP - supports 12 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog   | 407.60 €   |
| PWR        | 600519 | HWg-PWR 25                  | M-Bus to IP data collector with Web and SNMP - supports 25 M-Bus meters and up to 100 values. Embedded Web interface Logger, SNMP, Email & Syslog   | 448.40 €   |
| PWR        | 600563 | HWg-PWR3 1f 230V mobile box | Mobile demonstration solution for HWg-PWR3. Device can be used as temporary 1 phase (230V) meter. One power meter included. Ready for exhibitions.  | 1,351.70 € |
| WLD        | 600717 | WLD2 PoE                    | WLD2 Water Leak Detection unit LAN & WiFi - 4x WLD zone input for sensing cable. Plain unit. Supports PoE, HTTPS, TLS SMTP. Web portals HWg-cloud.com (for free) + SensDesk technology supported. One zone of WLD sensing cable type A can be extended up to 10 | 188.10 €   |
| WLD        | 600787 | WLD2 PoE SET                | WLD2 Water Leak Detection set LAN & WiFi - 4x WLD zone input for sensing cable. Retail package (2+2m WLD sensing cable + power adaptor). Supports PoE, HTTPS, TLS SMTP. Web portals HWg-cloud.com (for free) + SensDesk technology supported.                   | 343.60 €   |
| Ares       | 600665 | HWg-Ares 10 plain           | 2 Digital Inputs, 3 1-Wire UNI Sensor Inputs. Interfaces: Quad-Band, GPRS, HWg PUSH, PDMS, TCP, XML, Pulse Counter. Email, Ring and SMS Alarming. Sole device w/o accessories.  | 285.90 €   |
| Ares       | 600673 | HWg-Ares 10 Tset            | Recommended starter pack containing HWg-Ares 10, universal power adaptor (US, EU, UK), temperature sensor, QuadBand GSM antenna 3m, USB cable for configuration.  | 344.20 €   |
| Ares       | 600517 | HWg-Ares 12 plain           | Ares12 plain unit (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.   | 417.20 €   |
| Ares       | 600524 | HWg-Ares 12 Tset            | Ares 12 startup package with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, HWg-Ares 12 plain unit, montage plate, USB cable for configuration.   | 478.30 €   |
| Ares       | 600726 | Ares10 LTE A plain          | Ares 10 LTE plain unit-best suitable for USA (2x DI, 6x Sensor value 1W-UNI). Just the unit, no more accessories.   | 405.50 €   |
| Ares       | 600727 | Ares10 LTE A Tset           | Ares 10 LTE startup package (best suitable for USA) with Universal power adaptor (US, EU, UK). Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration  | 480.40 €   |
| Ares       | 600702 | Ares10 LTE AUT plain        | Ares10 LTE plain unit- best suitable for Australia (2x DI, 6x Sensor value 1W-UNI). Just the unit, no more accessories.   | 405.50 €   |
| Ares       | 600703 | Ares10 LTE AUT Tset         | Ares 10 LTE startup package (best suitable for Australia) with Universal power adaptor (US, EU, UK),Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration   | 480.40 €   |
| Ares       | 600700 | Ares10 LTE E plain          | Ares10 LTE plain unit- best suitable for EU (2x DI, 6x Sensor value 1W-UNI). Just the unit, no more accessories.  | 405.50 €   |
| Ares       | 600701 | Ares10 LTE E Tset           | Ares 10 LTE startup package (best suitable for EU) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 10 LTE plain unit and USB cable for configuration   | 480.40 €   |
| Ares       | 600714 | Ares12 LTE A plain          | Ares12 LTE plain unit - best suitable for USA (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.   | 488.70 €   |
| Ares       | 600715 | Ares12 LTE A Tset           | Ares 12 LTE startup package (best suitable for USA) with Universal power adaptor (US, EU,UK). Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration   | 563.60 €   |
| Ares       | 600706 | Ares12 LTE AUT plain        | Ares12 LTE plain unit - best suitable for Australia (2x DI, 14x Sensor 1-Wire UNI, Internal battery). Just the unit, no more accessories.   | 488.70 €   |
| Ares       | 600707 | Ares12 LTE AUT Tset         | Ares 12 LTE startup package (best suitable for Australia) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration  | 563.60 €   |
| Ares       | 600704 | Ares12 LTE E plain          | Ares12 LTE plain unit - best suitable for EU (2x DI, 14x Sensor 1-Wire UNI, Internal battery).Just the unit, no more accessories.   | 488.70 €   |
| Ares       | 600705 | Ares12 LTE E Tset           | Ares 12 LTE startup package (best suitable for EU) with Universal power adaptor (US, EU, UK), Temperature sensor, QuadBand GSM antenne 3m, Ares 12 LTE plain unit and USB cable for configuration   | 563.60 €   |
| Ares       | 600662 | Relay output 1W-UNI         | Expander converting one 1-Wire UNI input to 4 Relay DO. Compatible with Ares 12 plain (600517) and Ares 12 Tset (600524).   | 122.20 €   |
| Ares       | 600752 | Relay output 1W-UNI ind     | Expander converting one 1-Wire UNI input to 4 Relay outputs. Compatible with Ares 12  | 208.00 €   |
| Access     | 600564 | HWg-SH4                     | HWg-SH4 plain unit – Ultimate RFID access control system. Connect 2 RFID readers and 2 electronic locks. Can work as a standalone unit or together with SH4e or SH4s to control more doors with lower implementation costs                                      | 391.50 €   |

|               |        |                                 |  |          |
|---------------|--------|---------------------------------|--|----------|
| Access        | 600610 | HWg-SH4e                        | HWg-SH4e – HWg-SH4 expander. Part of the SH4 ultimate RFID access control system that controls 2 electronic locks. Only works as an expander used together with a master HWg-SH4 unit.   | 296.91 € |
| Access        | 600634 | HWg-SH4s                        | HWg-SH4 single expander. Part of the SH4 ultimate RFID access control system that controls 1 electromagnetic lock. Only works as an expander used together with a master HWg-SH4 unit.   | 182.00 € |
| Access        | 600630 | HWg-SH4 IT set                  | Demonstration set of the ultimate RFID access control system. Connects 2 RFID readers and 2 electronic locks. Can work as a standalone unit or together with SH4e or SH4s to control more doors with low implementation costs.                           | 540.60 € |
| Access        | 600629 | HWg-SH4 SOHO set                | Small SOHO set of the ultimate RFID access control system. Connect 2 RFID readers and 2 electronic locks. Includes: RFID reader with keypad, electromagnetic lock, door contact, connections cables, RFID tags, HWg-DCD software, power adaptor.         | 577.54 € |
| Access        | 600358 | HWg-SH1                         | Electronic Locking SwingHandle from Southco (H3-EM). Connection cable 4m included. Panel cutout 25 x 150 mm).  | 244.61 € |
| Access        | 600621 | E-lock BeFo 512                 | Simple electronic lock for fasting in door   | 104.83 € |
| Access        | 600622 | E-lock XPO-211                  | Simple electronic lock for rack  | 29.10 €  |
| Access        | 600410 | RFID reader 232-M1              | RFID Reader M type with RS-232 output. Two cards included. Compatible with HWg-SH3 and Poseidon 4001 (require 600435 adaptor). Frame montage or flush fixed montage cutout 42x77.5 mm.   | 306.18 € |
| Access        | 600623 | RFID Reader R3 - RJ45           | RFID reader with integrated keyboard. Suitable for HWg-SH4 applications with multiple door. IP 67 protection   | 59.30 €  |
| Access        | 600435 | Convertor 232-M1 to DB9         | Adaptor for using RFID reader 232-M1 with Poseidon 4001. Can't be used together with GSM modem.  | 69.89 €  |
| Access        | 600447 | Frame for RFID reader 232-M1    | Black montage frame for the reader 600 410 ""RFID reader 232-M1"". Reader is designed as flush fixed, with this frame can be installed to any plate. Require just 3 round holes (one 10 mm for RJ45 connector).  | 34.63 €  |
| Access        | 600433 | RFID card M1                    | RFID Card type M1. White card with HWg logo & printed order code.  | 12.65 €  |
| Access        | 600626 | RFID tag                        | Simple round RFID key tag. Each comes with a unique ID. IP 68 protection.  | 2.60 €   |
| Damocles      | 600572 | Damocles2 MINI                  | Cost efficient I/O, metal housing, 4 Digital inputs, 2 relay outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories.   | 270.30 € |
| Damocles      | 600658 | Damocles2 MINI set              | Recommended starter pack containing Damocles2 MINI, power adaptor.   | 332.70 € |
| Damocles      | 600648 | Damocles2 1208                  | Industrial I/O, DIN Rail plastic box, 12 Digital inputs, 8 outputs (open collector), up to 8 Virtual Digital Outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories. | 334.60 € |
| Damocles      | 600656 | Damocles2 1208 set              | Recommended starter pack containing Damocles2 1208, power adaptor.   | 368.10 € |
| Damocles      | 600649 | Damocles2 2404                  | Industrial I/O, DIN Rail plastic box, 24 Digital inputs, 4 relay outputs, up to 8 Virtual Digital Outputs. Interfaces: WEB, IPv6, SNMPv3, Modbus/TCP, MQTT, NetGSM, XML, Pulse Counter. Email and SNMP Alarming. Sole device w/o accessories.            | 525.10 € |
| Damocles      | 600657 | Damocles2 2404 set              | Recommended starter pack containing Damocles2 2404, power adaptor.   | 571.90 € |
| IP WatchDog   | 600643 | IP WatchDog2 Lite               | Complete package of IP Watchdog Lite, power source.  | 203.80 € |
| IP WatchDog   | 600640 | IP WatchDog2 Lite Plain         | Standalone IP Watchdog Lite in metal housing. Two refresh methods supported - PING in and PING out.  | 182.10 € |
| IP WatchDog   | 600641 | IP WatchDog2 Industrial         | Industrial IP Watchdog unit, DIN rail housing, 2 relay outputs for 110/230V AC power. Five refresh methods supported - PING in / PING out., HTML page in/out and Serial port string input.   | 332.70 € |
| IP WatchDog   | 600644 | IP WatchDog2 Industrial set     | Industrial IP Watchdog unit with Power adaptor (DIN housing, 2 relays for 110/230V, 5 watchdog methods: PING Tx/Rx, WEB Tx/Rx, Serial port input).   | 369.10 € |
| IP WatchDog   | 600219 | 2-pin Terminal Block            | 2-pin terminal I/O plug to IP WatchDog Lite, Damocles MINI and Poseidon 326x devices   | 2.10 €   |
| IO Controller | 600533 | I/O controller 2                | The I/O Controller 2 with 20-pin terminal block. The connectors ""20 pin connector"" [600 034] included.   | 296.30 € |
| IO Controller | 600550 | I/O controller 2 set            | Recommended start set for I/O Controller 2, device unit, EU power adaptor, Test board, LapLink Cable.  | 363.90 € |
| IO Controller | 600549 | I/O Controller 2 Test board     | A test board for easy setup and debugging of your applications for the I/O Controller 2. It's connected to 20 pin connector in the delivery.   | 20.80 €  |
| IO Controller | 600034 | I/O Controller 20 pin connector | Two 10 pin green connectors for connecting peripherals to standard I/O Controller. One set already delivered with the I/O Controller unit  | 15.60 €  |
| IO Controller | 600532 | PortBox 2                       | PortBox 2 device: the RS-232/485 to Ethernet converter. Full serial port RS-232, Web interface, TCP/IP, Windows Virtual Serial Port for free. Plain unit only.   | 196.00 € |
| IO Controller | 600548 | PortBox 2 set                   | Recommended starting set: PortBox 2, EU Power adaptor, DB9 LapLink cable 2m, Manual.   | 219.90 € |
| IO Controller | 600552 | IP Relay HWg-ER02b              | DIN compatible IP Relay without the power adapter or other accessories. 2x digital input, 2x digital relay output (230V/16A AC) and a full serial port (RS-232/485) over the Ethernet  | 311.90 € |
| IO Controller | 600581 | IP Relay HWg-ER02b set          | Quick start set for the IP Relay ER02b. Contains a DIN unit, a power adapter.  | 332.70 € |

|                       |        |                            |  |          |
|-----------------------|--------|----------------------------|--|----------|
| PortStore             | 600612 | PortStore5                 | PortStore5 device: Serial port buffer to Ethernet. Full serial port RS-232, RS-485, Logger, Web interface, Windows Virtual Serial Port for free. Plain unit only, no accessories.  | 327.50 € |
| PortStore             | 600613 | PortStore5 Set             | PortStore5 starting set: PortStore5 unit (serial buffer), power adaptor, Manual, serial LapLink cable.   | 363.40 € |
| Temperature sensors   | 600759 | Temp HomeBox               | Temperature sensor (-30 to +70°C) indoor usage, wall montage, 3m RJ11 cable included. Plug as sensor to the RJ11 1W-UNI.   | 76.90 €  |
| Temperature sensors   | 600690 | Temp 1Wire Pt1000 3m       | Temperature sensor Industrial (-50 to +200°C), 3m cable. Plug as sensor to the RJ11 1W-UNI.  | 126.60 € |
| Temperature sensors   | 600718 | Temp 1Wire Pt1000 Frost 3m | Temperature sensor Cryo (-200 to +160°C), 3m cable. Plug as sensor to the RJ11 1W-UNI.   | 198.90 € |
| Temperature sensors   | 600584 | Temp-1Wire 1m IP67         | Temperature sensor (-10°C to +80°C), 1m cable, IP67 watertight version, probe encased in stainless steel cover (17241). Plug as sensor to the RJ11 1W-UNI.   | 37.10 €  |
| Temperature sensors   | 600585 | Temp-1Wire 3m IP67         | Temperature sensor (-10°C to +80°C), 3m cable, IP67 watertight version, probe encased in stainless steel cover (17241). Plug as sensor to the RJ11 1W-UNI.   | 43.40 €  |
| Temperature sensors   | 600586 | Temp-1Wire 10m IP67        | Temperature sensor (-10°C to +80°C), 10m cable, IP67 watertight version, probe encased in stainless steel cover (17241). Plug as sensor to the RJ11 1W-UNI.  | 84.20 €  |
| Temperature sensors   | 600578 | Temp-1Wire 3m calibrated   | Temperature sensor (-10°C to +80°C), 3m cable. Calibration certificate included (3 points: -5°C / 25°C / 78°C). Encased in white covering with yellow mark. Plug as sensor to the RJ11 1W-UNI.   | 224.30 € |
| Temperature sensors   | 600329 | Temp-1Wire Rack19          | Temperature sensor (-10 to +80°C) designed for 19" rack cabinets usage (1U), 3m RJ11 cable included. Plug as sensor to the RJ11 1W-UNI.  | 58.20 €  |
| Temperature sensors   | 600337 | Temp-1Wire-Flat 3m         | Temperature sensor (-30°C to +60°C) for freezers. FLAT cable 3m, multi-purpose watertight (IP67) sensor probe, stainless steel 17241. Plug as sensor to the RJ11 1W-UNI.   | 79.60 €  |
| Temperature sensors   | 600311 | Temp-1Wire-Outdoor 3m      | Temperature sensor (-50°C to +125°C) outdoor. PVC cable 3m, multi-purpose watertight (IP67) sensor probe, stainless steel 17241. Plug as sensor to the RJ11 1W-UNI.  | 91.50 €  |
| Temperature sensors   | 600606 | Temp-1W-UNI Pt100 Cable    | Pt-100 based temperature sensor, 1W-UNI. Pt-100 probe (-50 to 200°C, Pt100/A, 2m silicon cable) and converter included (Converter 2xPt100 1W-UNI). Second Pt-100 or Pt-1000 temperature probe can be connected. Plug as sensor to the RJ11 1W-UNI.             | 197.60 € |
| Temperature sensors   | 600616 | Temp-1W-UNI Pt100 Frost    | Pt-100 based low temperature sensor, 1W-UNI . External Pt-100 temperature probe (-190 to +150°C, PTFE covered cable 2m,Pt100/B) and converter included (Converter 2xPt100 1W-UNI). Second Pt-100 or Pt-1000 probe can be connected. Plug as sensor to the RJ11 | 348.90 € |
| Temperature sensors   | 600567 | Converter 2xPt100 1W-UNI   | Converter for 2x Pt100 or Pt100 temperature probes to 1W-UNI. External temperature probe not included. Plug as sensor to the RJ11 1W-UNI.  | 149.30 € |
| Temperature sensors   | 600614 | Probe Pt100 TG8 2m         | Temperature probe Pt100/A on the cable. Temperature range -50 to 200°C. Silicon covered cable 2m, 4-wires, IP67 probe in in stainless steel tube 50mm.   | 47.10 €  |
| Temperature sensors   | 600615 | Probe Pt100 TR125 2m       | Temperature probe Pt100/B for low temperatures. Temperature range -190 to +150°C. PTFE covered cable 2m, 4-wires, IP67 probe in in stainless steel tube 50mm.  | 207.90 € |
| Temperature sensors   | 600342 | Temp-485 Box2              | Temperature probe - RS-485 bus, room box2 wall mountable, RJ45 and terminal I/O screw block inside the box.  | 90.90 €  |
| Temperature sensors   | 600631 | Temp-485-Pt100 Box2        | Box2 is a temperature probe for wall mounting with RS-485 output. High precision external Pt100/A temperature probe. Temperature range is -30 to +70°C (-22 to 160°F), IP65 shielding protection. Can be used with Poseidon2 4002.                             | 197.60 € |
| Temperature sensors   | 600632 | Temp-485-Pt100 Cable3      | Cable3 is a temperature probe with RS-485 output. Converter can be mounted on the wall. High precision external Pt100/A temperature probe placed on 2 meters silicon cable with IP67 protection. Probe temperature range is -50 to +200°C (-58 to 390°F). Can  | 197.60 € |
| Temperature sensors   | 600633 | Temp-485-Pt100 Frost2      | Frost2 is a temperature probe for low temperatures. Converter with RS-485 output can be mounted on the wall. External Pt100 temperature probe placed on 2 meters PTFE cable. Probe temperature range is -190°C to +150°C (-310 to 300°F). Can be used with Pos | 405.50 € |
| Temp & Humidity sens. | 600748 | HTemp HomeBox              | Temperature & Humidity sensor (-30 to +70°C, 0 to 100% RH), indoor usage, 3m RJ11 cable included. Plug as sensor to the RJ11 1W-UNI.   | 113.50 € |
| Temp & Humidity sens. | 600520 | HTemp-1Wire 3m             | Temperature & Humidity sensor (-30 to +80°C, 0 to 100% RH) indoor usage, 3m. Plug as sensor to the RJ11 1W-UNI.  | 99.40 €  |
| Temp & Humidity sens. | 600506 | HTemp-1Wire Box2           | Temperature & Humidity sensor (-10 to +80°C, 0 to 100% RH) indoor usage, 3m RJ11 cable included. Plug as sensor to the RJ11 1W-UNI.  | 114.40 € |
| Temp & Humidity sens. | 600504 | HTemp-1Wire Rack19         | Temperature & Humidity sensor (-10 to +80°C, 0 to 100% RH) designed for 19" rack cabinets usage (1U), 3m RJ11 cable included. Plug as sensor to the RJ11 1W-UNI.   | 91.00 €  |

|                       |        |                             |   |            |
|-----------------------|--------|-----------------------------|---|------------|
| Temp & Humidity sens. | 600679 | HTemp-1Wire Outdoor 3m      | Temperature & Humidity outdoor sensor (-30 to +85°C, 0 to 100% RH), IP64 probe encased in a metal tube, 3m cable. Plug as sensor to the RJ11 1W-UNI.  | 166.40 €   |
| Temp & Humidity sens. | 600505 | HTemp-485 Box2              | RS485 Temperature & Humidity probe for (Poseidon2 4002 only), room box2 wall mountable, RJ45 and terminal I/O screw block inside the box.   | 140.40 €   |
| Temp & Humidity sens. | 600368 | HWg HTemp-485 T3411         | RS485 Humidity & Temperature probe (-30 to +80°C) with LCD display and RS-485 interface. Outdoor usage with IP40 for probe limitation. Poseidon2 4002 only.   | 431.50 €   |
| Temp & Humidity sens. | 600369 | HWg HTemp-485 T3419         | RS485 Humidity & Temperature probe (-30 to +105°C, 1m probe) with LCD display and RS-485 interface. Outdoor usage with IP40 for probe limitation. Poseidon2 4002 only.  | 431.50 €   |
| Temp & Humidity sens. | 600370 | HWg PHTemp-485 T7410        | RS485 Barometric pressure & Humidity & Temperature probe with LCD display and RS-485 interface. Poseidon2 4002 only.  | 650.20 €   |
| Humidity sensors      | 600487 | Humid-1Wire 1m              | Relative Humidity sensor (0 to 100% RH non-condensing) indoor usage, 1m, white. Plug as sensor to the RJ11 1W-UNI.  | 81.10 €    |
| Humidity sensors      | 600488 | Humid-1Wire 3m              | Relative Humidity sensor (0 to 100% RH non-condensing) indoor usage, 3m, white. Plug as sensor to the RJ11 1W-UNI.  | 84.20 €    |
| Humidity sensors      | 600489 | Humid-1Wire 10m             | Relative Humidity sensor (0 to 100% RH non-condensing) indoor usage, 10m, white. Plug as sensor to the RJ11 1W-UNI.   | 130.00 €   |
| Air Quality sensors   | 600746 | Sensor CO2 1W-UNI           | CO2 & Temperature & Humidity sensor (300 – 40 000 ppm, 0 to +50°C, 0 to 95% RH), indoor box. 3m cable included. Plug as sensor to the RJ11 1W-UNI (3 sensor values).  | 199.60 €   |
| Air Quality sensors   | 600747 | Sensor THPVoc 1W-UNI        | Temperature, Humidity, atmospheric Pressure, TVoc sensor (-30 to 70 °C, 0 to 100% RH, 300 – 1 000 hPa, 0 – 60 000 ppb), indoor box. 3m cable included. Plug as sensor to the RJ11 1W-UNI (4 sensor values).   | 174.70 €   |
| Door sensors          | 600120 | 3 Door Contacts             | Simple set of 3 door contacts for check when doors are open. Plug the Detector to DI.   | 25.00 €    |
| Flood sensors         | 600579 | Flood detector 1W-UNI 3m    | Water Flood spot detector powered from 1W-UNI interface. Plug as sensor to the RJ11 1W-UNI.   | 78.00 €    |
| Flood sensors         | 600463 | Flood detector LD-12        | The flood spot detector powered by external 12V. Plug the Detector to DI.   | 55.10 €    |
| Flood sensors         | 600514 | HWg-WLD Relay               | External WLD sensor starting set. 1 WLD zone input, 2 + 2m WLD sensing cable, 2x J-Clip and external power adaptor included. Outputs: RJ11 1W-UNI or Relay (NO/NC). One zone of WLD sensing cable type A can be extended up to 100m (Extension cable) + 85m | 233.20 €   |
| Flood sensors         | 600513 | Sensor WLD Relay 1W-UNI     | Plain unit of external sensor - 1x WLD zone input for sensing cable. 2 Outputs: RJ11 1W-UNI or Relay (NO/NC) + External 12V. One zone of WLD sensing cable type A can be extended up to 100m (Extension cable) + 85m (Water Leak Detection sensing cable).  | 156.00 €   |
| Flood sensors         | 600417 | WLD sensing cable A - 2+2m  | WLD cable 2m (connection cable) + 2m (sensing - Type A) = total length 4m. Can be connected to any WLD zone input terminal block (green terminal block).  | 170.60 €   |
| Flood sensors         | 600467 | WLD sensing cable A - 2+10m | WLD cable 2m (connection cable) + 10m (sensing - Type A) = total length 12m. Can be connected to any WLD zone input terminal block (green terminal block).  | 457.50 €   |
| Flood sensors         | 600468 | WLD sensing cable A - 2+50m | WLD cable 2m (connection cable) + 50m (sensing - Type A) = total length 52m. Can be connected to any WLD zone input terminal block (green terminal block).  | 1,653.30 € |
| Flood sensors         | 600418 | WLD sensing cable A - 2m    | WLD sensing cable 2m (Water Leak Detection - Type A) - Can be used to WLD sensing cable extension. No connection cable included.  | 115.90 €   |
| Flood sensors         | 600465 | WLD sensing cable A - 10m   | WLD sensing cable 10m (Water Leak Detection - Type A) - Can be used to WLD sensing cable extension. No connection cable included.   | 421.10 €   |
| Flood sensors         | 600466 | WLD sensing cable A - 50m   | WLD sensing cable 50m (Water Leak Detection - Type A) - Can be used to WLD sensing cable extension. No connection cable included.   | 1,619.00 € |
| Flood sensors         | 600496 | WLD A prolong cable 5m      | Prolong WLD sensing cable (Type A) by 5m of non sensitive extension cable. This cable can extend WLD cable anywhere, just plug to the connectors. Max length is up to 85m of sensing cable + 100m of extension cable (2wires AWG24).                        | 36.40 €    |
| Flood sensors         | 600464 | WLD A connection cable 2m   | WLD connection cable 2m, Terminator included. Connecting WLD sensing cable (Type A) with WLD zone input (green terminal block) on the device (WLD2, HWg-WLD Relay and others).  | 31.20 €    |
| Power sensors         | 600599 | PowerEgg2                   | Power detection and control for 110 and 230V AC. Power plugs IEC-320 (C14 / C13). Galvanically isolated relay output (DO) for power presence detection, DI (Dry contact Input ) to control power output.  | 113.00 €   |
| Power sensors         | 600667 | Power Detector 110-230V EU  | Plug-in power presence detector with EU wall plug. Plug the Detector to DI.   | 47.80 €    |
| Power sensors         | 600666 | Power Detector 110-230V INT | Plug-in power presence detector with international set of wall plugs (EU, UK, US). Plug the Detector to DI  | 54.60 €    |
| Power sensors         | 600668 | Power Detector 110-230V UK  | Plug-in power presence detector with UK wall plug. Plug the Detector to DI.   | 47.80 €    |
| Power sensors         | 600669 | Power Detector 110-230V US  | Plug-in power presence detector with US wall plug. Plug the Detector to DI.   | 47.80 €    |
| Power sensors         | 600481 | M-Count 2C                  | Two S0 inputs to M-Bus transducer & datalogger  | 256.27 €   |

|                        |        |                               |  |          |
|------------------------|--------|-------------------------------|--|----------|
| Power sensors          | 600761 | Meter 1f PRO1-Mb 45A M-Bus    | 1 phase 230V M-Bbus energy meter max load 45A. M-Bus data output   | 123.40 € |
| Power sensors          | 600762 | Meter 1f PRO2-Mb 100A M-Bus   | 1 phase 230V M-Bbus energy meter max load 100A. M-Bus data output  | 180.96 € |
| Power sensors          | 600763 | Meter 3f PRO380-Mb 100A M-Bus | 3 phase 230V M-Bbus energy meter max load 100A. M-Bus data output  | 271.28 € |
| Power sensors          | 600764 | Meter 3f PRO380-Mb x/5A M-Bus | indirect 3 phase 230V M-Bbus energy meter max load 5A. M-Bus data output.  | 279.55 € |
| Power sensors          | 600457 | Meter 3f ED 310.DB HWG        | 3 phase 380V M-Bus energy meter max load 63A. Pulses S0 & M-Bus data output  | 675.92 € |
| Voltage & Curr. sens.  | 600678 | 100A DC Current probe 1W-UNI  | 0 to 100 A DC Current probe sensor. Plug to the RJ11 1W-UNI.   | 287.00 € |
| Voltage & Curr. sens.  | 600677 | 30A DC Current probe 1W-UNI   | 0 to 30 A DC Current probe sensor. Plug to the RJ11 1W-UNI.  | 287.00 € |
| Voltage & Curr. sens.  | 600654 | 30A Current probe 1W-UNI 2    | 0 to 30A AC split-core current probe (transducer) sensor. Plug to the RJ11 1W-UNI.   | 208.00 € |
| Voltage & Curr. sens.  | 600565 | Sensor 4-20mA 1W-UNI          | 4 to 20mA DC current converter. Electrically isolated, requires external power adaptor to provides energy for powering the "sink" 4-20mA probe. Plug to the RJ11 1W-UNI.   | 149.20 € |
| Voltage & Curr. sens.  | 600605 | Sensor 4-20mA 1W-UNI set      | 4 to 20mA DC current converter. Electrically isolated, included wall plug power adaptor for powering the "sink" 4-20mA probe. Plug to the RJ11 1W-UNI.   | 167.30 € |
| Voltage & Curr. sens.  | 600566 | Sensor 0-20mA 1W-UNI          | 0 to 20mA DC current converter. Electrically isolated, measures externally sourced current. Plug to the RJ11 1W-UNI.   | 149.30 € |
| Voltage & Curr. sens.  | 600602 | Sensor 230V AC 1W-UNI         | Voltage sensor 0-230V AC – Electrically isolated, DIN rail montage. Plug to the RJ11 1W-UNI.   | 162.80 € |
| Voltage & Curr. sens.  | 600534 | Sensor 60V 1W-UNI v2          | 0 to 60V DC voltage sensor (converter) - Electrically isolated. Plug to the RJ11 1W-UNI. Recommended for -48V DC power supply measurement.   | 208.50 € |
| Smoke sensors          | 600427 | Smoke detector FDR26          | FDR26 Optical Smoke Detector - 12V DC, relay output. Plug the Detector to DI.  | 88.90 €  |
| Motion sensors         | 600236 | Motion PIR detector           | PIR motion detector JS-20, 12V. Plug the Detector to DI.   | 42.40 €  |
| Vibration sensors      | 600645 | Vibration detector SS14       | Vibration detector 12V, transistor output. Plug the Detector to DI.  | 194.40 € |
| Lighting sensors       | 600515 | Sensor Light 1W-UNI 3m        | High illumination sensor, 3m cable encased in transparent spaghetti insulation. Plug to the RJ11 1W-UNI.   | 99.40 €  |
| Air Flow sensors       | 600304 | AirFlow sensor 5101           | Digital AirFlow detector with screw adjustable trigger value, 24V DC power input, Plug the Detector to DI.   | 306.00 € |
| Gas sensors            | 600239 | Gas Leak Detector             | Flammable gas detector GS-133, 12V. Plug the Detector to DI.   | 93.60 €  |
| Accessories of sensors | 600546 | Expander 4xDI 1W-UNI          | 4 DI (Digital Inputs) Expander to connect 4 external dry contacts. Plug to the RJ11 1W-UNI.  | 102.90 € |
| Accessories of sensors | 600751 | Expander 4xDI 1W-UNI ind      | 4 DI (Digital Inputs) Expander (Industrial version) to connect 4 external dry contacts. Plug to the RJ11 1W-UNI.   | 176.80 € |
| Accessories of sensors | 600356 | Poseidon T-Box RJ11           | Splitter hub for 1 to 5 sensors (5x RJ11), 10 cm connecting cable.   | 28.70 €  |
| Accessories of sensors | 600280 | Poseidon T-Box2               | Splitter hub for 1 or 2 sensors (2x RJ11), 3 m connecting cable  | 16.20 €  |
| Accessories of sensors | 600516 | 1-Wire hub Power              | Splitter hub for 1 to 8 sensors (8x RJ11) with power booster. Suitable for 1-Wire or 1-Wire UNI bus. External 12V DC power supply can be used, but not included in this item.  | 93.60 €  |
| Accessories of sensors | 600607 | 1-Wire hub Power set          | Wall plug power adaptor 12V and 1-Wire power hub package. Splitter hub for 1 to 8 sensors (8x RJ11) with power booster. Suitable for 1-Wire or 1-Wire UNI bus.   | 121.70 € |
| Accessories of sensors | 600575 | Sensor calibration            | Calibration protocol from accredited laboratory for one physical value in 3 calibration points. (In case you don't specify the calibration points laboratory use these standard points for temperature -10°C; +25°C; +60 °C; and these for humidity 30% 50% 75 | 170.86 € |
| Accessories of sensors | 600535 | 1-Wire UNI USB calibrator     | USB cable for 1-Wire UNI sensors calibration. You can edit output scale, calibration points and units.   | 46.80 €  |
| Accessories of sensors | 600041 | Poseidon S-Hub                | Splitter for up to 8 sensors to RS-485 bus (8+1x RJ45)   | 114.40 € |
| Accessories of sensors | 600273 | Spider                        | RS-485 / 1-Wire bus converter, connecting max 4x 1-Wire sensors (RJ11) or Dry contacts to RS-485 (Poseidon 2250)   | 182.00 € |
| Accessories of sensors | 600234 | Sensor RJ45 LAST cable        | Connection RS-485 cable 0.5m. Use for last one or single sensor on the bus (2 pairs). RJ45/4 pins to terminal block (A, B, +, -).  | 7.80 €   |
| Accessories of sensors | 600233 | Sensor RJ45 MIDDLE cable      | Connection RS-485 cable 0.5m. RJ45/4 pins to terminal block (A, B, +, -). (3 pairs)  | 7.80 €   |
| Accessories of sensors | 600576 | Cable RJ11-RJ45 2m            | Package of 2x cable RJ11 to RJ45 and socket RJ11-RJ11 for 1-wire sensors in structurig cable sytem.  | 46.80 €  |
| Accessories of sensors | 600492 | J-clips 10 for WLD cable      | 10 pieces of J-Clip for WLD cable A to floor or applicable surface to prevent detection cable from shifting after installation. J-clips are durable plastic clips with an easy to install, self-adhesive backing.  | 15.40 €  |
| Accessories            | 600712 | SMS-GW3 LTE A plain           | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne.   | 384.70 € |
| Accessories            | 600713 | SMS-GW3 LTE A                 | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included.  | 467.90 € |
| Accessories            | 600709 | SMS-GW3 LTE AUT plain         | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne.   | 384.70 € |
| Accessories            | 600711 | SMS-GW3 LTE AUT               | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included.  | 467.90 € |

|             |        |                                |   |            |
|-------------|--------|--------------------------------|---|------------|
| Accessories | 600708 | SMS-GW3 LTE E plain            | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, require external SMA antenne. Version E is used in most of EU countries.   | 384.70 €   |
| Accessories | 600710 | SMS-GW3 LTE E                  | Central GSM SMS LTE Gateway for HW group sensors. IP sensors connected by LAN. GSM LTE modem included, external antenne and power adaptor included. Version E is used in most of EU countries.  | 467.90 €   |
| Accessories | 600642 | HWg-SMS-GW3                    | Central GSM SMS Gateway for HW group devices. IP sensors connected by LAN. GSM (2G) modem included, external antenne and power adaptor included.  | 400.30 €   |
| Accessories | 600639 | HWg-SMS-GW3 plain              | Central GSM SMS Gateway for HW group devices. IP sensors connected by LAN. GSM (2G) modem included, require external SMA antenne.   | 311.90 €   |
| Accessories | 600664 | UPS 12V                        | Backup Power Supply 12V with 1,3 Ah capacity Plain unit. Power outage indication (NO/NC relay - plug as detection to DI).   | 131.00 €   |
| Accessories | 600671 | UPS 12V set                    | Backup Power Supply 12V with 1,3 Ah capacity. Retail package with power supply included. Power outage indication (NO/NC relay - plug as detection to DI).   | 145.60 €   |
| Accessories | 600663 | UPS 12V and 5V                 | Backup Power Supply 12V and 5V (simultaneous use possible) with 1,3 Ah capacity. Plain unit. Power metering (4 sensor values). Plug to the RJ11 1W-UNI.   | 182.00 €   |
| Accessories | 600674 | UPS 12V and 5V set             | Backup Power Supply 12V and 5V (simultaneous use possible) with 1,3 Ah capacity. Retail package with power supply included. Power metering (4 sensor values). Plug to the RJ11 1W-UNI.  | 197.60 €   |
| Accessories | 600620 | 12V/1,5A Wall plug adaptor INT | International plug power adaptor 12V / 1.5A (EU, UK and USA)  | 21.80 €    |
| Accessories | 600528 | 12V Wall plug adaptor INT      | International plug power adaptor 12V / 0.5A (EU, UK and USA)  | 17.20 €    |
| Accessories | 600543 | 5V Wall plug adaptor INT       | International plug power adaptor 5V / min 1A (EU, UK and USA)   | 17.20 €    |
| Accessories | 600305 | 24V Wall plug adaptor EU       | 24V DC power adaptor for AirFlow 600304, EU power connector   | 41.60 €    |
| Accessories | 600689 | BE-LR77-V2L-SL router          | LTE router BE-LR77-V2L-SL is a compact Ethernet (RJ45) to GSM (LTE) converter. Antenna & power supply included, SIM card not included.  | 753.80 €   |
| Accessories | 600688 | GSM modem BGS2T-RS232          | GSM modem BGS2T to RS-232 serial port. Antenne and wall plug adaptor INT included.  | 275.50 €   |
| Accessories | 600063 | DB9 LapLink cable 2m           | Communication RS-232 cable LapLink (5 wires declared).  | 7.30 €     |
| Accessories | 600530 | GSM SMA antena quadband        | GSM antenna quadband with SMA connector for Ares.   | 27.00 €    |
| Accessories | 600064 | DB9 Prolong cable 2m           | Extending communication RS-232 cable, 2m long   | 7.30 €     |
| Accessories | 600583 | Rack mounting brackets 19"     | Profile and accessories for Poseidon2 4xxx montage to 19" cabinet.  | 41.60 €    |
| Accessories | 600619 | Rack Shelf 1U                  | Profile and accessories for two or more devices installed to one 19" 1U cabinet position. Install 2x Poseidon2 4xxx or/and HWg-SMS-GW2 to 19" cabinet. You can also install combination of Poseidon2, Porbox2, I/O controller2, PortsStore5 and HWg-WLD product | 52.00 €    |
| Accessories | 600490 | Mount plate D                  | Mount support for HWg-Ares  | 2.90 €     |
| Accessories | 600603 | Mount plate E- 1U              | Rack (cabinet) mount plate with accessories, 1U montage for HWg-Ares, Poseidon2 3266/68 and other products.   | 21.30 €    |
| Accessories | 600652 | Mount plate L DIN Rail         | DIN Rail mount plate for HWg-Ares, Poseidon2 3266/68 and other products.  | 21.30 €    |
| Accessories | 600604 | Mounting set                   | Universal set of screws for mechanical mounting HW group devices.   | 15.60 €    |
| Accessories | 600025 | DIN Rail box set               | DIN Rail plastic holder, can be placed to most of our product housings. Installation to device have to be consulted!  | 10.40 €    |
| Accessories | 600301 | 3M Dual Lock fastener          | Self-adhesive hook and loop fastener 3M™ Dual Lock™   | 2.10 €     |
| Accessories | 600023 | 2x L profile A size            | Two sideways ""L"" plates for mounting the box on the wall. Smaller box A type (Poseidon 1250, 2251, IP Watchdog industrial).   | 6.80 €     |
| Accessories | 600288 | Power jack cable 1m            | 1 meter long cable with power jack and 2 wires on other side  | 6.20 €     |
| Accessories | 600434 | Power strip DC                 | Split box for the power adaptor connection cable. Usefut to power sensors with Damocles MINI, Poseidon 326x and others  | 18.70 €    |
| Accessories | 600529 | USB Cable mini 2m              | USB cable for Ares unit connecting to PC  | 5.20 €     |
| Accessories | 600469 | 3-pin Terminal Block           | 3-pin terminal block I/O plug for Poseicon 3268, Damocles MINI and other devices  | 2.10 €     |
| Software    | 600801 | SensDesk.com 5D Alerts         | SensDesk.com maintenance for 5 Devices, 30 days history & 40 SMS Alerts + Phone calls and more.   | Consultar  |
| Software    | 600802 | SensDesk.com 10D Log           | SensDesk.com maintenance for 10 Devices, 365 days history & 75 SMS Alerts + Phone calls and more.   | Consultar  |
| Software    | 600803 | SensDesk.com 25D Log & Alerts  | SensDesk.com maintenance for 25 Devices, 730 days history & 100 SMS Alerts + Phone calls and more.  | Consultar  |
| Software    | 600740 | SensDesk DC 100-1Year          | 1 year license for the SensDesk DC. Limited to 100 connected devices. Upgrades for more devices available. The license includes support and updates to new SensDesk versions.   | 1,840.00 € |
| Software    | 600741 | SensDesk DC Upgrade 100-1Year  | This upgrade unlocks additional 100 devices for the SensDesk DC. Valid for 1 year.  | 1,840.00 € |
| Software    | 600738 | SensDesk Pro 100-1Year         | 1 year license for the SensDesk Pro. Limited to 100 connected devices. Upgrades for more devices available. The license includes support and updates to new SensDesk versions.  | 1,380.00 € |
| Software    | 600739 | SensDesk Pro Upgrade 100-1Year | This upgrade unlocks additional 100 devices for the SensDesk Pro. Valid for 1 year.   | 1,380.00 € |



|          |        |                              |  |           |
|----------|--------|------------------------------|--|-----------|
| Software | 600742 | SensDesk Remote Instalation  | Installation of SensDesk DC or Pro over telco, skype or other remote access tools. HW group engineer will be supervising the installation and providing basic SD administrator training. | Consultar |
| Software | 600743 | SensDesk On site Instalation | Installation of SensDesk DC or Pro on customer's premises. HW group engineer will be on site leading the installation and providing basic SD administrator training.                     | Consultar |
| Software | 600744 | SensDesk Training            | Remote SensDesk training for users, customers or distributors. 4 hour training session over telco, Skype or HW group office.   | Consultar |
| Software | 600386 | HWg-PDMS 8                   | HWg-PDMS SW license up to 8 datapoints. Periodic data capture, Excel reporting.  | 124.80 €  |
| Software | 600387 | HWg-PDMS 20                  | HWg-PDMS SW license up to 20 datapoints. Periodic data capture, Excel reporting.   | 229.50 €  |
| Software | 600544 | HWg-PDMS 200                 | HWg-PDMS SW licence up to 200 datapoints. Periodic data capture, Excel reporting.  | 415.90 €  |
| Software | 600545 | HWg-PDMS unlimited           | HWg-PDMS license limited up to 500 datapoints or 300 devices. License project based extension possible. Periodic data capture, Excel reporting.  | 852.60 €  |
| Software | 600598 | HWg-Trigger                  | HWg-Trigger - Alert management software for Windows. (Device WatchDog, central sending of SMS, Window Pop-Up, remote relay control, PC shutdown, ..)                                     | 286.30 €  |