

Model	CAMERA SERIES	EAN CODE	SHORT DESCRIPTION	LONG DESCRIPTION	MSRP
<b>CAMERAS</b>					
WV-S1136	S	4010869307475	BOX IN NORMAL 1/3" 2MP -	New S-Series Indoor Box Network Camera - 2MP(1080p)@60fps, CSMount*Lens	€ 510
WV-S1536LNS	S	4582619072341	BULLET OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Bullet Network Camera 2MP(1080p)@60fps, f=2.9 to	€ 2.000
WV-S15500-F3L	S	4582619071634	BULLET OUT VANDAL 1/3" 5MP 3.2 mm	New High Resolution S-Series Outdoor Bullet Network Camera with AI engine	€ 880
WV-S15500-F6L	S	4582619071641	BULLET OUT VANDAL 1/3" 5MP 6.9 mm	New High Resolution S-Series Outdoor Bullet Network Camera with AI engine 5MP @30fps, f= 6.9 mm, F2.0, H:98 deg.V:53 deg., IR(35m/115ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, micro SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C, -40°F to +140°F, Secure communication, Easy Kitting	€ 880
WV-S15500-V3L	S	4582619071412	BULLET OUT VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S15500-V3L S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.120
WV-S15500-V3LK	S	4582619071436	BULLET OUT VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S15500-V3LK S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,ISO14993(Heavy Salt Damage Resistance),-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 2.300
WV-S15500-V3LN	S	4582619070026	BULLET OUT VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S15500-V3LN S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.280
WV-S15500-V3LN1	S	4582619071429	BULLET OUT VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S15500-V3LN1 S-Series Outdoor Bullet Network Cameras 5MP@30fps,f= 2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,Black model,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.280
WV-S15600-V2L	S	4582619071443	BULLET OUT VANDAL 1/3" 6MP 4.3 to 8.6 mm	The WV-S15600-V2L S-Series Outdoor Bullet Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:29 to 55deg.(TBD),IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.240
WV-S15600-V2LN	S	4582619070088	BULLET OUT VANDAL 1/3" 6MP 4.3 to 8.6 mm	The WV-S15600-V2LN S-Series Outdoor Bullet Network Cameras 6MP@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:29 to 55deg.(TBD),IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.400
WV-S15700-V2L	S	4582619071450	BULLET OUT VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S15700-V2L S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.400
WV-S15700-V2LK	S	4582619071474	BULLET OUT VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S15700-V2LK S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,ISO14993(Heavy Salt Damage Resistance),-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 2.600
WV-S15700-V2LN	S	4582619071467	BULLET OUT VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S15700-V2LN S-Series Outdoor Bullet Network Cameras 4K@30fps,f= 4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:53 to 104deg.V:30 to 56deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.580

WV-S1536L	S	4010869307796	BULLET OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Bullet Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 800
WV-S1536L-B	S	4549980574805	BULLET OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Bullet Network Camera Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 800
WV-S1536LN	S	4010869307802	BULLET OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Bullet Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S1531LN	€ 950
WV-S1536LN-B	S	4549980574812	BULLET OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Bullet Network Camera Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:37 to 117deg.V:21 to 62deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S1531LN	€ 950
WV-S1536LTN	S	4549980469576	BULLET OUT VANDAL 1/3" 2MP 9 - 21 mm	New S-Series Outdoor Bullet Network Camera 2MP(1080p)@60fps, tele lens f=9 to 21mm, F1.7 Motorized, x2.3, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S1531LTN	€ 1.260
WV-S1552L	S	4010869304344	BULLET OUT VANDAL 1/3" 5MP 2.9 - 9 mm	S-Series Outdoor Bullet Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:34 to 106deg.V:19 to 57deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S1550L	€ 1.040
WV-S1572L	S	4010869304337	BULLET OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	S-Series Outdoor Bullet Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:53 to 104deg.V:30 to 56deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision; Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S1570L	€ 1.320
WV-S71300-F3	S	4582619072259	COMPACT IN NORMAL 1/3" 2MP 3.2mm	New S-Series i-PRO mini 2MP(1080p)@30fps, f=3.2mm, H:81.1deg.V:51.4deg., H.265/H.264/JPEG, Smart Coding, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 5VDC/PoE, IP44, -10 °C to +40 °C, +14°F to +104°F, Secure communication	€ 640
WV-S2136	S	4010869307482	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2131	€ 600
WV-S2136-B	S	4549980574850	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2131	€ 600
WV-S2136G	S	4549980574874	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2131	€ 600
WV-S2136G-B	S	4549980574867	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2131	€ 600
WV-S2136L	S	4010869307499	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2131L	€ 760

WV-S2136L-B	S	4549980574898	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-S2131L	€ 760
WV-S2136LG	S	4549980574928	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-S2131L	€ 760
WV-S2136L-B	S	4549980574911	DOME IN NORMAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Dome Network Camera Smoke Dome Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-S2131L	€ 760
WV-S22500-F3L	S	4582619071658	DOME IN VANDAL 1/3" 5MP 3.2 mm	The WV-S22500-F3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps, f= 3.2 mm, F2.0, H:95deg.V:52deg., IR(25m/82ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C , -14°F to +122°F, Secure communication, Easy Kitting	€ 680
WV-S22500-F6L	S	4582619071665	DOME IN VANDAL 1/3" 5MP 6.1 mm	The WV-S22500-F3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps, f= 3.2 mm, F2.0, H:95deg.V:52deg., IR(25m/82ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C , -14°F to +122°F, Secure communication, Easy Kitting	€ 680
WV-S22500-V3L	S	4582619070101	DOME IN VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S22500-V3L S-Series Indoor Vandal Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.120
WV-S22500-V3L1	S	4582619071498	DOME IN VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S22500-V3L1 S-Series Indoor Vandal Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, Black model, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.120
WV-S22500-V3LG	S	4582619071481	DOME IN VANDAL 1/3" 5MP 2.9 to 9 mm	The WV-S22500-V3LG S-Series Indoor Vandal Dome Network Cameras 5MP@30fps, f= 2.9 to 9 mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, Smoke Dome, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.120
WV-S22600-V2L	S	4582619071504	DOME IN VANDAL 1/3" 6MP 4.3 to 8.6 mm	The WV-S22600-V2L S-Series Indoor Vandal Dome Network Cameras 6MP@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(150m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.180
WV-S22600-V2LG	S	4582619071511	DOME IN VANDAL 1/3" 6MP 4.3 to 8.6 mm	The WV-S22600-V2LG S-Series Indoor Vandal Dome Network Cameras 6MP@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(150m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, Smoke Dome, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.180
WV-S22700-V2L	S	4582619070156	DOME IN VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S22700-V2L S-Series Indoor Vandal Dome Network Cameras 4K@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(150m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.300
WV-S22700-V2L1	S	4582619071535	DOME IN VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S22700-V2L1 S-Series Indoor Vandal Dome Network Cameras 4K@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(150m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, Black model, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.300
WV-S22700-V2LG	S	4582619071528	DOME IN VANDAL 1/2" 4K 4.3 to 8.6 mm	The WV-S22700-V2LG S-Series Indoor Vandal Dome Network Cameras 4K@30fps, f= 4.3 to 8.6 mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(150m/164ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, 12VDC/PoE, IK10, Smoke Dome, -40 °C to +50 °C , -40°F to +122°F, Secure communication	€ 1.300

WV-S2236L	S	4010869307468	DOME IN VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Vandal Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2231L	€ 760
WV-S2236L-B	S	4549980574935	DOME IN VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Vandal Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2231L	€ 760
WV-S2236LG	S	4549980574959	DOME IN VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Vandal Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2231L	€ 760
WV-S2236LG-B	S	4549980574942	DOME IN VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Indoor Vandal Dome Network Camera Smoke Dome Black 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 114deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2231L	€ 760
WV-S2252L	S	4010869304351	DOME IN VANDAL 1/3" 5MP 2.9 - 9 mm	S-Series Outdoor Dome Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:33 to 105deg.V:19 to 56deg., IR(30m/98ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, SDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2250L	€ 1.000
WV-S2272L	S	4010869304375	DOME IN VANDAL 1/2" 4K 2.9 - 9 mm	S-Series Indoor Vandal Dome Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(30m/98ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, SDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-S2270L	€ 1.200
WV-S2531LTN	S	4549077825155	DOME OUT VANDAL 1/3" 2MP 9 - 21 mm	S-Series Outdoor Dome Network Camera 2MP(1080p)@60fps, f=9 to 21mm, F1.7 Motorized, x2.3, H:14 to 34deg.V:8 to 19deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, -40 °F to +140 °F, Secure communication, Easy Kitting	€ 1.050
WV-S2536L	S	4010869307826	DOME OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 800
WV-S2536LG	S	4549980574966	DOME OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 800
WV-S2536LGN	S	4549980574973	DOME OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Dome Network Camera Smoke Dome 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S2531LN	€ 860
WV-S2536LN	S	4010869307833	DOME OUT VANDAL 1/3" 2MP 2.9 - 9 mm	New S-Series Outdoor Dome Network Camera 2MP(1080p)@60fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:36 to 113deg.V:20 to 60deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S2531LN	€ 860
WV-S2536LTN	S	4010869307840	DOME OUT VANDAL 1/3" 2MP 9 - 21 mm	New S-Series Outdoor Dome Network Camera 2MP(1080p)@60fps, tele lens f=9 to 21mm, F1.7 Motorized, x2.3, H:15 to 36deg.V:9 to 20deg., IR(70m/230ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Built-in Heater, microSDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S2531LTN	€ 1.050
WV-S2552L	S	4010869304382	DOME OUT VANDAL 1/3" 5MP 2.9 - 9 mm	S-Series Outdoor Dome Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, -40 °C to +60 °C, Secure communication, Easy Kitting Replacement of WV-S2550L	€ 1.190

WV-S2572L	S	4010869304368	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	S-Series Outdoor Dome Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, 50I, IK10, IP66/NEMA 4X, -40 °C to +60 °C , Secure communication, Easy Kitting Replacement of WV-S2570L	€ 1.350
WV-S25500-F3L	S	4582619071672	DOME OUT VANDAL 1/3" SMP 3.2 mm	The WV-S25500-F3L S-Series Outdoor Dome Network Cameras 5MP@30fps,f=3.2 mm, F2.0,H:95deg.V:52deg.,IR(35m/115ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,50I/IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication,Easy Kitting	€ 780
WV-S25500-F6L	S	4582619071689	DOME OUT VANDAL 1/3" SMP 6.1 mm	The WV-S25500-F6L S-Series Outdoor Dome Network Cameras 5MP@30fps,f=6.1 mm, F1.6,H:48deg.V:27deg.,IR(45m/148ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,50I/IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication,Easy Kitting	€ 780
WV-S25500-V3L	S	4582619071542	DOME OUT VANDAL 1/3" SMP 2.9 to 9 mm	The WV-S25500-V3L S-Series Outdoor Dome Network Cameras 5MP@30fps,f=2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.190
WV-S25500-V3LG	S	4582619071559	DOME OUT VANDAL 1/3" SMP 2.9 to 9 mm	The WV-S25500-V3LG S-Series Outdoor Dome Network Cameras 5MP@30fps,f=2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.190
WV-S25500-V3LN	S	4582619070194	DOME OUT VANDAL 1/3" SMP 2.9 to 9 mm	The WV-S25500-V3LN S-Series Outdoor Dome Network Cameras 5MP@30fps,f=2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.360
WV-S25500-V3LN1	S	4582619071566	DOME OUT VANDAL 1/3" SMP 2.9 to 9 mm	The WV-S25500-V3LN1 S-Series Outdoor Dome Network Cameras 5MP@30fps,f=2.9 to 9 mm, F1.3 Motorized,x3.1,H:33 to 103deg.V:19 to 55deg.,IR(55m/180ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,Black model,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.360
WV-S25600-V2L	S	4582619071573	DOME OUT VANDAL 1/3" 6MP 4.3 - 8.6 mm	The WV-S25600-V2L S-Series Outdoor Dome Network Cameras 6MP@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.250
WV-S25600-V2LG	S	4582619071597	DOME OUT VANDAL 1/3" 6MP 4.3 - 8.6 mm	The WV-S25600-V2LG S-Series Outdoor Dome Network Cameras 6MP@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.250
WV-S25600-V2LN	S	4582619071580	DOME OUT VANDAL 1/3" 6MP 4.3 - 8.6 mm	The WV-S25600-V2LN S-Series Outdoor Dome Network Cameras 6MP@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.420
WV-S25700-V2L	S	4582619071603	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	The WV-S25700-V2L S-Series Outdoor Dome Network Cameras 4K@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.400
WV-S25700-V2LG	S	4582619071610	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	The WV-S25700-V2LG S-Series Outdoor Dome Network Cameras 4K@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.400

WV-S25700-V2LN	S	4582619070262	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	The WV-S25700-V2LN S-Series Outdoor Dome Network Cameras 4K@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.600
WV-S25700-V2LN1	S	4582619071627	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	The WV-S25700-V2LN1 S-Series Outdoor Dome Network Cameras 4K@30fps,f=4.3 to 8.6 mm, F1.5 Motorized,x2.0,H:52 to 101deg.V:29 to 55deg.,IR(70m/230ft),H.265/H.264/JPEG,Smart Coding,WDR[132dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,12VDC/PoE,IK10,IP66/NEMA 4X,Clearsight Coating,Black model,-40 °C to +60 °C,-40°F to +140°F,Secure communication	€ 1.600
WV-S3111L	S	4549980184066	DOME COMPACT IN NORMAL 1/3" 1.3MP 2.8 m	S-Series Indoor Compact Dome Network Camera 1.3MP(720p)@60fps,f=2.8mm, F2.3, H:97deg.V:54deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[134dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, 0 °C to +40 °C, Secure communication	€ 315
WV-S3131L	S	4549980184059	DOME COMPACT IN NORMAL 1/3" 2MP 2.8 m	S-Series Indoor Compact Dome Network Camera 2MP(1080p)@60fps,f=2.8mm, F2.3, H:108deg.V:60deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, 0 °C to +40 °C, Secure communication	€ 450
WV-S3511L	S	4549980184042	DOME COMPACT OUT VANDAL 1/3" 1.3MP 2.8	S-Series Outdoor Compact Dome Network Camera 1.3MP(720p)@60fps, f=2.8mm, F2.3, H:97deg.V:54deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[134dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, EN50155, IEC62236-3-2, ECE-R10, EN50498, RJ45 connector, -30 °C to +50 °C, Secure communication, Easy Kitting	€ 453
WV-S3512LM	S	4549980184080	DOME COMPACT OUT VANDAL 1/3" 1.3MP 2.8	S-Series Onboard Compact Dome Network Camera 1.3MP(720p)@60fps, f=2.8mm, F2.3, H:97deg.V:54deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[134dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, EN50155, IEC62236-3-2, ECE-R10, EN50498, M12 connector, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 613
WV-S3531L	S	4549980184035	DOME COMPACT OUT VANDAL 1/3" 2MP 2.8 m	S-Series Outdoor Compact Dome Network Camera 2MP(1080p)@60fps, f=2.8mm, F2.3, H:108deg.V:60deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, EN50155, IEC62236-3-2, ECE-R10, EN50498, RJ45 connector, -30 °C to +50 °C, Secure communication, Easy Kitting	€ 590
WV-S3532LM	S	4549980184073	DOME COMPACT OUT VANDAL 1/3" 2MP 2.8 m	S-Series Onboard Compact Dome Network Camera 2MP(1080p)@60fps, f=2.8mm, F2.3, H:108deg.V:60deg., IR(15m/49ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, EN50155, IEC62236-3-2, ECE-R10, EN50498, M12 connector, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 720
WV-S4156	S	4549980536995	FISHEYE IN NORMAL 1/3" 5MP 0.84mm	New S-Series Indoor 360-degree Fisheye Network Camera 5MP Sensor@30fps, f=0.84mm, F2.4, H:186deg.V:186deg., H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication Replacement of WV-S4150 / S4151	€ 740
WV-S4176	S	4549980536940	FISHEYE IN NORMAL 1/2" 4K 1.4mm	New S-Series Indoor 360-degree Fisheye Network Camera 12MP Sensor@30fps, f=1.4mm, F1.9, H:183deg.V:183deg., H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication Replacement of WV-X4171 / X4173	€ 1.300
WV-S4556L	S	4549980537015	FISHEYE OUT VANDAL 1/3" 5MP 0.84mm	New S-Series Outdoor 360-degree Fisheye Network Camera 5MP Sensor@30fps, f=0.84mm, F2.4, H:186deg.V:186deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, 50J, IK10, IP66/Type 4X/NEMA 4X, -40 °C to +60 °C, Secure communication Replacement of WV-S4550L / S4551L	€ 1.000
WV-S4556LM	S	4549980537039	FISHEYE OUT VANDAL 1/3" 5MP 0.84mm	New S-Series Onboard 360-degree Fisheye Network Camera for Vehicle application 5MP Sensor@30fps, f=0.84mm, F2.4, H:186deg.V:186deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, 50J, IK10, IP66/Type 4X/NEMA 4X, -40 °C to +60 °C EN45545/EN50155-TX M12 connector, Secure communication Replacement of WV-S4550LM / S4551LM	€ 1.400
WV-S4576L	S	4549980536964	FISHEYE OUT VANDAL 1/2" 4K 1.4mm	New S-Series Outdoor 360-degree Fisheye Network Camera 12MP Sensor@30fps, f=1.4mm, F1.9, H:183deg.V:183deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, 50J, IK10, IP66/Type 4X/NEMA 4X, -40 °C to +60 °C, Secure communication Replacement of WV-X4571L / X4573L	€ 1.560
WV-S4576LM	S	4549980536988	FISHEYE OUT VANDAL 1/2" 4K 1.4mm	New S-Series Onboard 360-degree Fisheye Network Camera for Vehicle application 12MP Sensor@30fps, f=1.4mm, F1.9, H:183deg.V:183deg., IR(10m/33ft), H.265/H.264/JPEG, Smart Coding, WDR[84dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, SDXC, 12VDC/PoE, 50J, IK10, IP66/Type 4X/NEMA 4X, -40 °C to +60 °C EN45545/EN50155-TX, M12 connector, Secure communication Replacement of WV-X4571LM / X4573LM	€ 2.100

WV-S8543	S	4582619070941	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8543 S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.970
WV-S8543G	S	4549980537268	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8543G S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 1.970
WV-S8543L	S	4582619071009	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8543L S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,IR(20m/66ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.120
WV-S8543LG	S	4549980537329	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8543LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 4MP(12MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:170deg,IR(15m/49ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.120
WV-S8544	S	4582619070972	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8544 S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.200
WV-S8544G	S	4549980537299	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8544G S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.200
WV-S8544L	S	4582619071047	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8544L S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,IR(20m/66ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.400
WV-S8544LG	S	4549980537558	MULTISENSOR OUT VANDAL 1/3" 4MP 2.9 to 7	The WV-S8544LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 4MP(16MP)@30fps,F=2.9 to 7.3mm, F2.0 Motorized,x2.5,H:43 to 100deg.(Panoramamode)H:180deg,IR(15m/49ft),H.265/H.264/JPEG,Smart Coding,WDR[108dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.400
WV-S8563L	S	4582619071085	MULTISENSOR OUT VANDAL 1/3" 6MP 3.1 mm	The WV-S8563L S-Series Outdoor Multi-Sensor Network Cameras 3 x 6MP(19MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.550
WV-S8563LG	S	4549980537589	MULTISENSOR OUT VANDAL 1/3" 6MP 3.1 mm	The WV-S8563LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 6MP(19MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:170deg,IR(30m/99ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.550
WV-S8564L	S	4582619071115	MULTISENSOR OUT VANDAL 1/3" 6MP 3.1 mm	The WV-S8564L S-Series Outdoor Multi-Sensor Network Cameras 4 x 6MP(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:180deg,IR(40m/131ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.780
WV-S8564LG	S	4549980537695	MULTISENSOR OUT VANDAL 1/3" 6MP 3.1 mm	The WV-S8564LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 6MP(25MP)@15fps,f= 3.1 mm, F1.44,H:108deg.V:56deg(Panoramamode)H:180deg,IR(30m/99ft),H.265/H.264/JPEG,Smart Coding,WDR[120dB],True D/N,Preinstalled AI analytics applications,Sound Classification,HLC,IA,Fog Detection,Onvif G,M,S,T,FIPS 140-2 Level3,microSDXC,PoE+,JK10,IP67/IP66/NEMA 4X,Smoke Dome,-40 °C to +60 °C ,-40°F to +140°F,Secure communication	€ 2.780

WV-S8573L	S	4582619071146	MULTISENSOR OUT VANDAL 1/3" 4K 3.1 mm	The WV-S8573L S-Series Outdoor Multi-Sensor Network Cameras 3 x 4K(25MP)@15fps, f= 3.1 mm, F1.44, H:108deg, V:56deg(Panoramamode)H:170deg, IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, PoE+, IK10, IP67/IP66/NEMA 4X, -40 °C to +60 °C, -40°F to +140°F, Secure communication	€ 2.740
WV-S8573LG	S	4549980537732	MULTISENSOR OUT VANDAL 1/3" 4K 3.1 mm	The WV-S8573LG S-Series Outdoor Multi-Sensor Network Cameras 3 x 4K(25MP)@15fps, f= 3.1 mm, F1.44, H:108deg, V:56deg(Panoramamode)H:170deg, IR(30m/99ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, PoE+, IK10, IP67/IP66/NEMA 4X, Smoke Dome, -40 °C to +60 °C, -40°F to +140°F, Secure communication	€ 2.740
WV-S8574L	S	4582619071184	MULTISENSOR OUT VANDAL 1/3" 4K 3.1 mm	The WV-S8574L S-Series Outdoor Multi-Sensor Network Cameras 4 x 4K(33MP)@15fps, f= 3.1 mm, F1.44, H:108deg, V:56deg(Panoramamode)H:180deg, IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, PoE+, IK10, IP67/IP66/NEMA 4X, -40 °C to +60 °C, -40°F to +140°F, Secure communication	€ 3.000
WV-S8574LG	S	4549980537763	MULTISENSOR OUT VANDAL 1/3" 4K 3.1 mm	The WV-S8574LG S-Series Outdoor Multi-Sensor Network Cameras 4 x 4K(33MP)@15fps, f= 3.1 mm, F1.44, H:108deg, V:56deg(Panorama mode)H:180deg, IR(30m/99ft), H.265/H.264/JPEG, Smart Coding, WDR[120dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, FIPS 140-2 Level3, microSDXC, PoE+, IK10, IP67/IP66/NEMA 4X, Smoke Dome, -40 °C to +60 °C, -40°F to +140°F, Secure communication	€ 3.000
WV-S61300-ZY	S	4582619075021	PTZ IN NORMAL 1/3" 2MP 2.9 to 9 mm	The WV-S61300-ZY S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 115deg, V:20 to 61deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.023
WV-S61300-ZYG	S	4582619075038	PTZ IN NORMAL 1/3" 2MP 2.9 to 9 mm	The WV-S61300-ZYG S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 115deg, V:20 to 61deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, Smoke Dome, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.023
WV-S61301-Z1	S	4582619075014	PTZ IN NORMAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-S61301-Z1 S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg, V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14 °F to +122 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.278
WV-S61301-Z2	S	4582619070699	PTZ IN NORMAL 1/3" 2MP 4.0 mm to 84.6 mm	New S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg, V:2.2 to 44deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.867
WV-S61302-Z4	S	4582619070682	PTZ IN NORMAL 1/3" 2MP 4.25 mm to 170 mm	New S-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg, V:1.2 to 39deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.000
WV-S6130	S	4549077896551	PTZ IN NORMAL 1/3" 2MP 4 - 84.6 mm	S-Series Indoor PTZ Network Camera 2MP(1080p)@60fps, f=4.0 to 84.6mm, F1.6 Motorized, x21, H:3.5 to 74deg, V:2.0 to 42deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Image Stabilization, SDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication	€ 1.850
WV-S6131	S	4549077896537	PTZ IN NORMAL 1/3" 2MP 4.25 - 170 mm	S-Series Indoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:1.9 to 66deg, V:1.1 to 39deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Image Stabilization, SDXC, 12VDC/PoE, -10 °C to +50 °C, Secure communication	€ 3.000
WV-S61501-Z1	S	4582619072846	PTZ IN NORMAL 1/3" 5MP 4.0 mm to 84.6 mm	The WV-S61501-Z1 S-Series Indoor PTZ Network Cameras 5MP@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 10x, H:2.1 to 65deg, V:1.2 to 39deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 12VDC/PoE, i-PRO white model, -10 °C to +50 °C, +14°F to +122°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.945
WV-S6530N	S	4549077899088	PTZ OUT VANDAL 1/3" 2MP 4 - 84.6 mm	S-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.0 to 84.6mm, F1.6 Motorized, x21, H:3.4 to 73deg, V:2.0 to 42deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, Image Stabilization, SDXC, 24VAC/PoE+, IK10, IP66/NEMA 4X, ClearSight Coating, -40 °C to +60 °C, Secure communication	€ 2.350



WV-S6532LN	S	4549980232699	PTZ OUT VANDAL 1/3" 2MP 4.25 - 95 mm	S-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 95mm, F1.6 Motorized, x22, H:3.4 to 66deg.V:2.0 to 39deg., IR(100m/330ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color Night Vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 2.900
WV-S6532LNS	S	4010869305778	PTZ OUT VANDAL 1/3" 2MP 4.25 - 95 mm	S-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 95mm, F1.6 Motorized, x22, H:3.4 to 66deg.V:2.0 to 39deg., IR(100m/330ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color Night Vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 3.550
WV-S65340-Z2K	S	4582619070675	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450
WV-S65340-Z2N	S	4582619070651	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650
WV-S65340-Z4K	S	4582619070668	PTZ OUT VANDAL 1/3" 2MP 4.25 mm to 170 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.400
WV-S65340-Z4N	S	4582619070644	PTZ OUT VANDAL 1/3" 2MP 4.25 mm to 170 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450
WV-S65300-ZY	S	4582619075083	PTZ OUT VANDAL 1/3" 2MP 2.9 to 9 mm	The WV-S65300-ZY S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.167
WV-S65300-ZYG	S	4582619075090	PTZ OUT VANDAL 1/3" 2MP 2.9 to 9 mm	The WV-S65300-ZYG S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f= 2.9 to 9 mm, F1.3 Motorized, 3.1x, H:36 to 113deg.V:20 to 60deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.167
WV-S65301-Z1	S	4582619075069	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-S65301-Z1 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500
WV-S65301-Z1G	S	4582619075076	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-S65301-Z1G S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500
WV-S65302-Z2	S	4582619075045	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-S65302-Z2 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089
WV-S65302-Z2G	S	4582619075052	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-S65302-Z2G S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, M, S, T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089

WV-S65340-Z2G	S	4582619075007	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-S65340-Z2G S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, Smoke Dome, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650
WV-S65340-Z4G	S	4582619074994	PTZ OUT VANDAL 1/3" 2MP 4.25 mm to 170 mm	The WV-S65340-Z4G S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, Smoke Dome, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450
WV-S65501-Z1	S	4582619072853	PTZ OUT VANDAL 1/3" 5MP 4.7 mm to 47.0 mm	The WV-S65501-Z1 S-Series Outdoor PTZ Network Cameras5MP@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, microSDXC, 12VDC/PoE+, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.223
WV-S65501-Z1G	S	4582619072860	PTZ OUT VANDAL 1/3" 5MP 4.7 mm to 47.0 mm	The WV-S65501-Z1G S-Series Outdoor PTZ Network Cameras5MP@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, microSDXC, 12VDC/PoE+, Smoke Dome, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.223
WV-S65301-Z1-1	S	4582619075137	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-S65301-Z1-1 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, i-PRO black model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 1.500
WV-S65301-Z1S	S	4582619075144	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-S65301-Z1S S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, 10x, H:6.7 to 62deg.V:3.8 to 37deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), ClearSight Coating, i-PRO white model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.500
WV-S65302-Z1-1	S	4582619075120	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-S65302-Z1-1 S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.4 to 73deg.V:2.0 to 42deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, 12VDC/PoE+, IK10, IP66/NEMA 4X, black color model, -30 °C to +55 °C, -22 °F to +131 °F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.089
WV-S65340-Z2	S	4582619076608	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-S65340-Z2G S-Series Outdoor PTZ Network Cameras2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650
WV-S65340-Z2N1	S	4582619075113	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, 21x, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, black color model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 2.650
WV-S65340-Z4	S	4582619076592	PTZ OUT VANDAL 1/3" 2MP 4.25 mm to 170 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, i-PRO white model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450
WV-S65340-Z4N1	S	4582619075106	PTZ OUT VANDAL 1/3" 2MP 4.25 mm to 170 mm	New S-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.25 mm to 170 mm, F1.6 Motorized, 40x, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, Image Stabilization, microSDXC, 24VAC/PoE+/PoE++, IK10, IP66/IP67/NEMA 4X, ClearSight Coating, black color model, -50 °C to +60 °C, -58°F to +140°F, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 3.450
WV-U1130A	U	4549980538142	BOX IN NORMAL 1/3" 2MP 3.2 mm	U-Series Indoor Box Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:102deg.V:55deg., H.265/JPEG, Smart Coding, WDR[120dB], True D/N, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1130	€ 230
WV-U1132A	U	4549980538159	BOX IN NORMAL 1/3" 2MP 2.9-7.3 mm	U-Series Indoor Box Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:24 to 56deg., H.265/JPEG, Smart Coding, WDR[120dB], True D/N, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C, Secure communication, Easy Kitting Replacement of WV-U1132	€ 320

WV-U1142A	U	4549980538166	BOX IN NORMAL 1/3" 4MP 2.9-7.3 mm	U-Series Indoor Box Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 103deg.V:25 to 57deg., H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U1142	€ 340
WV-U1532LA	U	4549980538173	BULLET OUT VANDAL 1/3" 2MP 2.9-7.3 mm	U-Series Outdoor Bullet Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:24 to 56deg., IR(30m/98ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U1532L	€ 400
WV-U1542LA	U	4549980538180	BULLET OUT VANDAL 1/3" 4MP 2.9-7.3 mm	U-Series Outdoor Bullet Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 103deg.V:25 to 57deg., IR(20m/69ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U1542L	€ 500
WV-U2130LA	U	4549980538197	DOME IN NORMAL 1/3" 2MP 3.2 mm	U-Series Indoor Dome Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2130L	€ 250
WV-U2132LA	U	4549980538203	DOME IN NORMAL 1/3" 2MP 2.9-7.3 mm	U-Series Indoor Dome Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 56deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2132L	€ 350
WV-U2140LA	U	4549980538210	DOME IN NORMAL 1/3" 4MP 3.2 mm	U-Series Indoor Dome Network Camera 4MP@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2140L	€ 290
WV-U2142LA	U	4549980538333	DOME IN NORMAL 1/3" 4MP 2.9-7.3 mm	U-Series Indoor Dome Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:44 to 102deg.V:25 to 57deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, -10 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2142L	€ 450
WV-U2530LA	U	4549980538340	DOME OUT VANDAL 1/3" 2MP 3.2 mm	U-Series Outdoor Dome Network Camera 2MP(1080p)@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2530L	€ 290
WV-U2532LA	U	4549980538357	DOME OUT VANDAL 1/3" 2MP 2.9-7.3 mm	U-Series Outdoor Dome Network Camera 2MP(1080p)@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 55deg., IR(30m/100ft), H.265/JPEG, Smart Coding, WDR[120dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2532L	€ 400
WV-U2540LA	U	4549980538364	DOME OUT VANDAL 1/3" 4MP 3.2 mm	U-Series Outdoor Dome Network Camera 4MP@30fps, f=3.2mm, F2.0, H:100deg.V:54deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2540L	€ 326
WV-U2542LA	U	4549980538371	DOME OUT VANDAL 1/3" 4MP 2.9-7.3 mm	U-Series Outdoor Dome Network Camera 4MP@30fps, f=2.9 to 7.3mm, F2.0 Motorized, x2.5, H:43 to 100deg.V:24 to 56deg., IR(20m/65ft), H.265/JPEG, Smart Coding, WDR[102dB], True D/N, Color night vision, HLC, IA, Fog Detection, Onvif G, S, T, microSDXC, PoE, IK10, IP66/NEMA 4X, -30 °C to +50 °C , Secure communication, Easy Kitting Replacement of WV-U2542L	€ 500
WV-U61300-ZY	U	4582619070781	PTZ IN NORMAL 1/3" 2MP 2.9 mm to 9 mm	U-Series Indoor PTZ Network Cameras 2MP(1080p) @60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, -10 °C to +50 °C , +14°F to +122°F, Secure communication, Easy Kitting	€ 920
WV-U61300-ZYG	U	4582619070798	PTZ IN NORMAL 1/3" 2MP 2.9 mm to 9 mm	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, Smoke Dome, -10 °C to +50 °C , +14°F to +122°F, Secure communication, Easy Kitting	€ 920
WV-U61301-Z1	U	4582619070774	PTZ IN NORMAL 1/3" 2MP 4.7 mm to 47.0 mm	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, x10, H:6.7 to 62deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC,IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE, -10 °C to +50 °C , +14°F to +122°F, Secure communication, Easy Kitting	€ 1.040
WV-U61301-Z2	U	4582619070767	PTZ IN NORMAL 1/3" 2MP 4.0 mm to 84.6 mm	U-Series Indoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, x21, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE, -10 °C to +50 °C , +14°F to +122°F, Secure communication, Easy Kitting	€ 1.190
WV-U65300-ZY	U	4582619070743	PTZ OUT VANDAL 1/3" 2MP 2.9 mm to 9 mm	The WV-U65300-ZY U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC,IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, IK10, IP66/NEMA 4X, -30 °C to +55 °C , -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.050

WV-U65300-ZYG	U	4582619070750	PTZ OUT VANDAL 1/3" 2MP 2.9 mm to 9 mm	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=2.9 mm to 9 mm, F1.3 Motorized, x3.1, H:36 to 115deg.V:20 to 61deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, microSDXC, 12VAC/PoE, IK10, IP66/NEMA 4X, Smoke Dome, -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.050
WV-U65301-Z1	U	4582619070729	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	The WV-U65301-Z1 U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.7 mm to 47.0 mm F1.6 Motorized,x10,H:6.7 to 62deg.V:3.8 to 37deg,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,-,HLC,IA,Fog Detection,Onvif G,S,T,FIPS 140-2 Level3,Image Stabilization,microSDXC,12VAC/PoE+,IK10,IP66/NEMA 4X,-30 °C to +55 °C, -22 °F to +131 °F,Secure communication,Easy Kitting	€ 1.250
WV-U65301-Z1G	U	4582619070736	PTZ OUT VANDAL 1/3" 2MP 4.7 mm to 47.0 mm	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.7 mm to 47.0 mm F1.6 Motorized, x10, H:6.7 to 62 deg.V:3.8 to 37deg, H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, -, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE+, IK10, IP66/NEMA 4X, Smoke Dome, -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.250
WV-U65302-Z2	U	4582619070705	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps, f=4.0 mm to 84.6 mm, F1.6 Motorized, x21, H:3.7 to 77deg.V:2.2 to 44deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N,-, HLC, IA, Fog Detection, Onvif G,S,T, FIPS 140-2 Level3, Image Stabilization, microSDXC, 12VAC/PoE+, IK10, IP66/NEMA 4X, -30 °C to +55 °C, -22 °F to +131 °F, Secure communication, Easy Kitting	€ 1.460
WV-U65302-Z2G	U	4582619070712	PTZ OUT VANDAL 1/3" 2MP 4.0 mm to 84.6 mm	The WV-U65302-Z2G U-Series Outdoor PTZ Network Cameras 2MP(1080p)@60fps,f=4.0 mm to 84.6 mm, F1.6 Motorized,x21,H:3.7 to 77deg.V:2.2 to 44deg.,H.265/H.264/JPEG,Smart Coding,WDR[144dB],True D/N,-,HLC,IA,Fog Detection,Onvif G,S,T,FIPS 140-2 Level3,Image Stabilization,microSDXC,12VAC/PoE+,IK10,IP66/NEMA 4X,Smoke Dome,-30 °C to +55 °C,-22 °F to +131 °F,Secure communication,Easy Kitting	€ 1.460
WV-X1551LN	X	4010869301817	BULLETT OUT NORMAL 1/3" 5MP 2.9 - 9 mm	X-Series Outdoor Bullet Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:34 to 106deg.V:19 to 57deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 1.700
WV-X1571LN	X	4010869301824	BULLETT OUT NORMAL 1/2" 4K 4.3 - 8.6 mm	X-Series Outdoor Bullet Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:53 to 104deg.V:30 to 56deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 1.850
WV-X2251L	X	4010869301831	DOME IN VANDAL 1/3" 5MP 2.9 - 9 mm	X-Series Outdoor Dome Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:33 to 105deg.V:19 to 56deg., IR(30m/98ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, SDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting	€ 1.420
WV-X2271L	X	4010869301848	DOME IN VANDAL 1/2" 4K 4.3 - 8.6 mm	X-Series Indoor Vandal Dome Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(30m/98ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, SDXC, 12VDC/PoE, IK10, -10 °C to +50 °C, Secure communication, Easy Kitting	€ 1.580
WV-X2551LN	X	4010869301855	DOME OUT VANDAL 1/3" 5MP 2.9 - 9 mm	X-Series Outdoor Dome Network Camera 5MP@30fps, f=2.9 to 9mm, F1.3 Motorized, x3.1, H:33 to 103deg.V:19 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 1.650
WV-X2571LN	X	4010869301862	DOME OUT VANDAL 1/2" 4K 4.3 - 8.6 mm	X-Series Outdoor Dome Network Camera 4K@30fps, f=4.3 to 8.6mm, F1.5 Motorized, x2.0, H:52 to 101deg.V:29 to 55deg., IR(40m/131ft), H.265/H.264/JPEG, Smart Coding, WDR[132dB], True D/N, Color night vision, Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, SDXC, 12VDC/PoE, 50J, IK10, IP66/NEMA 4X, Clearlight Coating, -40 °C to +60 °C, Secure communication, Easy Kitting	€ 1.800
WV-X86530-Z2	X	4582619074932	MULTISENSOR + PTZ COMBO OUT VANDAL 1/3"	The WV-X86530-Z2 X-Series Outdoor Multi directional PTZ Network CamerasMulti : SMP PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg, V:52deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.800
WV-X86530-Z2-1	X	4582619074970	MULTISENSOR + PTZ COMBO OUT VANDAL 1/3"	The WV-X86530-Z2-1 X-Series Outdoor Multi directional PTZ Network CamerasMulti : SMP PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg, V:52deg(TBD) PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 4.800

WV-X86531-Z2	X	4582619074949	MULTISENSOR + PTZ COMBO OUT VANDAL 1/3"	The WV-X86531-Z2 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 5MP PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:52deg(TBD) PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, i-PRO white model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.100
WV-X86531-Z2-1	X	4582619074987	MULTISENSOR + PTZ COMBO OUT VANDAL 1/3"	The WV-X86531-Z2-1 X-Series Outdoor Multi directional PTZ Network CamerasMulti : 5MP PTZ : 2MP(1080p)@Multi : 15fps PTZ : 60fps, Multi : 3.2mm PTZ : 4.0 mm to 84.6 mm, Multi : 1x PTZ : 21x, Multi : H:97deg. V:52deg PTZ : H:3.7-77 deg., H.265/H.264/JPEG, Smart Coding, WDR[Multi : 108dB PTZ : 144dB], Preinstalled AI analytics applications, Sound Classification, HLC, IA, Fog Detection, Onvif G,M,S,T, microSDXC, IK10, IP66/IP67/NEMA 4X, Black model, Digital Certificates by GlobalSign, FIPS 140-2 Level3, Easy Kitting	€ 5.100
WV-X6511N	X	4549077896377	PTZ OUT VANDAL 1/3" 1.3MP 4.25 - 170 mm	X-Series Outdoor PTZ Network Camera 1.3MP(720p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ClearSight Coating, -50 °C to +60 °C, -58 °F to 140 °F, Secure communication	€ 2.750
WV-X6531N	X	4549077896353	PTZ OUT VANDAL 1/3" 2MP 4.25 - 170 mm	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ClearSight Coating, -50 °C to +60 °C, Secure communication	€ 3.450
WV-X6531NS	X	4549980017197	PTZ OUT VANDAL 1/3" 2MP 4.25 - 170 mm	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:2.1 to 65deg.V:1.2 to 39deg., H.265/H.264/JPEG, Smart Coding, WDR[144dB], Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Built-in Heater, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), ClearSight Coating, -50 °C to +60 °C, Secure communication	€ 4.400
WV-X6531LN	X	4549980232675	PTZ OUT VANDAL 1/3" 2MP 4.25 - 170 mm	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:1.9 to 66deg.V:1.1 to 39deg., IR(350m/1150ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], True D/N, Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 4.100
WV-X6531NS	X	4010869305761	PTZ OUT VANDAL 1/3" 2MP 4.25 - 170 mm	X-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.25 to 170mm, F1.6 Motorized, x40, H:1.9 to 66deg.V:1.1 to 39deg., IR(350m/1150ft), H.265/H.264/JPEG, Smart Coding, WDR[144dB], Color night vision, Advanced video analytics, HLC, IA, Fog Detection, Onvif G, S, T, Defroster, Image Stabilization, SDXC, 24VAC/PoE+/PoE injector, IK10, IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), ClearSight Coating, -50 °C to +60 °C, Secure communication, Easy Kitting	€ 5.000
WV-SUD638		4549077690647	PTZ OUT VANDAL 1/3" 2MP 4.3 - 129 mm	Aero-Series Outdoor PTZ Network Camera 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800
WV-SUD638-H		4549077786425	PTZ OUT VANDAL 1/3" 2MP 4.3 - 129 mm	Aero-Series Outdoor PTZ Network Camera (grey) 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800
WV-SUD638-T		4549077786432	PTZ OUT VANDAL 1/3" 2MP 4.3 - 129 mm	Aero-Series Outdoor PTZ Network Camera (brown) 2MP(1080p)@60fps, f=4.3 to 129mm, F1.6 Motorized, x30, H:2.3 to 64deg.V:1.3 to 38deg., Optional IR LED, H.264/JPEG, Smart Coding, WDR[105dB], True D/N, HLC, Fog Detection, Onvif S, Built-in wiper, Defroster, High-class Image Stabilization, 100 to 240VAC/PoE Injector, IK10, IP67/IP66/NEMA 4X, ISO14993(Heavy Salt Damage Resistance), -50 °C to +60 °C, Secure communication	€ 6.800
<b>NVR</b>					
WJ-NX100/2E	4CH	4010869307925	NVR 4CH 2T UP TO 4CH	4 Channel POE Network Disk Recorder	800,00 €
WJ-NX200/12TB	9CH	4010869260787	NVR 9CH 12T UP TO 32CH 384 Mbps	H.265/H.264 high-throughput Network Disk Recorder, 9 ch. expandable to 32 ch. camera input, Supports H.265 / H.264 mixed recordings, Significant reduction of storage space usage through H.265 and Smart Coding 12TB	3.000,00 €
WJ-NX200/2TB	9CH	4010869304467	NVR 9CH 2T UP TO 32CH 384 Mbps	H.265/H.264 high-throughput Network Disk Recorder, 9 ch. expandable to 32 ch. camera input, Supports H.265 / H.264 mixed recordings, Significant reduction of storage space usage through H.265 and Smart Coding 2TB	1.330,00 €
WJ-NX200/4TB	9CH	4010869264051	NVR 9CH 4T UP TO 32CH 384 Mbps	H.265/H.264 high-throughput Network Disk Recorder, 9 ch. expandable to 32 ch. camera input, Supports H.265 / H.264 mixed recordings, Significant reduction of storage space usage through H.265 and Smart Coding 4TB	1.450,00 €
WJ-NX200/8TB	9CH	4010869260770	NVR 9CH 8T UP TO 32CH 384 Mbps	H.265/H.264 high-throughput Network Disk Recorder, 9 ch. expandable to 32 ch. camera input, Supports H.265 / H.264 mixed recordings, Significant reduction of storage space usage through H.265 and Smart Coding 8TB	2.000,00 €

WJ-NX300/12TB	16CH	4010869269629	NVR 16CH 12T UP TO 32CH 512 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	6.389,00 €
WJ-NX300/18TB	16CH	4010869272872	NVR 16CH 18T UP TO 32CH 512 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	7.445,00 €
WJ-NX300/24TB	16CH	4010869272865	NVR 16CH 24T UP TO 32CH 512 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	8.167,00 €
WJ-NX300/6TB	16CH	4010869300162	NVR 16CH 6T UP TO 32CH 512 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	5.556,00 €
WJ-NX400/12TB	64CH	4010869256049	NVR 64CH 12T UP TO 128CH 640 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	11.445,00 €
WJ-NX400/30TB	64CH	4010869256056	NVR 64CH 30T UP TO 128CH 640 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	13.945,00 €
WJ-NX400/42TB	64CH	4010869256063	NVR 64CH 42T UP TO 128CH 640 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	15.500,00 €
WJ-NX400/54TB	64CH	4010869256070	NVR 64CH 54T UP TO 128CH 640 Mbps	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	17.334,00 €
WJ-NU101KG	4CH	4582619072624	NVR 4CH - 4CH 96 Mbps	NVRs with a build-in PoE+ 4Port + switch, Camera CH4, HDD 1 Slot, <b>Max capacity: 20TB</b> . Throughput in 48 Mbps, Throughput out 48 Mbps, Network Bandwidth 96 Mbps, Recording Bandwidth 48Mbps, H.265 / H.264 / JPEG	978,00 €
WJ-NU201KG	8CH	4582619072631	NVR 8CH - 8CH 128 Mbps	NVRs with a build-in PoE+ 8Port + switch, Camera CH8, HDD 1 Slot, <b>Max capacity: 20TB</b> . Throughput in 64 Mbps, Throughput out 64 Mbps, Network Bandwidth 128 Mbps, Recording Bandwidth 64Mbps, H.265 / H.264 / JPEG	1.167,00 €
WJ-NU300KG	16CH	4582619072648	NVR 16CH - 16CH 256 Mbps	NVRs with a build-in PoE+ 8Port + switch, Camera CH16, HDD 1 Slot, <b>Max capacity: 20TB</b> . Throughput in 128 Mbps, Throughput out 128 Mbps, Network Bandwidth 256 Mbps, Recording Bandwidth 128Mbps, H.265 / H.264 / JPEG	1.300,00 €
WJ-NU301KG	16CH	4582619072655	NVR 16CH - 16CH 2560 Mbps	NVRs with a build-in PoE+ 16Port + switch, Camera CH16, HDD 2 Slot, <b>Max capacity: 40TB</b> . Throughput in 128 Mbps, Throughput out 128 Mbps, Network Bandwidth 256 Mbps, Recording Bandwidth 128Mbps, H.265 / H.264 / JPEG – RAID 1 supported	1.450,00 €
WJ-HXE400/12TB		4010869256094	NVR 12T	Extension unit for up to 9 HDDs with 12TB of pre-installed storage capacity, compatible with NX400 and NX300. RAIDS/RAID6 card included. 220Vac power supply.	5.167,00 €
WJ-HXE400/30TB		4010869205580	NVR 30T	Extension unit, up to 9 HDDs with 30TB of pre-installed storage capacity, compatible with NX400 and NX300. RAIDS/RAID6 card included. 220Vac power supply.	6.856,00 €
WJ-HXE400/42TB		4010869205597	NVR 42T	Extension unit, up to 9 HDDs with 42TB of pre-installed storage capacity, compatible with NX400 and NX300. RAIDS/RAID6 card included. 220Vac power supply.	8.456,00 €
WJ-HXE400/54TB		4010869205573	NVR 54T	Extension unit, up to 9 HDDs with 54TB of pre-installed storage capacity, compatible with NX400 and NX300. RAIDS/RAID6 card included. 220Vac power supply.	10.067,00 €
WJ-HXE400/G		5025232856985	NVR	Hard Disk Extension Unit for WJ-NXE400	4.423,00 €
WJ-NX300K/G	16CH	5025232870943	NVR 16CH -	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV300	5.112,00 €
WJ-NX400K/G	64CH	5025232856978	NVR 64CH -	TURBO-RAID H.265/H.264 System Recorder, H.265/H.264 recording, increased recording bandwidth up to 384Mbps, including an integrated HD GUI capability via HDMI output, Replacement of WJ-NV301	9.889,00 €
<b>ACCESSORIES</b>					
WV-CU980/G	Joystick	5025232897377		Compact Ethernet System Controller, Compatible with WV-ASM300 and Video Insight, PTZ, TOP button, A/B button, Recorder control operated by buttons, Main unit and joystick can be separated, Changeable moving direction (PAN/TILT), Calibration of lever position (by user), Universal design for right- or left-handed	1.543,00 €
WJ-PC200E	al to LAN Con	5025232836673		Coaxial - LAN Converter Camera Side Unit Easy Migration, Power over Ethernet Plus (PoE+) ready, High-speed transmission, No setup required	140,00 €
WJ-PR201E	al to LAN Con	5025232836512		1-Channel Receiver Side Unit	240,00 €
WJ-PR204E	al to LAN Con	5025232836529		4-Channel Receiver Side Unit	520,00 €
WJ-PU201/G	PoE Injector	4582619070903		POE Injector RJ45	190,00 €
WJ-PU201F/G	PoE Injector	4582619070927		POE Injector SFP	430,00 €
WV-CF55A	Accessory	4549077171818		Smoke Dome Cover for WV-S21xx	20,00 €
WV-CR15	Accessory	4549077171801		Smoke Dome Cover for WV-S22xxL	49,00 €
WV-CS5C	Accessory	6942464802230		Clear Dome Cover for WV-S6131, WV-SC387A and WV-SC588A	103,00 €
WV-CS5S	Accessory	6942464802223		Smoke Dome Cover for WV-S6131, WV-SC387A and WV-SC588A	103,00 €
WV-CW6SA	Accessory	4902704685063		Smoke Dome Cover for WV-S35xx and WV-S31xx	19,00 €
WV-CW7CN	Accessory	4549980081990		Clear Dome Cover with ClearSight Coating for WV-S25xxL	120,00 €
WV-CW7S	Accessory	4549077171795		Smoke Dome Cover for WV-S25xxL	49,00 €
WV-CW7SN	Accessory	4549077896681		Smoke Dome Cover with ClearSight Coating for WV-S25xxL	127,00 €
WV-CW8CN	Accessory	4549980082003		Clear Front Panel for Box Camera WV-S15xxL	120,00 €
WV-Q105A	Bracket	4902704683311		Dome, Fisheye and PTZ Ceiling Mount Bracket - optional safety wire for WV-S21xx, WV-S22xx, WV-S25xx, WV-U2132L, WV-U2142L, WV-X22xx, WV-S41xx, WV-X41xx, WV-S6130, WV-S61x1, WV-CW630, WV-CW500, WV-CW364S and WV-CS580	85,00 €
WV-Q119	Bracket	6942464802247		Indoor PTZ Wall Mount Bracket for WV-S61x1	187,00 €
WV-Q120A	Bracket	6942464802261		Outdoor Wall Surface Adapter Box (silver) for WV-S15xx Pole or Corner Mount for WV-S15xx in combination with WV-Q188 or WV-Q189	100,00 €
WV-Q121B	Bracket	6942464803756		Outdoor PTZ Ceiling Pendant Mount (silver) for WV-S65xx, WV-X65xx and WV-CW590	200,00 €
WV-Q121BS	Bracket	6942464804661		Outdoor PTZ Ceiling Mount (silver) with heavy salt damage resistance for WV-X6531NS	440,00 €
WV-Q122A	Bracket	6942464802254		Outdoor PTZ Wall Hanging Mount (silver) for WV-S65xx, WV-X65xx and WV-CW590	160,00 €

WV-Q122AS	Bracket	6942464804678		Outdoor PTZ Wall Hanging Mount (silver) with heavy salt damage resistance for WV-X6531NS	350,00 €
WV-Q123A	Bracket	6942464805668		Outdoor PTZ Attachment Pipe Mount (silver) for WV-S65xx and WV-X65xx to be used on joint sections between the mount bracket and 3rd party brackets	100,00 €
WV-Q124	Bracket	6942464803190		Embedded PTZ Indoor Ceiling Mount bracket for WV-S61x1 and WV-CS580	105,00 €
WV-Q126A	Bracket	6942464802216		Embedded PTZ Indoor Ceiling Mount bracket for WV-S61x1 and WV-CS580	160,00 €
WV-Q158C	Bracket	4549980018279		Wall Mount Bracket (clear) for WV-S6130	240,00 €
WV-Q158S	Bracket	4549980018286		Wall Mount Bracket (smoke) for WV-S6130 (approx. 50 % of transmittance)	240,00 €
WV-Q159C	Bracket	4549980018293		Embedded Ceiling Mount Bracket (clear) for WV-S6130	233,00 €
WV-Q159S	Bracket	4549980018309		Embedded Ceiling Mount Bracket (smoke) for WV-S6130 (approx. 50 % of transmittance)	233,00 €
WV-Q160C	Bracket	4549980018316		Indoor Dome Cover (Clear) for WV-S6130	125,00 €
WV-Q160S	Bracket	4549980018323		Indoor Dome Cover (Smoke) for WV-S6130 (approx. 50 % of transmittance)	125,00 €
WV-Q161	Bracket	4549980018330		Inner Dome Cover for WV-S6130	83,00 €
WV-Q169A	Bracket	4549077171764		Outdoor Dome Embedded Ceiling Mount for WV-S25xx, WV-CW630, WV-CW500 and WV-CW364S	250,00 €
WV-Q174B	Bracket	4549077171771		Indoor Dome Embedded Ceiling Mount (sail white) for WV-S21xx, WV-S22xx and WV-CF344/354/374	80,00 €
WV-Q178	Bracket	6942464805651		Dome and Fisheye Ceiling Pendant Mount (gray) for WV-S25xx, WV-S45xx, WV-X45xx, WV-CW630, WV-CW500 and WV-CW364S in combination with WV-Q186 Multi Sensor Ceiling Pendant Mount (gray) for WV-S85xx and WV-X85xx in combination with WV-Q187,	210,00 €
WV-Q179	Bracket	6942464805675		Dome and Fisheye Ceiling Pendant Mount (gray) for WV-S25xx, WV-S45xx and WV-X45xx in combination with WV-Q186, Outdoor Multi Sensor Ceiling Pendant Mount (gray) for WV-S85xx and WV-X85xx in combination with WV-Q187 to be used on joint sections between the mount bracket and 3rd party brackets	100,00 €
WV-Q182	Bracket	6942464805408		(Compact) Dome, Fisheye and Multi Sensor Pole Mount (gray) for WV-S25xx, WV-S35xx, WV-S45xx, WV-X45xx, WV-S85xx, WV-X85xx, WV-CW630, WV-CW500 and WV-CW364S, (please check for requirement of wall hanging brackets)	160,00 €
WV-Q183	Bracket	6942464805415		(Compact) Dome, Fisheye and Multi Sensor Corner Mount (gray) for WV-S25xx, WV-S35xx, WV-S45xx, WV-X45xx, WV-S85xx, WV-X85xx, WV-CW630, WV-CW500 and WV-CW364S (please check for requirement of wall hanging brackets)	160,00 €
WV-Q185	Bracket	6942464805439		Dome and Fisheye Wall Hanging Mount (gray) for WV-S25xx, WV-S45xx, WV-X45xx, WV-CW630, WV-CW500 and WV-CW364S in combination with WV-Q186 Multi Sensor Wall Hanging Mount (gray) for WV-S85xx, WV-X85xx in combination with WV-Q187	180,00 €
WV-Q186	Bracket	6942464805446		Ceiling Pendant Mount (gray) for WV-S25xx, WV-S45xx, WV-X45xx, WV-CW630, WV-CW500 and WV-CW364S in combination with WV-Q178 Wall Hanging Mount (gray) for WV-S25xx, WV-S45xx, WV-X45xx, WV-CW630, WV-CW500 and WV-CW364S in combination with WV-Q185 Or for WV-S25xx, WV-S45xx and WV-X45xx in combination with WV-Q179 to be used on joint sections between the mount bracket and 3rd party brackets	67,00 €
WV-Q187	Bracket	6942464805453		Ceiling Pendant Mount (gray) for WV-S85xx and WV-X85xx in combination with WV-Q178 Wall Hanging Mount (gray) for WV-S85xx and WV-X85xx in combination with WV-Q185 Or for WV-S85xx and WV-X85xx in combination with WV-Q179 to be used on joint sections between the mount bracket and 3rd party brackets	120,00 €
WV-Q188	Bracket	6942464805460		Pole Mount (silver) for WV-S15xx, WV-S65xx, WV-X65xx and WV-CW590 (please check for requirement of wall hanging brackets)	147,00 €
WV-Q189	Bracket	6942464805477		Box and PTZ Corner Mount (silver) for WV-S15xx, WV-S65xx, WV-X65xx and WV-CW590 (please check for requirement of wall hanging brackets)	140,00 €
WV-Q193	Bracket	6942464805637		Base Bracket for WV-S4550LM and WV-X4571LM	110,00 €
WV-Q202	Bracket	6942464805385		Rack Mount Bracket for WJ-NX200/300	30,00 €
WV-Q204/25	Bracket	4902704683618		Rack Mount Bracket for two WJ-GXD400 or three WJ-GXE500	170,00 €
WV-Q7118	Accessory	4549077171788		Sun shade for WV-S257xL, WV-S255xL, WV-S2531LTN, WV-S2531LN, WV-SFV631L, WV-SFV611L, WV-SFV631LT, WV-SFV531, WV-SFV311 and WV-SFV310A	79,00 €
WV-QAT100	Accessory	6942464806238		Inner Dome Cover compatible with S61301-Z2	56,00 €
WV-QAT500-W	Bracket	4010869300322		Attachment Pipe Mount (white) for WV-U2532L, WV-U2542L and WV-X25xx to be used on joint sections between the mount bracket and 3rd party brackets in combination with WV-QSR501-W	80,00 €
WV-QAT501-W	Bracket	6942464806108		Attachment Pipe Mount (white) to be used on joint sections between the mount bracket and 3rd party brackets (ANSI female thread) for outdoor PTZ WV-S65340-Z4N / Z2N	90,00 €
WV-QAT502-G	Bracket			DOUBLE/OCTAGON/GANG BOX Gangbox Adapter (Light gray)	60,00 €
WV-QAT502-W	Bracket			DOUBLE/OCTAGON/GANG BOX Gangbox Adapter (White)	60,00 €
WV-QCA500A	Accessory	4549980495865		RJ45 extension cable supported by grommet type cameras	40,00 €
WV-QCA500APK	Accessory	4549980495872		RJ45 extension cable supported by grommet type cameras	300,00 €
WV-QCA501A	Accessory	4549980495896		Multi cable supported by grommet type cameras	57,00 €
WV-QCA501APK	Accessory	4549980495902		Multi cable supported by grommet type cameras	400,00 €
WV-QCD100C-W	Bracket	6942464806252		Ceiling Mount Bracket (Clear/i-PRO white For WV-S61301-Z2, U61301-Z2 and U61301-Z1	139,00 €
WV-QCD100G-W	Bracket	6942464806245		Ceiling Mount Bracket Smoke Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	139,00 €
WV-QCL100-B	Bracket	4549980574997		Ceiling Mount Bracket (black)	65,00 €
WV-QCL100-W	Bracket	4010869300100		Ceiling Mount Bracket (white)	65,00 €
WV-QCL101-B	Bracket	6942464807655		Ceiling Mount Bracket (black)	56,00 €
WV-QCL101-W	Bracket	6942464820074		Ceiling Mount Bracket (white)	56,00 €
WV-QCL102-W	Bracket	6942464806641		Universal Camera Mount Bracket (i-PRO white)	130,00 €
WV-QCL500-S	Bracket	4010869300117		PTZ Ceiling surface mount bracket (silver) for WV-S65xx and WV-X65xx	170,00 €
WV-QCL500-W	Bracket	6942464806115		PTZ Ceiling surface mount bracket (white) for WV-S65xx and WV-X65xx	170,00 €
WV-QCL501S-W	Bracket	6942464806405		Ceiling Mount Bracket (i-PRO white) - salt damage resistance	600,00 €

WV-QCL501-W	Bracket	4010869300391		Pendant Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	165,00 €
WV-QCN500-W	Bracket	4010869300407		Corner Mount (white) for WV-U15xx, WV-X15xx, WV-U25xx and WV-X25xx (please check for requirement of wall hanging brackets)	120,00 €
WV-QDC100C-W	Accessory	6942464806207		Clear Dome Cover (i-PRO white) for S61302-Z4	113,00 €
WV-QDC100G-W	Accessory	6942464806191		Smoke Dome Cover (i-PRO white) for S61302-Z4	113,00 €
WV-QDC500S	Accessory	4010869301800		Smoke Dome Cover for U2130L, U2140L, U2530L and U2540L	36,00 €
WV-QDC501G	Accessory	6942464806078		Smoke Dome Cover for S8574L (LG) S8573L (LG) S8564L (LG) S8563L (LG) S8544L (LG) S8543L (LG) S8544 (G) S8543 (G)	160,00 €
WV-QDC502G	Accessory	6942464806306		Smoke Dome Cover for S8574L (LG) S8573L (LG) S8564L (LG) S8563L (LG) S8544L (LG) S8543L (LG) S8544 (G) S8543 (G)	100,00 €
WV-QDC503G	Accessory	6942464806184		Smoke Dome Cover for U65302-Z2 (-Z2G) U65301-Z1 (-Z1G)	125,00 €
WV-QED100C-W	Bracket	6942464806276		Embedded Ceiling Mount Bracket White   Clear Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	260,00 €
WV-QED100G-W	Bracket	6942464806269		Embedded Ceiling Mount Bracket White   Smoke Dome For WV-S61301-Z2, U61301-Z2 and U61301-Z1	260,00 €
WV-QEM100-B	Bracket			Embedded Ceiling Mount (BLACK) for U Series Varifocal-Lens Indoor Dome models and AI capable cameras	60,00 €
WV-QEM100-W	Bracket	4010869300384		Embedded Ceiling Mount (white) for U Series Varifocal-Lens Indoor Dome models and AI capable cameras	60,00 €
WV-QEM101-W	Bracket	6942464806214		Embedded Ceiling Mount (i-PRO white) for indoor PTZ WV-S61302-Z4, WV-S6131	230,00 €
WV-QEM500-W	Bracket	4010869300377		Embedded Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras	156,00 €
WV-QEM501-W	Bracket	6942464806313		Embedded Ceiling Mount (i-PRO white) for WV-U61300-ZY, -ZYG	77,00 €
WV-QEM502-W	Bracket	6942464806320		Embedded Ceiling Mount (i-PRO white) For WV-U65300-ZY, -ZYG. Indoor use only	77,00 €
WV-QEM503-W	Bracket	6942464806337		Embedded Ceiling Mount (i-PRO white) For WV-U65301-Z1, -Z1G. Indoor use only	77,00 €
WV-QEM504-W	Bracket	6942464806344		Embedded Ceiling Mount (i-PRO white) For WV-U65302-Z2, -Z2G. Indoor use only	77,00 €
WV-QJB500-G	Bracket	4010869300124		Adapter box (gray) in combination with WV-QWL500-G	60,00 €
WV-QJB500-W	Bracket	4010869300131		Adapter box (white) in combination with WV-QWL500-W	60,00 €
WV-QJB501-B	Bracket	6942464806092		Surface Ceiling Mount (black) for U Series Varifocal-Lens Outdoor Dome models	55,00 €
WV-QJB501-W	Bracket	4010869300360		Surface Ceiling Mount (white) for U Series Varifocal-Lens Outdoor Dome models	55,00 €
WV-QJB502-G	Bracket	40108693004474		Ceiling surface mount bracket (grey) for WV-S35xx series	60,00 €
WV-QJB502-W	Bracket	40108693004481		Ceiling surface mount bracket (white) for WV-S35xx series	60,00 €
WV-QJB503-W	Bracket	6942464806085		Base Bracket (i-PRO white) for ceiling Mount Bracket compatible with: WV-Q105A for cameras: WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	160,00 €
WV-QJB504-W	Bracket	6942464806399		Base Bracket (i-PRO white) for ceiling	53,00 €
WV-QLR100-B	Bracket			Light Rail Mount Bracket (black)	110,00 €
WV-QLR100-W	Bracket			Light Rail Mount Bracket (i-PRO white)	110,00 €
WV-QPL500-B	Bracket	4549980575017		Pole Mount (black) for WV-U15xx, WV-X15xx, WV-U25xx, WV-X25xx, WV-U2530L and WV-U2540L (please check for requirement of wall hanging brackets)	137,00 €
WV-QPL500-W	Bracket	4010869300353		Pole Mount (white) for WV-U15xx, WV-X15xx, WV-U25xx, WV-X25xx, WV-U2530L and WV-U2540L (please check for requirement of wall hanging brackets)	137,00 €
WV-QSR100-B	Accessory	6942464806696		Sunshade black	67,00 €
WV-QSR100-W	Accessory	6942464806689		Sunshade white	67,00 €
WV-QSR500-W	Accessory	4010869300469		Sun Shade (white) for outdoor camera WV-S25700-V2LN, -V2LG, WV-S25700-V2LN1, WV-S2571LN 4K WV-S2572L 4K WV-S25600-V2LN, -V2LG, WV-S25500-V3LN, -V3LG, WV-S25500-V3LN1, WV-S2551LN, WV-S2552L, WV-S2536LN, LGN, WV-S2536LTN, WV-U2542LA, WV-U2532LA	63,00 €
WV-QSR501-B	Bracket	4549980575024		Ceiling Pendant Mount (black) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QCL501 Wall Hanging Mount (black) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QWL501 Or for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QAT500 to be used on joint sections between the mount bracket and 3rd party brackets	57,00 €
WV-QSR501-W	Bracket	4010869300346		Ceiling Pendant Mount (white) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QCL501-W Wall Hanging Mount (white) for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QWL501-W Or for WV-U2532L, WV-U2542L and WV-X25xx in combination with WV-QAT500-W to be used on joint sections between the mount bracket and 3rd party brackets	57,00 €
WV-QSR501F-W	Bracket	6942464806351		Mount Bracket Female/ISO (i-PRO white)	140,00 €
WV-QSR501M-W	Bracket	6942464806375		Mount Bracket Male/ISO (i-PRO white)	140,00 €
WV-QSR501F1-W	Bracket	6942464806368		Mount Bracket Female/ANSI (i-PRO white)	140,00 €
WV-QSR501M1-W	Bracket	6942464806382		Mount Bracket Male/ANSI (i-PRO white)	140,00 €
WV-QSR502A-W	Bracket	4010869306010		Ceiling Pendant Mount (white) for WV-S85xx and WV-X85xx in combination with WV-Q178 Wall Hanging Mount (white) for WV-S85xx and WV-X85xx in combination with WV-Q185 Or for WV-S85xx and WV-X85xx in combination with WV-Q179 to be used on joint sections between the mount bracket and 3rd party brackets	116,00 €
WV-QSR503F1-W	Bracket	6942464807631		Mount Bracket Female/ANSI (i-PRO white) for fixing Multisensor cameras compatible with: third party brackets and cameras WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	260,00 €
WV-QSR503F-W	Bracket	6942464806047		Mount Bracket Female/ISO (i-PRO white) for fixing Multisensor cameras compatible with: third party brackets and cameras WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x	260,00 €
WV-QSR503M1-W	Bracket	6942464807648		Mount Bracket Male/ANSI (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	260,00 €
WV-QSR503M-W	Bracket	6942464806054		Mount Bracket Male/ISO (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	260,00 €
WV-QSR503-W	Bracket	6942464806030		Mount Bracket Male/ISO (i-PRO white) for Multisensor cameras compatible with: QCL100 brackets and WV-S8574x, WV-S8573x, WV-S8564x, WV-S8363x, WV-S8544x, WV-S8543x cameras	260,00 €
WV-QSR504F-W	Bracket	6942464806146		Mount Bracket Female/ISO (i-PRO white) for dome cameras	135,00 €
WV-QSR504M-W	Bracket	6942464806160		Mount Bracket Male/ISO (i-PRO white) for dome cameras	135,00 €
WV-QSR504F1-W	Bracket	6942464806153		Mount Bracket Female/ANSI (i-PRO white) for dome cameras	135,00 €
WV-QSR504M1-W	Bracket	6942464806177		Mount Bracket Male/ANSI (i-PRO white) for dome cameras	135,00 €



WV-QSR504S-W	Bracket	6942464806139		Mount Bracket (i-PRO white) 4 holes Bracket with heavy salt damage resistance for dome cameras compatible bracket with WV-QCL501S-W, WV-QWL501S-W.	177,00 €
WV-QSR504-W	Bracket	6942464806122		Mount Bracket (i-PRO white) 4 holes for dome cameras compatible bracket with WV-QCL501-W, WV-QWL501-W,	137,00 €
WV-QWD100C-W	Bracket	6942464806290		Wall Mount Bracket Clear Dome (i-PRO white) For WV-S61301-Z2, U61301-Z2 and U61301-Z1	360,00 €
WV-QWD100G-W	Bracket	6942464806283		Wall Mount Bracket Smoke Dome (i-PRO white) For WV-S61301-Z2, U61301-Z2 and U61301-Z1	360,00 €
WV-QWL100-W	Bracket	6942464806221		Wall Mount Bracket (i-PRO white)for WV-S61302-Z4, WV-S6131 and WV-S6111	250,00 €
WV-QWL500-B	Bracket	4549980575031		Wall Mount Bracket (black) for WV-X41/S41xx series, WV-X25/X22xx series, WV-S22/21xx series, WV-S31xx series and WV-U25/21xx series in combination with WV-QJB500-W as Pole Mount in combination with WV-QJB500-W and WV-QPL500-W as Corner Mount in combination with WV-QCN500-W (and WV-QJB500-W)	80,00 €
WV-QWL500-G	Bracket	4010869300155		Wall Mount Bracket (gray) for WV-X45/S45xx series, WV-S25xx series and WV-S35xx series in combination with WV-QJB500-G as Pole Mount in combination with WV-QJB500-G and WV-Q182 as Corner Mount in combination with WV-Q183 (and WV-QJB500-G).	80,00 €
WV-QWL500-W	Bracket	4010869300148		Wall Mount Bracket (white) for WV-X41/S41xx series, WV-X25/X22xx series, WV-S22/21xx series, WV-S31xx series and WV-U25/21xx series in combination with WV-QJB500-W as Pole Mount in combination with WV-QJB500-W and WV-QPL500-W as Corner Mount in combination with WV-QCN500-W (and WV-QJB500-W)	80,00 €
WV-QWL501-B	Bracket	4549980575048		Wall Hanging Mount (black) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	145,00 €
WV-QWL501S-W	Bracket	6942464806412		Wall Mount Bracket (i-PRO white) -salt damage resistance	490,00 €
WV-QWL501-W	Bracket	4010869300438		Wall Hanging Mount (white) for U Series Varifocal-Lens Outdoor Dome models and AI capable cameras in combination with WV-QSR501-W	145,00 €
WV-S25F1	Bracket	4549980353004		Outdoor Dome and Fisheye Optical Interface Mounting Bracket with built-in optical media converter for WV-S25xx, WV-X41xx, WV-X45xx, WV-S45xx, WV-S4150 and WV-SFV781L	630,00 €
WV-SDA032G	SD card			Standard size SD card (A-model) 32GB	69,00 €
WV-SDA064G	SD card			Standard size SD card (A-model) 64GB	105,00 €
WV-SDA128G	SD card			Standard size SD card (A-model) 128GB	170,00 €
WV-SDA256G	SD card			Standard size SD card (A-model) 256GB	310,00 €
WV-SDA512G	SD card			Standard size SD card (A-model) 512GB	560,00 €
WV-SDB032G	SD card			Micro size SD card (B-model) 32GB	63,00 €
WV-SDB064G	SD card			Micro size SD card (B-model) 64GB	97,00 €
WV-SDB128G	SD card			Micro size SD card (B-model) 128GB	165,00 €
WV-SDB256G	SD card			Micro size SD card (B-model) 256GB	300,00 €
WV-SUD6FRL1	Accessory	4549077690654		IR-LED Accessory for WV-SUD638 - coverage up to 150m	1.050,00 €
WV-SUD6FRL-H	Accessory	4549077786449		IR-LED Accessory for WV-SUD638 - coverage up to 150m (Grey)	1.050,00 €
WV-SUD6FRL-T	Accessory	4549077786456		IR-LED Accessory for WV-SUD638 - coverage up to 150m (brown)	1.050,00 €
WV-X65F1	Bracket	4549980260487		Outdoor PTZ Optical Interface Mounting Bracket with built-in optical media converter for WV-X65xx and WV-S65xx (silver)	630,00 €
WV-X65F1-W	Bracket	4582619072242		Outdoor PTZ Optical Interface Mounting Bracket with built-in optical media converter (i-PRO white)	750,00 €
430W	Bracket			Indoor Wall / Ceiling Mount Bracket (white)	50,00 €
CKS605POE	Housing	4010869238854		External housing with heater (PoE) for IP box cameras	445,00 €
CPR705POE	Housing	4010869303057		External housing with heater (PoE) for IP box cameras	445,00 €
HDD201	HDD	4010869164672		2TB Storage for NVR	289,00 €
HDD401	HDD	718037823317		4TB Storage for NVR	445,00 €
HDD601	HDD	4010869234986		6TB Storage for NVR	712,00 €
M13VG288IR	Lenze			CCTV lens, focal length 2.8 to 8 mm, CS-mount, 1/2.7" optical format, aperture range 1.2 to 360, iris type: auto iris dc	180,00 €
M13VG550IR	Lenze			CCTV lens, focal length 5 to 50 mm, CS-mount, 1/3" optical format, aperture range 1.6 to 360, iris type: auto iris dc	232,00 €
M13VG850IR	Lenze			CCTV lens, focal length 8 to 50 mm, CS-mount, 1/2.7" optical format, aperture range 1.6 to 360, iris type: auto iris dc	320,00 €
PGKV1130ZAC1	Spare parts			Dome cover	23,00 €
PGKV1213ZAC1	Spare parts			Dome cover	41,00 €
PGKV1214ZAC1	Spare parts			Dome cover	52,00 €
PGKV1215RAC1	Spare parts			Dome cover	254,00 €
PGKV1478ZAC1	Spare parts			Dome cover lens	25,00 €
PGOL1149ZA/C1	Spare parts			Dome cover	374,00 €
PGOL1180ZA/C1	Spare parts			Dome cover	25,00 €
PGVF2524ZAC1	Spare parts			Dome cover	136,00 €
PGVF4469ZA/C1	Spare parts			Dome Cover ASS'Y	37,00 €
PGVF4976ZA/C1	Spare parts			NX100 2TB ASS'Y	554,00 €
PGYE1069ZAD1	Spare parts			HDD Canister	56,00 €
WV-PM500	Accessory	4582619074093		Compact microphone unit for surveillance camera. Compact design (32x23x15.5mm)IP65Indoor/Outdoor use, installable with i-PRO bracket Installable on the ceiling, wall, embedded, AI sound classification available**when using with i-PRO AI cameras	115,00 €
WV-QEM506-B	Bracket	6942464807310		Mount Bracket for Multi-directional+PTZ camera (Black)	400,00 €
WV-QEM506-W	Bracket	6942464807303		Mount Bracket for Multi-directional+PTZ camera(i-PRO white)	400,00 €
WV-QRM001	Bracket	4582619075274		Vertical rack mount bracket for WJ-NU series	70,00 €
WV-QRM101	Bracket	4582619075281		Rack mount bracket for WJ-NU series	55,00 €
WV-QRM201	Bracket	4582619075298		Wall mounting bracket for WJ-NU series	32,00 €
WV-QSR501S-W	Bracket	6942464806894		Ceiling Pendant Mount (i-PRO white) -salt damage resistance	150,00 €
WV-QSR504-B	Bracket	6942464806887		Mount Bracket (black) 4 holes for dome cameras compatible bracket with WV-QCL501-W, WV-QWL501-W,	137,00 €
WV-QSR507-B	Bracket	6942464807112		Mount Bracket for dual sensor camera (Black)	175,00 €
WV-QSR507F1-B	Bracket	6942464807198		Mount Bracket Female/ANSI for dual sensor camera (Black)	175,00 €
WV-QSR507F1-W	Bracket	6942464807150		Mount Bracket Female/ANSI for dual sensor camera (i-PRO white)	175,00 €
WV-QSR507F-B	Bracket	6942464807181		Mount Bracket Female/ISO for dual sensor camera (Black)	175,00 €
WV-QSR507F-W	Bracket	6942464807143		Mount Bracket Female/ISO for dual sensor camera (i-PRO white)	175,00 €
WV-QSR507M1-B	Bracket	6942464807174		Mount Bracket Male/ANSI for dual sensor camera (Black)	175,00 €
WV-QSR507M1-W	Bracket	6942464807136		Mount Bracket Male/ANSI for dual sensor camera (i-PRO white)	175,00 €
WV-QSR507M-B	Bracket	6942464807167		Mount Bracket Male/ISO for dual sensor camera (Black)	175,00 €
WV-QSR507M-W	Bracket	6942464807129		Mount Bracket Male/ISO for dual sensor camera (i-PRO white)	175,00 €
WV-QSR507-W	Bracket	6942464807105		Mount Bracket for dual sensor camera (i-PRO white)	175,00 €
WV-QSR508-B	Bracket	6942464807211		Mount Bracket for Multi directional+PTZ camera (Black)	190,00 €

WV-QSR508F1-B	Bracket	6942464807297		Mount Bracket Female/ANSI for Multi directional+PTZ camera (Black)	190,00 €
WV-QSR508F1-W	Bracket	6942464807259		Mount Bracket Female/ANSI for Multi directional+PTZ camera (i-PRO white)	190,00 €
WV-QSR508F-B	Bracket	6942464807280		Mount Bracket Female/ISO for Multi directional+PTZ camera (Black)	190,00 €
WV-QSR508F-W	Bracket	6942464807242		Mount Bracket Female/ISO for Multi directional+PTZ camera (i-PRO white)	190,00 €
WV-QSR508M1-B	Bracket	6942464807273		Mount Bracket Male/ANSI for Multi directional+PTZ camera (Black)	190,00 €
WV-QSR508M1-W	Bracket	6942464807235		Mount Bracket Male/ANSI for Multi directional+PTZ camera (i-PRO white)	190,00 €
WV-QSR508M-B	Bracket	6942464807266		Mount Bracket Male/ISO for Multi directional+PTZ camera (Black)	190,00 €
WV-QSR508M-W	Bracket	6942464807228		Mount Bracket Male/ISO for Multi directional+PTZ camera (i-PRO white)	190,00 €
WV-QSR508-W	Bracket	6942464807204		Mount Bracket for sphere PTZ camera (i-PRO white)	190,00 €
<b>LICENCE</b>					
WJ-NVE30W	License	4010869246064		The i-PRO 8-Camera License Expansion Kit for WJ-NV300 adds eight cameras to the WJ-NV300 Network Video Recorder, expanding the number of connectable cameras from 16 to 24.	1.050,00 €
WJ-NXC05W	License	4010869269636		Panasonic Client Concurrent Access Kit for WV-ASM300	1.700,00 €
WJ-NXE20W	License	4010869265409		The i-PRO 7 channel extension license for WJ-NX200. Number of cameras used in the system can be increased to 32 (maximum) by purchasing the Additional Camera license.	650,00 €
WJ-NXE30W	License	4010869268318		The i-PRO 8 channel extension license for WJ-NX300. Number of cameras used in the system can be increased to 32 (maximum) by purchasing the Additional Camera license.	850,00 €
WJ-NXE40W	License	4010869256209		The i-PRO 32 channel extension license for WJ-NX400.	3.370,00 €
WJ-NXF02W	License	4010869268295		The i-PRO Business Intelligence license for WJ-NX200/NX300.	1.100,00 €
WJ-NXR30W	License	4010869268325		Additional Software License to enable the RAID function on WJ-NX300.	850,00 €
WJ-NXS01W	License	4010869262071		Licenza Secure Communication - Optional license for 1ch	286,00 €
WJ-NXS04W	License	4010869262040		Licenza Secure Communication - Optional license for 4ch	600,00 €
WJ-NXS16W	License	4010869262088		Licenza Secure Communication - Optional license for 32ch	1.690,00 €
WJ-NXS32W	License	4010869262095		Licenza Secure Communication - Optional license for 16ch	2.740,00 €
WV-ASE202W	License	4010869241090		Additional license for ASM200 and ASM300 to enable the following functions: viewing of up to 64 cameras	660,00 €
WV-ASE203W	License	4010869241106		Additional license for ASM200 and ASM300 to enable the following functions: total maximum number of recorders 500.	660,00 €
WV-ASE205W	License	4010869263559		Visibility enhancement function per ASM200 e ASM300	8.500,00 €
WV-ASE306W	License	4010869262965		Extension software for controlling Video Insight server	1.700,00 €
WV-ASM300W	License	4010869256179		i-PRO Management Software, Integrated camera control, viewing and recorder management, Integrates i-PRO Extreme H.265 & i-PRO H.264 equipment, Supports SSL communication using Symantec device certification, Supports Panasonic "AES-256bit" encryption video, NEW user-interface design & 4K native GUI enhances usability, Automatic camera configuration wizard speeds system set-up, Includes multi-monitor and WV-CU950 support as standard, Base: 100 recorders, 64 encoders and 256 cameras, Expandable to thousands of cameras, recorders and encoders, Full array of software extension modules available Replacement of WV-ASM200+ASE201	1.260,00 €
WV-SAE303W	License	4010869272650		Extension Software for People Counting for WV-S4150	900,00 €
IPRO-VAX-MMC-ADD-IP	License				467,00 €
VaxALPR	Vactor			VaxALPR (Vactor) - Numbers of plugins: 1, Description: License plate recognition license (EDGE) for i-PRO AI Camera. 1x license per camera required.	850,00 €
VaxALPR-IP	Vactor			VaxALPR (Vactor) - Numbers of plugins: 1, Description: License plate recognition license (EDGE) for i-PRO AI Camera. 1x license per camera required.	850,00 €
AI-ATM-E	A.I.TECH	4010869305143		AI-ATM (A.I. Tech) - Numbers of plugins: 1, Description: Overcrowd detection and loitering detection near ATM,	380,00 €
AI-BIO-D-E	A.I.TECH	4010869305037		AI-BIO (A.I. Tech) - Numbers of plugins: 1, Description: Gender recognition, age estimation, ethnicity and emotion through frontal cameras based on deep learning	650,00 €
AI-CRO-D-SL	A.I.TECH	4010869304993		AI-CROWD-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: Crowd and overcrowd estimation in crowded areas through overhead cameras based on deep learning	517,00 €
AI-DA-1CH-B-F	A.I.TECH	4010869306737		Basic dashboard PRO (A.I. Tech) - One off license for a single APP and includes the software evolution plan for the first year, Description: Basic features of AI Dashboard PRO, Not included: AI Dashboard Server + application license	219,00 €
AI-DA-1CH-E-F	A.I.TECH	4010869306751		Enterprise dashboard PRO (A.I. Tech) - One off license for a single APP and includes the software evolution plan for the first year, Description: SMART PARKING vertical is included in this license, Not included: AI Dashboard Server + application license	330,00 €
AI-DA-1CH-P-F	A.I.TECH	4010869306744		Professional dashboard PRO (A.I. Tech) - One off license for a single APP and includes the software evolution plan for the first year, Description: SMART ROOM vertical is included in this license, Not included: AI Dashboard Server + application license	270,00 €
AI-DA-4CH-E	A.I.TECH	4010869306720		Entry dashboard PRO (A.I. Tech) - One off license up to 4x APPs (included). Includes the software evolution plan for the whole period. Description: Entry features of AI Dashboard PRO, Not included: AI Dashboard Server + application license	329,00 €
AI-FD-D-E	A.I.TECH	4010869305129		AI-FACEDETECT (A.I. Tech) - Numbers of plugins: 1, Description: Face detection (with and without mask).	380,00 €
AI-FIRE-D-E	A.I.TECH	4010869305105		AI-FIRE (A.I. Tech) - Numbers of plugins: 1, Description: Flame detection based on deep learning	490,00 €
AI-FIRE-P-D-E	A.I.TECH	4010869305150		AI-FIRE+ (A.I. Tech) - Numbers of plugins: 2, Description: Bundle includes AI-FIRE-DEEP and AI-SMOKE-DEEP	650,00 €
AI-FLO	A.I.TECH			AI-FLOOD-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: Detection of roadway flooding based on deep learning	650,00 €
AI-INC-D	A.I.TECH			AI-INCIDENT-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: Pedestrian detection on the road or vehicle stopped in a prohibited area, congestion detection, detection of vehicles travelling in the wrong lane. Vehicles and pedestrian detection and classification are both based on deep learning.	765,00 €
AI-INT-D	A.I.TECH	4010869306706		AI-INTRUSION (A.I. Tech) - Numbers of plugins: 1, Description: Crossline detection & intrusion detection based on deep learning	490,00 €
AI-LOS	A.I.TECH			AI-LOST-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: it allows the abandoned/removed object detection. Thanks to a deep neural networks, it is able to distinguish baggages and garbages	490,00 €
AI-LPR	A.I.TECH	4010869306775		AI-LPR-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: license plate recognition based on deep learning (ITALY ONLY)	650,00 €

AI-PAR-D-E	A.I.TECH	4010869305174		AI-PARKING (A.I. Tech) - Numbers of plugins: 1, Description: Evaluation of free and occupied parking lots based on deep learning	650,00 €
AI-PEO-D	A.I.TECH			AI-PEOPLE-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: based on deep learning, counting of the people crossing a line through the use of a topview mounted camera	490,00 €
AI-PPE	A.I.TECH			AI-PPE-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: detection of workers without personal protective equipment (PPE) based on deep learning	650,00 €
AI-RET-D	A.I.TECH	4010869306690		AI-RETAIL-DEEP (A.I. Tech) - Numbers of plugins: 3, Description: Bundle includes cross-line functionality, AI-CROWD-DEEP and AI-OCCUPANCY	710,00 €
AI-ROA3-D	A.I.TECH			AI-ROAD3D-DEEP (A.I. Tech) - Numbers of plugins: 1, Description: Counting and classification of vehicles (cars, motorcycles and trucks), detection of average speed and of vehicles with speed above threshold, color detection. Both vehicles detection and classification are based on deep learning.	765,00 €
AI-SEC3-E	A.I.TECH	4010869305167		AI-SECURITY (A.I. Tech) - Numbers of plugins: 4, Description: Bundle includes AI-INTRUSION, AI-LOST, AI-FIRE, AI-SMOKE	650,00 €
AI-SMO-D-E	A.I.TECH	4010869305112		AI-SMOKE (A.I. Tech) - Numbers of plugins: 1, Description: Smoke detection based on deep learning	490,00 €
AI-SPI-D-E	A.I.TECH	4010869305136		AI-SPILL (A.I. Tech) - Numbers of plugins: 1, Description: Person fall detection based on deep learning	468,00 €
AI-TOT-L-E	A.I.TECH	4010869304931		AI-SMART-TOTAL (A.I. Tech) - Numbers of plugins: 1, Description: Bundle that allows you to dynamically activate 1 plugin of your choice: AI-People, AI-Crowd, AI-Heat, AI-Occupancy, AI-Intrusion, AI-Loitering, AI-Lost, AI-FaceDetect, AI-ATM, AI-Spill, AI-Masking	490,00 €
AI-TOT-P-E	A.I.TECH	4010869304948		AI-SMART-TOTAL-PRO (A.I. Tech) - Numbers of plugins: 1, Description: Bundle that allows you to dynamically activate 1 plugin of your choice: AI-People, AI-Crowd, AI-Crowd-Deep, AI-Retail-Deep, AI-Heat, AI-Occupancy, AI-Bio-Deep, AI-Intrusion-Deep, AI-Lost, AI-Security, AI-Fire, AI-Smoke, AI-Fire+, AI-FaceDetect, AI-ATM, AI-Spill, AI-Parking, AI-Road3D, AI-Incident, AI-Road3D-Deep, AI-Incident-Deep, AI-LPR, AI-Violation	770,00 €
AI-TRA-D-SL	A.I.TECH	4010869305235		AI-TRAFFIC-DEEP (A.I. Tech) - Numbers of plugins: 2, Description: Bundle includes AI-ROAD3D-DEEP and AI-INCIDENT-DEEP, with deep learning based detector and classifier	1.420,00 €
AI-VIO	A.I.TECH	4010869307758		AI-VIOLATION (A.I. Tech) - Numbers of plugins: 1, Description: Detection and identification of vehicles (cars, motorcycles and trucks) crossing the stop line while the traffic light is red. Color and average speed estimates of the vehicle detected. The detection and classification are both based on deep learning. No physical connection to the traffic light is required.	650,00 €
<b>VIDEO INSIGHT</b>					
HM-BASE-OP				Health Monitor Main Server Monitoring status of cameras and IP Servers, Role-based user management, Email notifications and customized reports (English language only), on-premise version	3.450,00 €
HM-MSRV-OP-1Y				Health Monitor 1Y monitoring/IPserver	350,00 €
HM-MSRV-OP-3Y				Health Monitor 3Y monitoring/IPserver	920,00 €
HM-MSRV-OP-5Y				Health Monitor 5Y monitoring/IPserver	1.350,00 €
IPSV-UL		4010869267908		Video Insight Camera License per Camera: Includes unlimited SUP (Software Upgrade Program) for all updates and major software release, License needed to connect non-Panasonic camera brands, for Panasonic cameras manufactured before October 2014 and for I/O modules	260,00 €
IPSVS-AD-JCS-PN		4010869295666		WVCU950 / WVCU980 Joystick license, Support VI version: VI 7.4 or later, Includes unlimited SUP (Software Upgrade Program) for all updates and major software releases. • Licensing is per joystick.	290,00 €
IPSVS-AD-NVR		4010869281607		Video Insight Integration license with Panasonic NVR Support: Old NVR line-up (NV200/NV300/ND400) + new NX line-up (NX200/NX300/NX400), Includes unlimited SUP (Software Upgrade Program), 1 license for 1 NVR.	900,00 €
IPSVS-AD-VW-PN		4010869295673		VI Video WallPlus license: A license is needed per VideoWall PC	3.050,00 €
IPSVSE-UL		4010869267922		Video Insight Enterprise Server License (per OS): Unlimited number of cameras, Full features	2.000,00 €
IPSVSX-UL		4010869267915		Video Insight Express Server License (per OS): Up to 32 cameras, Limited features (no plugins)	- €
IPSV-VI-TV-PLS		4010869306959		VI TV PLUS license, One off license per server, Covers unlimited instances of VI-TV devices (hardware performance limits)	420,00 €
LPR-EUR-GEN		4010869289436		[All Europ-General-all regions not listed individually-Confirm region with sales] Server License, LPR server license includes: LPR server license with serial key dongle, Video Insight software integration, and one LPR camera connection license. Software to be installed on customer provided server and not to exceed 5 camera licenses per server, 1 year license. VI-VMS Enterprise Server License is required	5.800,00 €
LPR-EUR-GEN-AD		4010869289443		LPR Camera channel license, To be used with LPR-EUR-GEN server license, LPR-EUR-GEN-AD gives you 1x additional LPR channel, LPR channels per server are limited to 5 channels to keep performance	1.000,00 €
LPR-EUR-GEN-SUP		4010869289450		LPR maintenance license and 1Y software upgrade	500,00 €
VAX-I-Pro-LPR-EDG		0		Vaxtor LPR license Compatible only with VI Server Enterprise software. 1x license required per device. VI LPR plugin included.	1.200,00 €
VAX-LPR-EDG-IP				Vaxtor LPR license Compatible only with VI Server Enterprise software. 1x license required per device. VI LPR plugin included.	1.200,00 €
VI-CL-MED		4010869287463		VI Medium client (Tower PC) Target: Designed to connect up to 3x displays and to show max. 48x camera images simultaneously (depending on image quality settings)	6.000,00 €
VI-CL-SML		4010869287456		VI Small client (Micro Form Factor PC) Target: Designed to connect 1x display and to show approx. 6x camera images simultaneously (depending on image quality settings)	2.450,00 €
VI-HDD-12TB		4010869301343		Expansion hard disk for VI Servers 12TB	1.750,00 €
VI-HDD-4TB		4010869301329		Expansion hard disk for VI Servers 4TB	660,00 €
VI-HDD-8TB		4010869301336		Expansion hard disk for VI Servers 8TB	1.100,00 €

VI-SRV-ENT-12		4010869294461		Video Insight ENTRY server - 12TB (RAID0) - Including: 1x VI Express license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware <b>Target:</b> approx. 1-32 cameras <b>OPTION:</b> VI enterprise license	12.300,00 €
VI-SRV-ENT-16-R5		4010869294485		Video Insight ENTRY server - 16TB (RAID5) - Including: 1x VI Express license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-32 cameras, <b>OPTION:</b> VI enterprise license	16.100,00 €
VI-SRV-ENT-8		4010869294515		Video Insight ENTRY server - 8TB (RAID0) - Including: 1x VI Express license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-32 cameras, <b>OPTION:</b> VI enterprise license	11.700,00 €
VI-SRV-ENT-8-R5		4010869294522		Video Insight ENTRY server - 8TB (RAID5) - Including: 1x VI Express license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-32 cameras, <b>OPTION:</b> VI enterprise license	13.500,00 €
VI-SRV-HLTH		4010869290432		Video Insight Health Server	8.223,00 €
VI-SRV-LPR		4010869290425		Video Insight LPR/ANPR server – Including: 1x VI ENTERPRISE license, 1x LPR software + USB dongle, 1x camera license for LPR, VI software pre-installed + activated, 19" rack sliders, 1Y free software/engine updates, 3Y Warranty on HW.	12.667,00 €
VI-SRV-LRG-176-R5		TBC		Video Insight LARGE server - 144TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-192 cameras,	47.000,00 €
VI-SRV-LRG-208-R5		TBC		Video Insight LARGE server - 208TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-192 cameras	51.000,00 €
VI-SRV-LRG-240-R5		4010869294638		Video Insight LARGE server - 240TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-192 cameras.	54.000,00 €
VI-SRV-LRG-272-R5		TBC		Video Insight LARGE server - 272TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-192 cameras	57.500,00 €
VI-SRV-LRG-304-R5		TBC		Video Insight LARGE server - 304 (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-192 cameras	61.000,00 €
VI-SRV-MED-100-R5		4010869290241		Video Insight MEDIUM server - 100TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-128 cameras	32.000,00 €
VI-SRV-MED-120-R5		4010869290265		Video Insight MEDIUM server - 120TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-128 cameras	34.500,00 €
VI-SRV-MED-140-R5		TBC		Video Insight MEDIUM server - 140TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-128 cameras	37.500,00 €
VI-SRV-MED-48-R5		4010869300056		Video Insight MEDIUM server - 48TB (RAID5) - Including: 1x VI Enterprise license, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-128 cameras	25.000,00 €
VI-SRV-MED-64-R5		TBC		Video Insight MEDIUM server - 64TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 64-128 cameras	26.500,00 €
VI-SRV-MED-80-R5		4010869290210		Video Insight MEDIUM server - 80TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware <b>Target:</b> approx. 64-128 cameras	29.500,00 €
VI-SRV-SML-12		4010869290081		Video Insight SMALL server - 12TB (RAID0) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	17.500,00 €
VI-SRV-SML-16		4010869290418		Video Insight SMALL server - 16TB (RAID0) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	18.250,00 €
VI-SRV-SML-16-R5		4010869290180		Video Insight SMALL server - 16TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	19.500,00 €
VI-SRV-SML-24		4010869290098		Video Insight SMALL server - 24TB (RAID0) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	19.500,00 €
VI-SRV-SML-24-R5		4010869209319		Video Insight SMALL server - 24TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	20.500,00 €
VI-SRV-SML-36-R5		4010869300049		Video Insight SMALL server - 36TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	22.250,00 €
VI-SRV-SML-8-R5		4010869290142		Video Insight SMALL server - 8TB (RAID5) - Including: 1x VI Enterprise license, VI software pre-installed + activated, 19" rack sliders, 3Y Warranty on Hardware, <b>Target:</b> approx. 1-64 cameras	17.750,00 €
<b>Extension de garantie</b>					
CCVE-TRAINING-1D		4010869267335		1 Day Training	200,00 €
CCVE-TRAINING-2D		4010869267342		2 Day Training	300,00 €
CCVE-TRAINING-3D		4010869267359		3 Day Training	460,00 €
WJ-HXE400/12TB5YWV		4010869299916		Additional 2 years of warranty for WJ-HXE400/12TB	309,00 €
WJ-HXE400/30TB5YWV		4010869299923		Additional 2 years of warranty for WJ-HXE400/30TB	309,00 €
WJ-HXE400/42TB5YWV		4010869299930		Additional 2 years of warranty for WJ-HXE400/42TB	309,00 €
WJ-HXE400/48TB5YWV		4010869299947		Additional 2 years of warranty for WJ-HXE400/48TB	309,00 €
WJ-HXE400/54TB5YWV		4010869299954		Additional 2 years of warranty for WJ-HXE400/54TB	309,00 €
WJ-NX200/12TB5YWV		4010869299817		Additional 2 years of warranty for WJ-NX200/12TB	85,00 €
WJ-NX200/24TB5YWV		4010869306447		Additional 2 years of warranty for WJ-NX200/24TB	85,00 €
WJ-NX200/48TB5YWV		4010869299794		Additional 2 years of warranty for WJ-NX200/48TB	85,00 €
WJ-NX200/84TB5YWV		4010869299800		Additional 2 years of warranty for WJ-NX200/84TB	85,00 €
WJ-NX300/12TB5YWV		4010869299848		Additional 2 years of warranty for WJ-NX300/12TB	190,00 €
WJ-NX300/18TB5YWV		4010869299855		Additional 2 years of warranty for WJ-NX300/18TB	190,00 €
WJ-NX300/24TB5YWV		4010869299862		Additional 2 years of warranty for WJ-NX300/24TB	190,00 €
WJ-NX300/64TB5YWV		4010869302425		Additional 2 years of warranty for WJ-NX300/64TB	190,00 €
WJ-NX3005YWV				Additional 2 years of warranty for WJ-NX300K	190,00 €

WJ-NX400/12TB5YVW	4010869299879	Additional 2 years of warranty for WJ-NX400/12TB	559,00 €
WJ-NX400/30TB5YVW	4010869299886	Additional 2 years of warranty for WJ-NX400/30TB	559,00 €
WJ-NX400/42TB5YVW	4010869299893	Additional 2 years of warranty for WJ-NX400/42TB	559,00 €
WJ-NX400/54TB5YVW	4010869299909	Additional 2 years of warranty for WJ-NX400/54TB	559,00 €
WJ-NX4005YVW		Additional 2 years of warranty for WJ-NX400K	559,00 €
WJ-PC200E5YVW	4010869299763	Additional 2 years of warranty for WJ-PC200E	15,00 €
WJ-PR201E5YVW	4010869299770	Additional 2 years of warranty for WJ-PR201E	20,00 €
WJ-PR204E5YVW	4010869299787	Additional 2 years of warranty for WJ-PR204E	43,00 €
WV-BWC4000E5YVW		Additional 2 years of warranty for WV-BWC4000E	123,00 €
WV-S11315YVW	4010869299459	Additional 2 years of warranty for WV-S1131	32,00 €
WV-S11365YVW		Additional 2 years of warranty for WV-S1136	30,00 €
WV-S1536L5YVW		Additional 2 years of warranty for WV-S1536L	65,00 €
WV-S1536LN5YVW		Additional 2 years of warranty for WV-S1536LN	77,00 €
WV-S1536LNS5YVW		Additional 2 years of warranty for WV-S1536LNS	160,00 €
WV-S1536LTN5YVW		Additional 2 years of warranty for WV-S1536LTN	100,00 €
WV-S15500-5YVW		Additional 2 years of warranty for WV-S15500	85,00 €
WV-S1552L5YVW	4010869306454	Additional 2 years of warranty for WV-S1552L	85,00 €
WV-S15600-5YVW		Additional 2 years of warranty for WV-S15600	105,00 €
WV-S15700-5YVW		Additional 2 years of warranty for WV-S15700	130,00 €
WV-S1572L5YVW	4010869306461	Additional 2 years of warranty for WV-S1572L	87,00 €
WV-S21315YVW	4010869299503	Additional 2 years of warranty for WV-S2131	37,00 €
WV-S21365YVW		Additional 2 years of warranty for WV-S2136	37,00 €
WV-S2136L5YVW		Additional 2 years of warranty for WV-S2136L	47,00 €
WV-S2236L5YVW		Additional 2 years of warranty for WV-S2236L	47,00 €
WV-S22500-5YVW		Additional 2 years of warranty for WV-S22500	65,00 €
WV-S2252L5YVW	4010869306584	Additional 2 years of warranty for WV-S2252L	66,00 €
WV-S22600-5YVW		Additional 2 years of warranty for WV-S22600	70,00 €
WV-S22700-5YVW		Additional 2 years of warranty for WV-S22700	75,00 €
WV-S2270L5YVW	4010869300018	Additional 2 years of warranty for WV-S2270L	78,00 €
WV-S2272L5YVW	4010869306478	Additional 2 years of warranty for WV-S2272L	78,00 €
WV-S2531LN5YVW	4010869299602	Additional 2 years of warranty for WV-S2531LN	67,00 €
WV-S2536L5YVW		Additional 2 years of warranty for WV-S2536L	65,00 €
WV-S2536LN5YVW		Additional 2 years of warranty for WV-S2536LN	70,00 €
WV-S2536LTN5YVW		Additional 2 years of warranty for WV-S2536LTN	85,00 €
WV-S25500-5YVW		Additional 2 years of warranty for WV-S25500	85,00 €
WV-S2552L5YVW	4010869306485	Additional 2 years of warranty for WV-S2552L	79,00 €
WV-S25600-5YVW		Additional 2 years of warranty for WV-S25600	98,00 €
WV-S25700-5YVW		Additional 2 years of warranty for WV-S25700	113,00 €
WV-S2572L5YVW	4010869306492	Additional 2 years of warranty for WV-S2572L	89,00 €
WV-S3111L5YVW	4010869299756	Additional 2 years of warranty for WV-S3111L	16,00 €
WV-S3131L5YVW	4010869299749	Additional 2 years of warranty for WV-S3131L	23,00 €
WV-S3511L5YVW	4010869299725	Additional 2 years of warranty for WV-S3511L	23,00 €
WV-S3512LM5YVW	4010869299732	Additional 2 years of warranty for WV-S3512LM	37,00 €
WV-S3531L5YVW	4010869299701	Additional 2 years of warranty for WV-S3531L	30,00 €
WV-S3532LM5YVW	4010869299718	Additional 2 years of warranty for WV-S3532LM	44,00 €
WV-S41565YVW		Additional 2 years of warranty for WV-S4156	45,00 €
WV-S41765YVW		Additional 2 years of warranty for WV-S4176	78,00 €
WV-S4556L5YVW		Additional 2 years of warranty for WV-S4556L	80,00 €
WV-S4556LM5YVW		Additional 2 years of warranty for WV-S4556LM	113,00 €
WV-S4576L5YVW		Additional 2 years of warranty for WV-S4576L	126,00 €
WV-S4576LM5YVW		Additional 2 years of warranty for WV-S4576LM	168,00 €
WV-S61300-5YVW		Additional 2 years of warranty for WV-S61300	183,00 €
WV-S61305YVW	4010869299671	Additional 2 years of warranty for WV-S6130	148,00 €
WV-S61315YVW	4010869299664	Additional 2 years of warranty for WV-S6131,	240,00 €
WV-S615005YVW		Additional 2 years of warranty for WV-S61500	132,00 €
WV-S65300-5YVW		Additional 2 years of warranty for WV-S65300,	328,00 €
WV-S6530N5YVW	4010869299374	Additional 2 years of warranty for WV-S6530N,	188,00 €
WV-S6532LN5YVW	4010869299992	Additional 2 years of warranty for WV-S6532LN,	233,00 €
WV-S6532LNS5YVW		Additional 2 years of warranty for WV-S6532LNS	285,00 €
WV-S655005YVW		Additional 2 years of warranty for WV-S65500	180,00 €
WV-S71300-5YVW		Additional 2 years of warranty for WV-S71300	38,00 €
WV-S8540-5YVW		Additional 2 years of warranty for WV-S8540	176,00 €
WV-S8560-5YVW		Additional 2 years of warranty for WV-S8560	217,00 €
WV-S8570-5YVW		Additional 2 years of warranty for WV-S8570	237,00 €
WV-SBV111M5YVW	4010869299695	Additional 2 years of warranty for WV-SBV111M,	46,00 €
WV-SBV131M5YVW	4010869299688	Additional 2 years of warranty for WV-SBV131M,	53,00 €
WV-SUD6385YVW	4010869299633	Additional 2 years of warranty for WV-SUD638,	545,00 €
WV-SUD638-H5YVW	4010869299657	Additional 2 years of warranty for WV-SUD638-H,	545,00 €
WV-SUD638-T5YVW	4010869299640	Additional 2 years of warranty for WV-SUD638-T,	545,00 €
WV-U1130A5YVW		Additional 2 years of warranty for WV-U1130A	23,00 €
WV-U1132A5YVW		Additional 2 years of warranty for WV-U1132A	33,00 €
WV-U1142A5YVW		Additional 2 years of warranty for WV-U1142A	34,00 €
WV-U1532LA5YVW		Additional 2 years of warranty for WV-U1532LA	54,00 €
WV-U1542LA5YVW		Additional 2 years of warranty for WV-U1542LA	67,00 €
WV-U2130LA5YVW		Additional 2 years of warranty for WV-U2130LA	25,00 €
WV-U2132LA5YVW		Additional 2 years of warranty for WV-U2132LA	35,00 €
WV-U2140LA5YVW		Additional 2 years of warranty for WV-U2140LA	29,00 €
WV-U2142LA5YVW		Additional 2 years of warranty for WV-U2142LA	45,00 €
WV-U2530LA5YVW		Additional 2 years of warranty for WV-U2530LA	38,00 €
WV-U2532LA5YVW		Additional 2 years of warranty for WV-U2532LA	54,00 €
WV-U2540LA5YVW		Additional 2 years of warranty for WV-U2540LA	44,00 €
WV-U2542LA5YVW		Additional 2 years of warranty for WV-U2542LA	67,00 €
WV-U61300-5YVW		Additional 2 years of warranty for WV-U61300	70,00 €
WV-U65300-5YVW		Additional 2 years of warranty for WV-U65300	110,00 €
WV-X1551LN5YVW	4010869306553	Additional 2 years of warranty for WV-X1551LN	137,00 €
WV-X1571LN5YVW	4010869306560	Additional 2 years of warranty for WV-X1571LN	149,00 €
WV-X2251L5YVW	4010869306577	Additional 2 years of warranty for WV-X2251L	115,00 €
WV-X2271L5YVW	4010869306591	Additional 2 years of warranty for WV-X2271L	128,00 €
WV-X2551LN5YVW	4010869306607	Additional 2 years of warranty for WV-X2551LN	133,00 €
WV-X2571LN5YVW	4010869306614	Additional 2 years of warranty for WV-X2571LN	145,00 €
WV-X6511N5YVW	4010869299367	Additional 2 years of warranty for WV-X6511N,	220,00 €
WV-X6531N5YVW	4010869299350	Additional 2 years of warranty for WV-X6531N,	276,00 €
WV-X6531N5YVW	4010869299343	Additional 2 years of warranty for WV-X6531NS,	353,00 €
WV-X6533LN5YVW	4010869299985	Additional 2 years of warranty for WV-X6533LN,	329,00 €

WV-X6533LNS5YVW		4010869306669		Additional 2 years of warranty for WV-X6533LNS	400,00 €
WV-S854005YVW				Additional 2 years of warranty for WV-S85402,	150,00 €
WV-S857005YVW				Additional 2 years of warranty for WV-S85702	180,00 €
WV-X865005YVW				Additional 2 years of warranty for WV-X86530	450,00 €