



DISTRIBUIDOR
OFICIAL



Body Cameras

2023 Q4 updated

Agenda

- DrivePro Body Products
- Value-added Software

DrivePro Body Products

Body Cameras Lineup



DrivePro Body 10

DrivePro Body 30

DrivePro Body 60

DrivePro Body 70

Standard		Premium				Advanced	
32GB	TS32GDPB10B	64GB	TS64GDPB30A	64GB	TS64GDPB60A	64GB	TS64GDPB70A

Body Cameras Features

Features	DrivePro Body 10	DrivePro Body 30	DrivePro Body 60	DrivePro Body 70
Infrared LEDs	✓	✓	-	-
Wi-Fi	-	✓	✓	✓
Bluetooth	-	✓	✓	✓
GPS Receiver	-	-	✓	✓
Vibration Alert	-	✓	✓	✓
Buffering Mode	-	✓	✓	✓
Event Recording	✓	-	-	-
Loop Recording	✓	✓	✓	✓
Stealth Mode	-	✓	✓	✓
Team Sync	-	✓	✓	✓

Body Cameras Recording Time



Product	DriveProBody 10				DrivePro Body 30			
Resolutions	Full HD 1080P 60fps	Full HD 1080P 30fps	HD 720P 60fps	HD 720P 30fps	2K QHD 1440P 30fps	Full HD 1080P 60fps	Full HD 1080P 30fps	HD 720P 30fps
16GB	2 hrs	2.5 hrs	4.5 hrs	8 hrs	-	-	-	-
32GB	4 hrs	5.5 hrs	9 hrs	16.5 hrs	-	-	-	-
64GB	8 hrs	11 hrs	18.5 hrs	33 hrs	13 hrs	13 hrs	13 hrs	38 hrs
128GB	16.5 hrs	22 hrs	37 hrs	66 hrs	-	-	-	-

*For reference only. The actual recording time is affected by the battery life as well.

Body Cameras Recording Time



Product	DriveProBody 60			DrivePro Body 70		
Resolutions	Full HD 1080P 30fps	HD 720P 30fps	2K QHD 1440P 30fps	Full HD 1080P 30fps	HD 720P 30fps	SD 480P 30fps
64GB	16 hrs	18 hrs	13 hrs	13 hrs	38 hrs	97 hrs

*For reference only. The actual recording time is affected by the battery life as well.

DrivePro Body 10 Specifications



In addition to the bundled microSD card, we recommend Transcend's High Endurance microSD cards to ensure the best recording performance:



microSDXC 350V
3D NAND flash

Dimensions	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")
Weight	88 g (3.10 oz)
Capacity	32GB microSD card included
Viewing Angle	130° (diagonal)
Aperture	F/2.8
Battery Life (Max.)	5 hrs
Resolution	Full HD 1080P
Frame Rate	60/30 fps
Video Format	MP4 (H.264)
IP Rating	IPX4
USB Type	micro USB to USB Type-A
Memory card Supported	8 GB/16 GB/32 GB/64 GB/128 GB/256 GB/512 GB

DrivePro Body 10 Key Features



STARVIS™ high-sensitivity image sensor



Infrared LEDs for night vision



Built-in battery (up to 5 hours)



Quick snapshot button



IPX4, rugged and durable design



32GB microSD card included

DrivePro Body 10 Package contents



Main unit



32GB microSD memory card



Adapter



360° rotating clip



Velcro holder



micro USB cable

DrivePro Body 30 Specifications



Dimensions	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")
Weight	130 g (4.59 oz)
Capacity	64GB internal memory
Viewing Angle	130° (diagonal)
Aperture	F/2.0
Battery Life (Max.)	12 hrs
Resolution	2K QHD 1440P
Frame Rate	60/30 fps
Video Format	MP4 (H.264)
IP Rating	IP67
USB Type	3.5mm plug to USB Type-A

DrivePro Body 30 Key Features



High-sensitivity image sensor
2K QHD 1440P recording



Infrared LEDs for night vision



Long battery life (up to 12 hours)



Image enhancement technologies



IP67, rugged and durable design



Two holders included

DrivePro Body 30 Package contents



Main unit



Adapter



3.5mm to USB Type-A cable



360° rotating clip



Velcro holder

DrivePro Body 60 Specifications



Dimensions	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")
Camera Dimensions	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")
Weight	167 g (5.89 oz)
Cable Length	1m
Capacity	64GB internal memory
Viewing Angle	130° (diagonal)
Aperture	F/2.8
Battery Life (Max.)	10 hrs
Resolution	Full HD 1080P
Frame Rate	30 fps
Video Format	MP4 (H.264)
IP Rating	IP67
USB Type	3.5mm plug to USB Type-A

DrivePro Body 60 Key Features



High-sensitivity image sensor



Tethered camera unit




Bluetooth and Wi-Fi connectivity



GPS/GLONASS receiver



IP67, rugged and durable design



Long battery life (up to 10 hours)

DrivePro Body 60 Package contents



Main unit



Adapter



3.5mm to USB Type-A cable



Adhesive mount



Clip mount



Belt pouch

DrivePro Body 70 Specifications



Dimensions	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")
Camera Dimensions	48.6 mm x 40 mm x 31.7 mm (1.91" x 1.57" x 1.25")
Weight	184 g (6.5 oz)
Cable Length	1m
Capacity	64GB internal memory
Viewing Angle	140° (diagonal)
Aperture	F/2.0
Battery Life (Max.)	9 hrs
Resolution	2K QHD 1440P
Frame Rate	30 fps
Video Format	MP4 (H.264)
IP Rating	IP68
USB Type	3.5mm plug to USB Type-A

DrivePro Body 70 Key Features



Capture Clear Evidence
2K QHD 1440P Recording




Full-Shift Battery Life




Mounting Flexibility:
Tethered camera unit



Capacious Storage



Rugged and Durable Design
IP68



Stay Connected, Keep In Control.

DrivePro Body 70 Package contents



Main unit



Adapter



3.5mm to USB Type-A cable



Adhesive mount



Clip mount



Belt pouch

Docking Station Specifications



TS-DPD6P

Dimensions	423 mm x 105 mm x 52 mm (16.65" x 4.13" x 2.05")
Weight	955 g (33.69 oz)
USB Type	USB Type-B to USB Type-A
Connection Interface	USB 3.1 Gen 1
Supported Device	DrivePro Body 20 / DrivePro Body 52



TS-DPD6N

Dimensions	423 mm x 105 mm x 54 mm (16.65" x 4.13" x 2.13")
Weight	980 g (34.57 oz)
USB Type	USB Type-A
Connection Interface	USB 3.1 Gen 1
Network Port	WAN: 10/100/1000 Mbps LAN: 10/100
Supported Device	DrivePro Body 30 / DrivePro Body 60 / DrivePro Body 70

Accessory Kits



TS-DBK1

For DrivePro Body
70/60/30

- 3.5mm to USB Type-A cable
- 360° rotating clip
- Velcro holder
- Velcro straps

TS-DBK2

For DrivePro Body
70/60/30/10B

- Magnetic mounting kit (backing plate and magnetic mount included)
- MOLLE mount
- Camera holder

TS-DBK3

For DrivePro Body
70/60

- Screwdriver
- Mounting screws
- Wearable cable

TS-DBK4

For DrivePro Body 10B

- micro USB to USB Type-A cable
- 360° rotating clip
- Velcro holder
- Velcro straps

TS-DBK7



For DrivePro Body 30

- Protective cover
- 25-centimeter safety chain



TS-DBK5

For DrivePro Body
70/60/30

- 3.5mm to USB Type-A power cable

DrivePro Body 10 Competitors



Brand	Transcend	PINNACLE	Watchguard Video
Model Name	DPB10	PR5	Vista Standard
Capacity	32GB microSD card included	16GB	32GB
Weight	88 g	120 g	150 g
Resolution	1080P	720P	720P
Viewing Angle	130°	120°	130°
IP Rating	IPX4	IP45	-
Battery Life (Max.)	5 hrs	6.5 hrs	7 hrs
Wi-Fi	-	-	-
Bluetooth	-	-	-
Infrared LEDs	V	-	-
Warranty	2 years	1 year	1 year

DrivePro Body 30 Competitors



Brand	Transcend	Axon	VIEVU	PINNACLE
Model Name	DPB30	Body 2	LE5	PR6
Capacity	64GB internal memory	64GB internal memory	64GB internal memory	32GB internal memory
Weight	130 g	143 g	138 g	155 g
Resolution	1440P	1080P	1080P	1080P
Viewing Angle	130°	143°	120°	130°
IP Rating	IP67	IP67	IP66	IP66
Battery Life (Max.)	12 hrs	12 hrs	12 hrs	13.5 hrs
Wi-Fi	V	V	V	V
Bluetooth	V	V	V	-
Infrared LEDs	V	-	-	-
Warranty	2 years	1 year	3 months	1 year

DrivePro Body 70/60 Competitors



Brand	Transcend		Axon
Model Name	DPB60	DPB70	Flex 2
Capacity	64GB internal memory		64GB
Weight	124g + 43g	184g	125g + 52g
Resolution	1080P	1440P	1080P
Viewing Angle	130°	140°	120°
IP Rating	IP67	IP68	IP54
Battery Life (Max.)	10 hrs	9 hrs	12 hrs
Wi-Fi	V	V	-
Bluetooth	V	V	-
Infrared LEDs	-	-	-
Warranty	2 years		1 year


Know More About IP Rating



Ingress Protection (IP) Rating			
Solids		Liquids	
0	No protection	0	No protection
1	Protection against <ul style="list-style-type: none">Solids greater than 50mm in diameter	1	Protection against <ul style="list-style-type: none">Vertically falling drops of water
2	Protection against <ul style="list-style-type: none">Solids greater than 12mm	2	Protection against <ul style="list-style-type: none">Falling drops of water unit is tilted 15° from vertical
3	Protection against <ul style="list-style-type: none">Solids greater than 2.5mm	3	Protection against <ul style="list-style-type: none">Water drops up to 60° from the vertical
4	Protection against <ul style="list-style-type: none">Solids greater than 1mm	4	Protection against <ul style="list-style-type: none">Water splashed from all directions
5	Protection against <ul style="list-style-type: none">Dust than may harm equipment	5	Protection against <ul style="list-style-type: none">Low pressure jets of water from all directions
6	Completely dust tight	6	Protection against <ul style="list-style-type: none">Strong jets of water from all directions
		7	Protection against <ul style="list-style-type: none">Immersion in water between 15cm and 1m for 30 minutes
		8	Protection against <ul style="list-style-type: none">Immersion in water under pressure for long periods

Value-added Software

DrivePro Body Toolbox



**Available for Windows and macOS*

File Backup

Automatically backs up photos and video recordings once connecting with the DrivePro Body camera

File Manager

Searches files by name, camera ID, user ID, or by date. Select a video, trim and save it as a new clip immediately

Device Settings

Adjusts DrivePro Body camera's settings, including microphone, light frequency, and date/time display format

Firmware Upgrade

Upgrades a DrivePro Body camera to the latest firmware version

Webcam Mode *For DPB30/60/70 only


Support various video conferencing software to start live streaming in an online meeting.

Smart Detection

Automatically identify the faces in a video and extract footage to the sidebar to let users blur or block out the faces.

*Available only on Windows

DrivePro Body App



Home

Selects your DrivePro Body device from the menu. Remaining battery and recording time will be shown on the display

Live View

Instantly views real-time footage recorded by the DrivePro Body camera on your mobile device

Browser

Videos are classified by the date recorded. You can search quickly to find a video file, and play it from your mobile device

Device and Video Settings

Device and video settings can be adjusted via your mobile device, including video resolution, video length, video stamp, volume, and date/time

Siri Shortcuts

Adds the app to Siri Shortcuts to quickly start recording, capturing images, or checking DrivePro Body power status

*This function is only available for DrivePro Body models with Bluetooth and Wi-Fi connectivity. (DrivePro™ Body 30, DrivePro™ Body 60, & DrivePro Body 70)

*Siri Shortcuts is only available to iPhone with iOS 12 or later.



cartronicgroup

Avda. Fuente Nueva, 12. 28703
San Sebastián de los Reyes – Madrid – Spain.
Tel : +34 916 588 760
marketing@cartronic.es
www.grupocartronic.com